



082-105
PART 8

WHEEL CHAIRS

COMMODE CHAIRS

WALKERS

STICKS

CANES

CRUTCHS

BATH BENCHS



TC205LHQ
Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Detachable Footrest, Solid Castor, Quick Release, Pneumatic Rear Wheel, Carrying Wheel And Anti-Tippers, Angle-Adjustable Footplate, Locking Drum Brake.



TC250LCPQ
Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Dechable Elevating Footrest, PU Castors, Quick Release PU Rear Wheel, Anti-Tippers, Angle-Adjustable Footplate.



TC121LF1
Powered Pediatric Wheel Chair, Aluminum Chair Frame, Adjustable PU Armrest, Adjustable Seat Width, Reclining High Back, Lithium Battery, Rubber Foam Drive Wheel.



TC131GC
Steel Chair Frame, Adjustable And Detachable Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Electrical Lifting Seat, Adjustable Seat Angle.



TC958LBPYF8
Aluminum Adapting Child Wheel Chair Adjustable Seat Size And Seat Height, Push Handle, Movable Armrest, Optional Accessories: Food Table, Height/Adjustable Footrest And Adjustable Headrest, Tilttable Seat, Reclining Back, PU Wheels.



TC980LQF8
Aluminum Adapting Child Wheel Chair, Adjustable Seat Size, Solid Castor, Flip-UP Armrest, Fixed Footrest, Height Adjustable Footplate, Quick Release Pneumatic Rear Wheel.

Code	Specification (cm)		Wheelchair Icons							+ -	W	12°	(Kg)	(CM)	kg	
	Seat H	Seat W	Wheel H	Wheel W	Wheel D	Wheel C	Wheel S	Wheel T	N.W.						G.W.	
TC121LF1	59	38(46)	32	20	52	96	20	1-7	23AH	200W*2	12°	75	86*58*75	40.9	48.9	
TC131GC	59	46	32	20	55	120-127	25	1-7	40AH	200W*2	12°	100	86*65*75	91.7	98.5	
TC958LBPYF8	52	25-32	30	15	38-66	98-120						35	86*53*45	24	27	
TC980LQF8	50-60	25-35	52	10	50-55	87-92						75	76*39*90	14.4	17.4	
TC205LHQ	68	46	62	15	49	90						100	77*33*91	18.6	20.9	
TC250LCPQ	67	46	60	17.5	50	93						100	83*31*91	20.4	22.6	



TC809
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel



TC809B
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Mag Wheel



TC876
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Rear Castor, Rear Wheel Pneumatic



TC901
Chromed Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Rear Wheel



TC802-35
Children Type, Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel



TC972
Chromed Steel Frame, Fixed Armrest, Detachable Footrest, Solid Castor, Solid Rear Wheel



TC983
Chromed Steel Frame, Detachable Armrest, Fixed Footrest, Solid Castor, Solid Wheel



TC902C
Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, PU Castor, Pneumatic Rear Wheel



TC909
Powder coating steel frame, Flip-up desk armrest, Detachable footrest, Solid castor, Solid rear wheel



TC874A
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Drop Back Handle, Solid Castor, Solid Rear Wheel, Double Cross Bars



TC810Y
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel, Hard Seat Cushion.



TC903GC
Chromed Steel Frame, 8" PVC Castor, 24" Solid Wheel, Detachable Armrest, Elevating Footrest, Reclining High Back

Code	Specification (cm)										N.W.	G.W.	CTNS			
	60	23	41(46)	59	20	51	87	106	40	40			20°FCL	40°FCL		
TC809	60(65)	23	41(46)	59	20	51	87	106	40	40	100	93*21*87	18	21	144	300
TC809B	60(66)	24	41(46)	59	20	51	90	108	40	42	100	93*21*86	18	21	140	288
TC802-35	54	23	35	55	15	47	85	97	36	42	75	84*24*86	18	20	164	332
TC972	60(65)	23	41(46)	29	20	50	87	102	40	40	100	93*21*87	18	20	172	320
TC874	60(65)	27	41(46)	59	20	47	91	104	40	42	120	93*26*91	20	22	108	220
TC874A	62	28	39	61	20	45	84	106	40	42	100	97*31*85	16	18	88	192

Code	Specification (cm)										N.W.	G.W.	CTNS			
	60	28	41(46)	59	20	47	91	106	40	41			110	84*28*78 <th>20 <th>22 <th>144 <th>330 </th></th></th></th>	20 <th>22 <th>144 <th>330 </th></th></th>	22 <th>144 <th>330 </th></th>
TC876	60(65)	28	41(46)	59	20	47	91	106	40	41	110	84*28*78	20	22	144	330
TC901	60(64)	28	41(46)	59	20	50	90	106	40	41	100	80*27*88	20	22	132	268
TC983	60(65)	28	41(46)	59	20	51	89	105	40	42	100	93*28*88	19	21	172	320
TC902C	60(66)	28	41(46)	61	20	50	90	105	40	42	100	80*30*88	20	22	126	260
TC810Y	66	46	58		20	50	89	100				94*31*95	19.7	22.2	108	220
TC903GC	63(65)	30	41(46)	59	20	51	96	118	42	82	100	97*30*87	26	28		



TC903

Powder Coating Frame, Detachable Footrest&Armrest, Solid Castor,Solid Rear Wheel



TC903B

Powder Coated Steel Frame, Solid Castor,Solid Rear Wheel, Detachable Armrest And Footrest



TC951B-56

Powder Coating Steel Frame,22" Seat Width, Flip-UP Armrest,Detachable Footrest, Rubber Foam Castor,Pneumatic Mag Wheel.



TC204BJ

Powder Coating Steel Frame,Reclining High Back, Adjustable And Detachable Headrest,Detachable Pillow, Adjustable Seat Angle,Height Adjustable Armrest, Elevating Footrest,TPR Castor,United Brake.



TC904B

Powder Coating Steel Frame, Detachable Desk Armrest, Detachable Footrest,Solid Castor, Pneumatic Mag Wheel.



TC909B

Powder Coated Steel Frame, Flip Up Armrest,Detachable Footrest, Solid Castor ,Solid Mag Wheel



TC209AE-61

Powder Coating Steel Frame,Detachable Desk Armrest, Detachable Footrest,24" Seat Width,Foldable Push Bar, Solid Castor,Pneumatic Rear Wheel.



TC212BCEG-41

Chromed Steel Frame,Reclining High Back, Flip-UP Desk Armrest,Elevating Footrest, Solid Castor,Pneumatic Mag Wheel, Foldable Push Bar.



TC972B

Powder Coating Steel Frame, Fixed Armrest,Fixed Footrest Solid Castor,Solid Mag Rear Wheel.



TC902GC

Chromed Steel Frame Detachable Desk Armrest Elevating Footrest PU Castor,Pneumatic Rear Wheel



TC870ABJ

Chromed Steel Frame,Double Cross Bar, Drop Back Handle With United Brake Fixed Armrest,Fixed Footrest, Solid Castor,Pneumatic Mag Rear Wheel.



TC976ABJ-43

Chromed Steel Frame,Fixed Armrest, Detachable Footrest, Drop Back Handle With United Brake,Solid Wheel.

Code	Specification (cm)	Icons										N.W. (kg)	G.W. (kg)	20°FCL	40°FCL	
		1	2	3	4	5	6	7	8	9	10					
TC903	60(65)	30	41(46)	59	20	51	90	106	42	82	100	80*28*91	20	22	130	260
TC903B	63(65)	30	41(46)	59	20	51	96	118	42	82	100	80*29*89	26	28		
TC904B	62		46	31	20	50	88				100	71*25*90	143	164	180	406
TC909B	57(68)	30	41(46)	60	20	50	93	106	40	45	100	83*29*95	20	22	130	260
TC972B	63		46	58	20	49	87				100	80*24*91	176	192	172	390
TC902GC	63(65)	30	41(46)	59	20	51	96	118	40	78	100	95*30*87	26	28	92	186

Code	Specification (cm)	Icons										N.W. (kg)	G.W. (kg)	20°FCL	40°FCL
		1	2	3	4	5	6	7	8	9	10				
TC951B-56	73	56	62	20	54	93	125	83*33*93	21.5	24.1	112	245			
TC204BJ	68	46	62	20	58	121-133	150	88*64*84	38	42.5	58	132			
TC209AE-61	81	61	62	20	51	93	125	86*37*83	21.8	24.5	100	240			
TC212BCEG	88	41	40	15	49	107	100	83*33*109	20.2	22.4	98	232			
TC870ABJ	60	41	40	15	45	89	100	82*28*76	14.5	17.4	168	387			
TC976ABJ-43	56	43	20	20	50	96	100	74*26*78	12.9	15.1	216	432			



TC907BC
Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Wheel.



TC869X
Powder Coating Steel Frame, Double Cross Bar, Fixed Inclined Armrest, Fixed footrest, Solid Castor solid Rear Wheel.



TC875
Powder Coating Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



TC901B
Powder Coating Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Mag Wheel.



TC908AQ
Chromed Steel Frame, Flip-up Desk Armrest, Detachable Footrest, Solid Castor, Quick Release Pneumatic Rear Wheel, Drop Back Handle



TC975-51
Chromed Steel Frame, 20" Seat Width Detachable Armrest And Footrest, Solid Castor Pneumatic Rear Wheel

Code	Specification (cm)	Wheelchair						Kilograms (Kg)	Tray	Caster	Rear Wheel	N.W.	G.W.	20" FCL	40" FCL
		Seat	Back	Depth	Wheel	Wheel	Wheel								
TC907BC	58	41	62	20	50	88	100	73*28*89	17.2	19.2					
TC869X	62	46	59	20	49	87	100	103*25*89	16.2	19	144	372			
TC875	65	46	58	20	50	86.5	100	94*28*89	15.9	18.6	132	326			
TC901B	64	46	61	20	20	88.5	100	80*28*91	17.9	22	126	340			
TC908AQ	64	46	62	20	49	91.5	100	82*31*93	19	21.3					
TC975-51	73	51	62	20	50	91	125	80*28*91	18.4	21.3	130	310			



TC864LY
Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Plastic Footplate Hard Cushion, Solid Castor, Pneumatic Rear Wheel Plastic Hand Rim



TC865BLJ
Aluminum Frame With United Brake, Solid Castor, PU Mag Wheel, Fixed Armrest, Fixed Footrest



TC872LJ
Aluminum Frame With United Brake, Pneumatic Wheel, Fixed Armrest, And Fixed Footrest



TC908LAH
Aluminum Chair Frame With Drum Solid Castor, PU Wheel, Flip Up Armrest Detachable Footrest



TC231LHPQ
Aluminum Chair Frame, Flip-UP Height-Adjustable Inclined Armrest, Detachable Footrest, PU Castor, Quick Release PU Rear Wheel, Locking Drum Brake, Anti-Tippers, Angle-adjustable Footplate.



TC800LBJ
Transit Wheel Chair, Aluminum Light Weight Chair Frame, 6" Rear Solid Castors, 5" Front Castors, Flip Armrest, Drop Back Handle, Lockable Attendant Brake, With Seat Belt.

Code	Specification (cm)	Wheelchair						Kilograms (Kg)	Tray	Caster	Rear Wheel	N.W.	G.W.	20" FCL	40" FCL	
		Seat	Back	Depth	Wheel	Wheel	Wheel									
TC864LY	62(70)	28	41(46)	61	20	53	89	107	40	34	100	92*28*93	20	22	108	196
TC865BLJ	56(61)	26	40(46)	30	15	44	88	83	41	38	100	86*26*87	10	12	128	264
TC872LJ	55(61)	28	41(46)	51	15	49	88	92	30	40	100	80*28*88	12	14	140	280
TC908LAH	56(63)	28	41(46)	56	15	50	89	107	40	40	100	80*28*72	14	16	168	342
TC231LHPQ	68		46	60	15	49	91				100	78*31*94	17.6	20.1	108	272
TC800LBJ	51		38	15	12.5	45	88				100	48*34*66	6.9	9.1	270	670



TC803LB
Transit Wheelchair,
Aluminum Light Weight Chair Frame,
6" Rear Solid Castors, 4" Front Castors,
Flip-UP Armrest, With Seat Belt



TC868L
Aluminum light Weight Frame,
Solid Castor And Wheel, Fixed
Armrest And Footrest



TC903LQ
Aluminum Frame, Flip-Up Desk Armrest,
Detachable Footrest, Solid Castor,
Quick Release Pneumatic Rear Wheel.



TC955L
Aluminum Chair Frame,
Flip-Up Inclined Armrest,
Detachable Footrest,
Solid Castor, Pneumatic Rear Wheel.



TC874LAJ-30
Pediatric Wheel Chair Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest,
Solid Castor, Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC874LAJF1-30
Pediatric Wheel Chair Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest, Solid Castor,
Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC974LP
Aluminum Frame, Fixed armrest,
Detachable footrest,
Solid castor, PU/Rear/Wheel.



TC976LAB
Aluminum Chair Frame, Fixed Armrest.
Detachable Footrest, Solid Castor,
Solid Rear Mag Wheel, Drop Back Handle



TC874LF5
Aluminum Chair Frame,
fixed armrest and footrest, solid castor,
24" PU wheel, with brake



TC878LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest,
Flip Up Footrest, Solid Castor,
Pneumatic Rear Mag Wheel, Drop Back Handle,
Locking United Brake.



TC976LA-12:
Aluminum Frame Detachable Footrest
Drop Back Handle, Aitk Brake.
Solid Castor And Wheel



TC804LABJP
Transit Wheel Chair,
Aluminum Light Weight Chair Frame,
8" Rear Solid Castors, 5" Front Castors,
Flip-Up Armrest, Drop Back Handle,
Lockable Attendant Brake, With Seat Belt.

Specification Code	Specification (cm)										N.W.	G.W.	20°FCL	CTNS	CTNS	
	38	24	32	43(46)	15	20	10	50	84	86						
TC803LB	38		32		15	10	45	84			100	39*29*70	6	7.5	357	864
TC868L	62(65)	24	43(46)		61	20	50	86	100	40	38	100	97*24*87	14	16	
TC874LAJ-30	53		30		53	15	44	85			75	78*28*68	12.3	14.4	186	444
TC874LAJF1-30	53		30		53	15	44	85			75	78*28*68	12.8	14.9	186	444
TC874LF5	58		46		30	15	48	94			100	74*28*95	10.6	13.3	192	440
TC878LAJ	70		46		58	15	49	88			100	82*28*76	12.7	14.2	168	401

Specification Code	Specification (cm)										N.W.	G.W.	20°FCL	CTNS	CTNS	
	64	46	62	15	52	90 <th>100 <th>80*28*91 <th>142 <th>163 </th></th></th></th>	100 <th>80*28*91 <th>142 <th>163 </th></th></th>	80*28*91 <th>142 <th>163 </th></th>	142 <th>163 </th>	163						
TC903LQ	64		46		62	15	52	90			100	80*28*91	142	163	108	272
TC955L	63		46		62	15	50	89			100	83*28*90	157	179	126	282
TC974LP	63		41		61	20	49	88			100	80*28*91	14	16	108	272
TC976LAB	60		46		20	20	52	101			100	74*26*83	106	12	200	485
TC976LA-12"	56	24	41		30	20	49	97	100	43	45	90	70*26*79	14	16	
TC804LABJP	45		37		20	12.5	45	89			100	75*25*66	6.7	9.4	228	560



TC805LABJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip-Up Footplate, Solid Castor, Pneumatic Rear Mag Wheel, Drop Back Handle, United Brake.



TC807LABP
Transit Wheel Chair, Aluminum Light Weight Chair Frame, 6" Rear Solid Castors, 5" Front Castors, Flip-Up Armrest, With Seat Belt



TC980LA-30
Pediatric Wheel Chair Aluminum Chair Frame, Flip-Up Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



TC863LABJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor, Pneumatic Rear Mag Wheel, Drop Back Handle, Locking United Brake.



TC870LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle, With United Brake.



TC207LABP
Aluminum Chair Frame, Flip-Up Inclined armrest, Detachable footrest, Solid Castor, PU/Rear/Mag/Wheel, Drop back handle



TC879LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor, Pneumatic Rear Wheel Drop Back Handle, Locking United Brake.



TC864L
Aluminum Light Weight Frame, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel



TC985LBGY-38
Aluminum Chair Frame, Adjustable Headrest, Detachable Armrest, Fixed Footrest, Solid Castor, Pneumatic Mag Wheel, Adjustable Seat Angle, Safety Belt.



TC871LBJ
Aluminum Light Weight Chair Frame, Fixed Armrest & Footrest, Solid Castor, Pneumatic Mag Wheel, With United Brake.



TC950LBPQ-46
Aluminum Chair Frame, Flip-UP And Height-Adjustable Inclined Armrest, Detachable Footrest, Solid Castor, Quick Release PU Mag Wheel, Anti-Tippers, Angle-Adjustable Footplate.



TC958LBCGPY-38
Aluminum Chair Frame, Reclining High Back, Adjustable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, PU Mag Wheel, Adjustable Seat Angle, Safety Belt

Code	Specification (cm)						Weight (Kg)	Dimensions (CM)	Weight (kg)		Capacity (CTNS)	
	W	D	H	W	H	W			N.W.	G.W.	20°FCL	40°FCL
TC805LABJ	59	46	31	15	49	90	72*25*76	9.6	11.22	140	324	
TC807LABP	37	32	15	12.5	45	87	56*23*60	7	8.1	472	864	
TC870LAJ	69	46	40	15	48	89	80*28*76	12.5	14.5	176	410	
TC207LABP	62	46	38	15	50	89	78*28*76	13.9	15.9	186	378	
TC985LBGY-38	52	38-44	40	15	48	97-116	72*25*76	11	12	90	223	
TC871LBJ	54	41	40	15	49	89	80*28*91	10.6	13.6	140	340	

Code	Specification (cm)						Weight (Kg)	Dimensions (CM)	Weight (kg)		Capacity (CTNS)	
	W	D	H	W	H	W			N.W.	G.W.	20°FCL	40°FCL
TC980LA-30	47	30	53	15	48	90	90*33*73	12.5	15	148	315	
TC863LABJ	60	46	31	15	48	90	71*28*71.5	9.5	11	12	441	
TC879LAJ	65	46	31	15	15	87	72*30*72	11.5	13	168	384	
TC864L	67	46	62	20	48	89	94*28*92	12.8	15			
TC950LBPQ	67	46	61	15	51	91	83*33*93	16.7	19.1	92	224	
TC958LBCGPY-38	52	38-44	40	15	48	97-116	84*40*97	18.3	21	90	223	



TC980LA
Aluminum Chair Frame, Flip-UP Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



TC980LA-35
Pediatric Wheel Chair Aluminum Chair Frame, Flip-UP Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



TC983L
Aluminum Frame, Flip-UP Desk Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel.



TC9003L
Aluminum Frame, 5" Castor, 8" PVC Rear Wheel, Foldable Back With Brake.



TC873LABJP
Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, PU Rear Mag Wheel, Drop Back Handle, Locking Unit Brake.



TC7905CO
Senior Citizen Walking Aid

Code	Specification (cm)										N.W.	G.W.	20°FCL	40°FCL		
	Seat	Back	Depth	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel						
TC980LA	64	46	61	15	51	94					100	94*28*73	14.6	17.6	126	284
TC980LA-35	52	35	58	15	48	90					75	90*33*73	13	15.5	148	315
TC983L	58	41	55	15	49	85					100	94*28*89	13	115.7	108	272
TC9003L	45	21	36	12.5	12.5	45	86	101	36	43	75	82*22*65	10	12		
TC873LABJP	58	46	30	15	48	94					100	74*28*75	10.6	13.3	192	440



TC122L
Aluminum Frame, Vehicle Seat, With Reclining Back, Detachable Arm And Footrest, Mobile Seat, PU Castor, PU Drive Wheel



TC152
Powder Coated Steel Frame, Seat with Reclining, Back Adjustable Armrest, Detachable Footrest, PU Castor, PU Drive Wheel, With Safety Lamp



TC111A
Powder Coated Steel Frame, Foldable, Flip Up Armrest, Detachable Footrest, Drop Back Handle, PU Castor, PU Drive Wheel



TC110A
Powder Coating Steel Frame, Foldable Flip up Armrest, Detachable, Footrest, Drop Back Handle, PU Castor, PU Drive Wheel



TC112
Resin-Coating Steel Frame, Fixed Armrest, Detachable, Footrest, Mag Drive Wheel, Rubber Foam Castor, Foldable Chair Frame.



TC121
Powder Coating Steel Frame, Flip-UP Desk Armrest, Detachable Footrest, Rubber Foam Castor And Drive Wheel, Foldable Backrest

Code	Specification (cm)										N.W.	G.W.	20°FCL	40°FCL		
	Seat	Back	Depth	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel						
TC122L	64	43	32	20*5	50	127	120	40	53	120	83*64*65	72	77	66	150	
TC152	58	46	32	20*5	53	100	104	44	36	110	94*31*95	60	70	54	120	
TC111A	58(62)	35	41(46)	32	20*5	53	95	100	40	46	110	78*38*78	33	35	115	230
TC110A	58(62)	35	41(46)	32	20*5	52	93	100	40	43	110	78*38*78	33	35	115	230
TC121	63	46	46	30	20	51	94			125	83*67*73	56	65.8	46	96	
TC112	62	46	31	20	49	91				100	85*43*94	33.2	42	36	78	



TC124
Resin-Coating Steel Frame, Adjustable And Detachable Armrest Pad, Detachable Sideboard, Rubber Foam Castor And Drive Rear Wheel. Electrically Lifting Seat Plate.



TC129
Power Stand Up Wheel Chair ,Powder Coating Frame, Flip-Up, Armrest With Single Controller, For Both Driving & Seat Lifting. Strong Rubber Foam Drive Wheel, Special Design With Comfortable, Safety Legrest Belt.



TC607-70
Chromed Steel Heavy Duty Frame
PU Castor Solid Wheel
Fixed Armrest And Footrest 70cm Seat Width



TC609GCU
Foldable Chromed Steel Frame, Plastic Commode Seat, Reclining High Back, Detachable Armrest And Elevating Footrest, Solid Castor And Rear Wheel



TC139
Power Stand Up Wheel Chair, Powder Coating Frame, Flip-Up, Armrest With Single Controller, For Both Driving & Seat Lifting. Strong Rubber Foam Drive Wheel, Special Design With Comfort, Safety Legrest Belt.



TC159L
Standing Walking&nursing Intelligent Type Standing Power Wheel Chair, Aluminum Frame, 200*50 PU Front Castors, 12" PU Drive Wheels, Adjustable Head&Neck Rest, Adjustable Leg Pad



TC609LU
Foldable Aluminum Chair Frame, U Shape Commode Seat, Fixed Armrest And Footrest, Solid Castor, Pneumatic Rear Wheel.



TC609U
Foldable Chromed Steel Frame, Plastic Commode Seat, Fixed Armrest And Footrest, Solid Castor And Rear Wheel.



TC141
Comfortable Swivel Seat, Flip-Up Armrest, Driving Lamp And Luggage Basket. Rubber Foam Castor Rubber Foam Rear Wheel.



TC140
Comfortable Cehicle Seat, Adjustable Backrest and Seat Height, Flip-Up Armrest. Rubber Foam Wheel, With Driving Lamp.



TC654LGCU
Stainless Steel Chair Frame, Flip Down Armrest, Detachable Elevating Footrest, U Shape Commode Seat. Pneumatic Rear Wheel, Solid Castor.



TC681
Foldable Chromed Steel Frame, Plastic Commode Seat, Flip-Up Armrest And Detachable Footrest, Solid Castor And Solid Rear Wheel.

Code	Specification (cm)							KM	KM/H	+	-	W motor	°	(Kg)	(CM)	N.W.	G.W.	20°FCL	40°FCL	CTNS	CTNS
	63	46	26	26	64-70	135															
TC140	63	46	26	26	64-70	135						8°	110	140*71*79	105.2	120	22	44			
TC139	59	46	32	30	52	96							100	103*69*68	67	85	54	144			
TC124	62	43	32	20	52	92	20	1-6	38AH	200W*2	12°	110	80*66*64	75	85	63	168				
TC129	65	46	32	20	58	107	25	1-6	38AH	200W*2	12°	100	103*69*68	80.4	98.2	54	144				
TC141	58	48	26	22	58	129-139	30-40	1-10	33AH	400W	12°	100	124*59*80	78	90.5	24	48				
TC159L	62	45	32	20.5	58	103	30-40	1-10			12°	110	83*62*110	78	81						

Code	Specification (cm)							(Kg)	(CM)	N.W.	G.W.	20°FCL	40°FCL	CTNS	CTNS	
	89	32	70	59	20*5	70	105									
TC607-70	89	32	70	59	20*5	70	105	120	50	40	150	104*34*106	33.5	38	100	200
TC609GCU	64		44	58	20	53	129				100	107*33*78	25.6	29.3	90	184
TC609LU	68.5		46	58	15	51	90				100	94*29*92	15.2	18.9	120	244
TC609U	64		44	58	20	50	87				100	92*29*89	19	21.3	120	244
TC654LGCU	67		46	61	20	50	128				100	97*41*86	21.5	23.5	90	184
TC681	60		45	58	15	53	90				100	75*28*91	19.6	21.4	126	272



TC818L



TC800



TC896



TC897



TC893L



TC895L



TC810



TC811



TC812



TC8101



TC814



TC8951L



TC9122L-A



TC912L(XS)



TC9126L



TC962



TC918L



TC9122L



TC794L



TC7954

Specification (cm)									PCS CTN	G.W. (kg)
Code						(CM)	N.WT(kg)			
TC818L	51	48	35-45	72-82	38	38	51*55*37		2	3
TC800	48	49	45-60	67-76	44	35	52*42*42		1	9.6
TC896	53	45	49-59	78-88	43	29	52*25*83		2	8.5
TC897	41	38	40	45			62*30*42	9.2	4	10.3
TC893L	56	44	47	94	43	38	51*19*75	5.3	1	6.4
TC895L	51	46	42-52	70-81	43	29	60*34*52	9.2	2	10.6
TC810	56	46	41-51	74-84	40	33	61*33*49	12.1	2	13
TC811	50	49	50-60	80-90	40	33	71*53*56	10	2	11.8
TC812	51	50	51-61	67-77	40	33	71*55*56	10.4	2	12.4
TC8101	46	44	41-56	60-75	37	18	44*22*66	10.8	2	12
TC814	58	48	43	67-77	39	43	58*58*70	5.2	2	11.5
TC8951L	43	40	40-50	62-72	41	-	45*18*63	2.6	5	3.6
TC794L	23	41		18	23		83*25*40	8.1	2	9.3
TC7954	42	38	40-50	40-50	38		57.5*39*25	8.1	2	9
TC912L(XS)	42	55		48.5-58.5			53*18*52	3.6	2	4.6
TC9122L	52	59		45-55			66*18*65	6	2	6.9
TC9122L-A	52	50		60-70			61*25*80	8.6	2	9.7
TC9126L	51	44		80-90			59*18*70	5	10	6.1
TC918L	58	38		78-88			96*68*38	19	1	22.1
TC962	54	45		52-87			62*22*67	8	1	9.1



TC919L



TC913L



TC915L



TC914L



TC971



TC9610



TC961L



TC965L



TC965L-5"



TC963L



TC966L(S)-5"



TC966L



TC-FST8201S




TC-FST8230




TC-YC618

Specification (cm)							PCS CTN	G.W. (kg)
Code					(CM)	N.WT(kg)		
TC919L	47	46	-	78-96	53*17*81	4.8	2	5.8
TC913L	47	46	-	78-96	53*17*81	4.8	2	5.8
TC915L	47	47	-	78-96	53*17*81	5.1	2	6.2
TC914L	50	47	52-62	79-89	60*34*89.5	7	2	8.7
TC971L	71	44	52	109-135	77*27*97	9.4	1	11.8
TC9610	74	74	55	110-155	74*15*85	11.9	1	14.6
TC961L	49	44	43-61	74-92	57*19*79	6.7	2	7.7
TC965L	68	46	53	78-90	62*24*84	7.4	1	9
TC965L-5"	50	62	-	82-100	64*20*83	6	2	7
TC963L	74	60	-	54-66	54*39*74	7	2	8.2
TC966L(S)-2.5"	35	51	52-62	-	55*25*62	2	2	3
TC966L(S)	35	51	52-62	-	55*25*62	2	2	3



TC964LR **TC912L-5"** **TC917L(S/M/L)** **TC9631L**
TC9632L **TC960** **TC9621** **TC965LH**
TC968L **TC914H** **TC9622** **TC969H**

Code	Specification (cm)						N.WT(kg)	PCS CTN	G.W. (kg)
TC964LR	42	58	-	64-82	54*20*81	-	-	2	6
TC912L-5"	52	57	-	78-96	65*20*83	-	-	2	8
TC917L(S/M/L)	43	38	-	65-75	76*68*35	14.9	10	10	16.9
TC9631L	52	64	-	73.5-92	58*18*77	9.2	2	2	10.7
TC9632L	48	44	-	82-100	57*19*86	5.1	2	2	6.4
TC960	58	45	-	31	54*41*34	5.4	2	2	6.52
TC9621	62	46	54	80-105	60*18*80	8.2	1	1	9.5
TC965LH	68	46	53	78-90	62*24*84	7.4	1	1	9
TC968L	59	46	53	78-90	61*19*81	7	1	1	8.4
TC914H	70	43	62	78-90	60*25*72	10	1	1	10.9
TC9622	60	47	47	76-86	70*20*75	10.3	1	1	12
TC969H	59	38	-	82-97	63*25*70	7.7	1	1	9.2



TC7962L **TC7991L** **TC799L** **TC798L**
TC796L **TC790B** **TC7931** **TC797L**
TC790 **TC7920L** **TC7972L** **TC792**

Code	Specification (cm)							(CM)	N.WT(kg)	PCS CTN	G.W. (kg)
TC7962L	75	44	48	88	39	37	67*29*53	6	1	7.5	
TC7991L	51	64	46-56	84-94	42	38	70*45*52	13	2	15	
TC799L	45	72	43-53	80-90	41	41	78*23*46	6	2	7.7	
TC798L	42	50	35-45	78-84	30	40	68*19*39	5.9	2	7.1	
TC796L	51	41	34-44	73-83	37	41	53*50*25	6.6	2	7.6	
TC790B	41	50	47	80	30	30	90*22*51	3.9	2	8.8	
TC7931	31	66	9.5	13.5	31	-	32*7*71.5	2.8	1	3.3	
TC797L	42	50	35-45	39-49	30		60*17*36.5	3.6	2	4.4	
TC790	39	51	47	52	30		74*19*52	6.4	2	7.2	
TC7920L	38	48	51-63	69-81	28	28	55*41*78	5.4	2	7.3	
TC7972L	34	32.5	38-56	38-56	32.5		35*35*39	3.1	2	3.9	
TC792	50	49	49-59	82-91	37	37	77*56*38.5	8.8	2	10.6	



TC-YC852 TC920L TC9201L TC928L TC929L TC930L TC938L TC9282L TC927L TC936L TC9283L TC923L



TC9251L TC9252L TC925L(S) TC925L(M) TC925L(L) TC935(S) TC935(M) TC935(L) TC9204L TC937L TC933L

Specification	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC920L	71-94	0.36	65*15*28	20	7.7
TC9201L	71-94		65*15*28	20	8
TC928L	79.5-102.5		79*29*19	20	8
TC929L	71-94	0.3	65*15*28	20	8.3
TC930L	71-94	0.35	65*15*27	20	7.6
TC938L	80-103		79*34*19	20	8
TC9282L	74-97	0.35	68*36*18	20	8
TC927L	80-90(29.5)	0.37	62*16*26	20	8.3
TC936L	126(34)	0.3	53*12*36	20	8.2
TC9283L	74-97	0.5	74*36*18	20	8
TC923L	86-117	0.52	86*26*29	20	11
TC9204L	105-128	1.12	79*41*56	20	23.7
TC937L	96-119	0.35	100*28*32	20	12
TC933L	86-117	0.6	95*29*31	20	12.1
TC9251L	115-135	0.81	120*36*30	20	17.5
TC9252L	100-130	0.95	83*33*29	20	20
TC925L(S)	95-115.5	0.8	101*33*29	20	15.5
TC925L(M)	114-134.5	0.85	119*33*29	20	16.5
TC925L(L)	135-155.5	0.9	140*33*29	20	17.5
TC935(S)	98-118		101*33*29	20	15.5
TC935(M)	113-133		119*33*29	20	16.5
TC935(L)	128-148		140*33*29	20	17.5



TC911L TC940L TC942L TC9321S TC9322S TC9323S TC9424S TC921 TC931 TC922



TC926 TC934 TC924 TC932 TC9411L TC9412L TC9413L TC9414L TC9221 TC9242L TC9415L



TC9391L TC9301L-1 TC9301L-2 TC9301L-3 TC9301L-4 TC9274L TC9208L TC9207LW-1 TC9207LW-2 TC9207LW-3 TC9304L TC9381L TC9382L

Specification	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC911L	86	0.8	85*30*40	10	10
TC940L	105-118		91*30*25	10	10
TC942L	78-98		92*49*41	10	10
TC9321S	84-107		78*29*43	10	12
TC9322S	76-99		78*29*43	10	12
TC9323S	76-99		78*29*43	10	12
TC9424S	72-98		78*29*43	10	12
TC921	64.5-87.5	0.9	79*34*44	10	12
TC931	72-95		79*36*44	10	12
TC922	74-97	0.83	78*29*43	10	11
TC926	74-97	0.76	78*29*36	10	8.7
TC934	65-88	0.78	79*30*34	10	9
TC924	65-88	0.8	72*30*34	10	9.2
TC932	74-97	0.88	78*29*43	10	12
TC9411L	75-95	3.4	61*34*34	4	4.3
TC9412L	70-90	3.2	64*27*27	4	4.2
TC9413L	72-92	3.2	64*27*25	4	4.1
TC9414L	70-93	5	76*39*23	8	6.2
TC9243	66-89	7.3	70*21*44	8	8.5
TC9221	73.5-96	0.79	78*29*43	10	9.1
TC9242L	85-100	0.52	72*30*34	10	6.4
TC9415L	75-95	3.4	61*34*34	4	4.3
TC9391L	67-90	0.34	63*15*28	20	7.3
TC9301L-1	71-94	0.35	65*15*27	20	7.6
TC9301L-2	71-94	0.35	65*15*27	20	7.6
TC9301L-3	71-94	0.35	65*15*27	20	7.6
TC9301L-4	71-94	0.35	65*15*27	20	7.6
TC9274L	71-94	0.35	65*15*27	20	7.6
TC9208L	71-94	0.35	65*15*27	20	7.6
TC9207LW-1	71-94	0.36	65*15*26	20	7.7
TC9207LW-2	71-94	0.36	65*15*26	20	7.7
TC9207LW-3	71-94	0.36	65*15*26	20	7.7
TC9304L	94-117	7.2	27*18*102	6	8.5
TC9381L	77-100	0.32	79*29*18	20	7.5
TC9382L	77-100	0.32	79*29*18	20	7.5