



Medical Consumable Equipments

2026 - 2028 EDITION



XIAMEN TICARE IMP.&EXP. CO., LTD.
TICARE MEDICAL INSTRUMENTS CO.,LTD

Add:RM801,#860 Xianyue Rd., Huli District ,Xiamen 361009,Fujian P.R.China.
Tel:+86-592-5566387/5567626 Fax:+86-592-5500918
Web:www.ticarehealth.com Email:enquiry@ticarehealth.com

FOCUS ON HIGH QUALITY | ALWAYS CARE YOUR HEALTH

XIAMEN TICARE IMP&EXP company limited is one of the leading companies in China which specialized in the development and distribution of disposable medical products , disposable lab products , rehabilitation equipment and kind of hospital care products . Our office is located in beautiful Xiamen city , Fujian province , China.

As a professional supplier in China , we focus on excellent quality , professional services and the competitive price in the global market . Throught our commitment to the structured and efficient manage all products we exported,a high level of customer services,as well as a continued focus on “Ticare” brand promotion. We always endeavor to further improve product quality in order to better user’s life standard.

At present, our company have been passed ISO13485 quality system certifications and our products also have been certificated by CE .

Ticare’s products are sold in more than 50 countries and regions, major markets including Europe, North America, South America, Middle East ,South Africa,West Affrica, East Africa and Asia . Our Company Can supply all clients with OEM/ODM or OBM,meanwhile,we can also supply professioinal packaging design for all customers.

We are always seeking long-term business partnership .

Welcome all importers, wholesalers, clinic and hospital buyers to get in touch with us and have a good lasting cooperation together!

CORPORATE

CULTURE

PROFESSIONAL

HONESTY

QUALITY

ENTHUSIASM

COOPERATION



001-012

NEBULIZER & HYPODERMIC INJECTION PRODUCTS
I.V. & TRANSFUSION SET & ANESTHESIA PRODUCTS
CATHETER & TUBING

013-022

STETHOSCOPE / SPHYGMOMANOMETER

023-037

HOSPITAL GOWN/LEAD PROTECTIVE PRODUCTS
HOSPITAL SHOES/DISPOSABLE NONWOVEN PRODUCTS
BANDAGE/GAUZE SWAB/COTTON ITEMS

038-045

WOUND DRESSING/PLASTER/TAPE/GLOVES
SURGICAL BLADES/BLOOD LANCET/THERMOMETER

046-050

BATHROOM SCALE / BABY SCALE & MEASURE TAPE
BMI CALCULATOR

051-067

DRESSING SETS/DRAINAGE BAGS/VAGINAL SPECULUMS
BRACELETS/DIAGNOSTIC ITEMS/FIRST AID KITS AND
SUTURES & NEEDLES/OTHER MEDICAL DISPOSABLES

068-081

MICROSCOPES/CENTRIFUGES
LABORATORY EQUIPMENTS & DISPOSABLES

082-105

WHEEL CHAIRS/COMMUNE CHAIR/WALKERS/STICKS
CANES AND CRUTCHS

106-143

HOSPITAL BEDS/OPERATION TABLES/STRETCHERS/TROLLEYS
CABINET & CHAIR AND MEDICAL CARE PRODUCTS
ANESTHESIA MACHINE / DIAGNOSTIC ULTRASOUND SYSTEM
/ HAEMODIALYSIS MACHINE
/ DEFIBRILLATOR MONITOR / BREATHING MACHINE



001-012
PART 1

NEBULIZER
HYPODERMIC INJECTION PRODUCTS
I.V. & TRANSFUSION SET
ANESTHESIA PRODUCTS
CATHETER
TUBING



Code:
TC-CD100
Product Name:
Air Compressing Nebulizer
Specification
Output gas flow: >5L/Min
Residual amount: <0.8mL
Atomization rate: 0.20 ~ 0.45mL/min



Code:
TC-MY132
Product Name:
Air Compressing Nebulizer
Specification
Microporous direct atomization technology, tiny particles (3-5 microns)
Ultra-quiet, low power consumption
Almost without residual liquid Mini design, easy to carry
Automatic turn off by 5 minutes



Code:
TC-CN69010
Product Name:
Air Compressing Nebulizer
Specification
Maximum nebulization rate >0.25mL/min
Sound level: <65dB(A)
Particle size: 0.5-10 um



Code:
TC-CN69020
Product Name:
Air Compressing Nebulizer
Specification
Maximum nebulization rate >0.25mL/min
Sound level: < 65dB(A)
Particle size: 0.5-10umMMAD≤5um



Code:
TC-CN69021
Product Name:
Air Compressing Nebulizer
Specification
Maximum nebulization rate ≥0.25mL/min
Sound level: <65dB(A)
Particle size: 0.5-10 um



Code:
TC-CN69022
Product Name:
Air Compressing Nebulizer
Specification
Maximum nebulization rate >0.25mL/min
Sound level: ≤65dB(A)
Particle size: 0.5-10um



Code:
TC-CNB69012
Product Name:
Air Compressing Nebulizer
Specification
Maximum nebulization rate >0.25mL/min
Sound level: < 65dB(A)
Particle size: 0.5-10um



Code:
TC-CNB69029
Product Name:
Air Compressing Nebulizer
Specification
Maximum nebulization rate >0.2mL/min
Sound level: < 65dB(A)
Particle size: 3.5 ± 25%



Code:
TC-CN6909
Product Name:
Air Compressing Nebulizer



Code:
TC-KCW-5T
Product Name:
Single Head Ultrasonic Nebulizer
Specification
Max capacity of medicine cup: 50ml;
Capacity of water trough: 250ml
Nebulizing amount: 3ml/min-5ml/min;
N.W.: 3.2KGS,
Package: 6pcs/ctn



Code:
TC-KCW-6T
Product Name:
Dual Head Ultrasonic Nebulizer
Specification
Max capacity of medicine cup: 50ml;
Capacity of water trough: 250ml



Code:
TC1005
Product Name:
Blood line for Hemodialysis
Specification
Arterial in red, Venous in blue



Code:
TC1005A
Product Name:
Disposable Syringe
Specification
Style: Normal, Insulin, Tuberculin, Irrigation Tip etc
Size: 1ml, 2ml, 3ml, 5ml, 10ml, 20ml, 50ml, 60ml etc
With Or Without Needle
Luer Slip Or Luer Lock
Packing: Polybag Or Blister



Code:
TC1005C
Product Name:
Auto-Disable Syringe
Specification
Size: 1ml, 3ml, 5ml, 10ml etc
Needle: with or without
luer slip or luer lock
Packing: blister



Code:
TC1005D
Product Name:
Disposable 2 Parts Syringe
Specification
Size: 1ml, 2ml, 3ml, 5ml, 10ml etc
Needle: with or without
luer slip or luer lock
Packing: Polybag, Blister



Code:
TC1006A
Product Name:
Irrigation Needle
Specification
Size: 18G-27G
Color: Grey/Orange/Blue/Black/Green/
Yellow/Pink



Code:
TC1006
Product Name:
Disposable Hypodermic Needle
Specification
Size: 18G-30G
Packing: Polybag Or Blister



Code:
TC1007
Product Name:
Disposable Scalp Vein Set
Specification
Style: Butterfly
Size: 18G-27G
Luer Slip Or Luer Lock
Packing: Polybag Or Blister



Code:
TC1008

Product Name:
I.V.Cannula

Specification
Size:14G-24G
Type:Pen Type, With Wing Type, With Injection Port Type
Packing:Hard Blister Packing



Code:
TC1009

Product Name:
Spinal Needle

Specification
Type:Bevel, Pen Point Tip
Size:16G, 18G, 19G, 20G, 21G, 22G, 23G, 24G, 25G
Packing:Blister Packing



Code:
TC1009-1

Product Name:
Epidural Anesthesia Needle

Specification
Size:16G, 18G, 19G, 20G, 21G, 22G, 23G, 24G, 25G etc
Packing:Blister packing



Code:
TC1013

Product Name:
Heparin Cap


Specification
Color:Yellow, Transparent



Code:
TC1013-1

Product Name:
Injection Stopper

Specification
Color: Red, White



Code:
TC1014

Product Name:
A:3-Way Stopcock
B:3-Way Stopcock With Tubing

Specification
Color:Blue, Red



Code:
TC1010A

Product Name:
Disposable Infusion Set

Specification
ABS Spike, Air Vented With Cap, Drop Ball With Filter
ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube, 21-23G Needle
Speed: 1ml=15drops, 1ml=20drops, 1ml=60drops
Packing: Polybag, OPP Film, Blister



Code:
TC1010B

Product Name:
Disposable Infusion Set With Flow Regulator

Specification
ABS Spike, Air Vented With Cap, Drop Ball With Filter
ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube, 21-23G Needle
Speed: 1ml=15drops, 1ml=20drops, 1ml=60drops
Packing: Polybag, OPP Film, Blister



Code:
TC1010C

Product Name:
Disposable Infusion Set With 3-way Stopcock

Specification
ABS Spike, Air Vented With Cap, Drop Ball With Filter
ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube, 21-23G Needle
Speed: 1ml=15drops, 1ml=20drops, 1ml=60drops
Packing: Polybag, OPP Film, Blister



CODE:
TC1015

Product Name:
Extension Tube

Specification
Length: 10cm, 30cm, 50cm, 80cm etc With Or Without Y Connector
Packing: Blister Packing



Code:
TC1016

Product Name:
Flow Regulator

Specification
Control For IV Fluids With Range Of 5 To 250 ml / hr
Packing: Blister packing



Code:
TC1017

Product Name:
Combined Anaesthesia Puncture Kit



Code:
TC1011

Product Name:
Disposable Blood Transfusion Set

Specification
ABS Spike, Air Vented With Cap, Drop Ball With Filter
ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube, 18-23G Needle
Packing: Polybag, OPP Film, Blister



Code:
TC1012

Product Name:
Disposable Pediatric Infusion Set With Burette / Microdropper

Specification
Size: 100ml, 150ml
ABS Spike, Air Vented With Cap, Drop Chamber With Filter, PE/ABS Adjustor, Y Connector, 150cm PVC Tube, 21-25G Needle
Speed: 1ml=60drops
Packing: Polybag, OPP Film Or Blister



Code:
TC1012-1

Product Name:
Bulb Irrigation Syringe

Specification
Size: 60ml, 100ml, 200ml, 300ml



Code:
TC1017-1

Product Name:
Anesthesia Mini Pack/
Combined Spinal and Epidural Kit

Specification
Epidural needle(tuohy needle), 16/18G*80mm
Spinal needle: 25G*110mm, pencil point
Epidural catheter: multiport with mark 0.8/1.0mm 850mm
Epidural filter: 0.22um, hydrophobic membrane. Luer lock
LOR syringe, 7ml, 10ml available
Catheter adaptor: TBA secure the catheter completely.



Code:
TC1018

Product Name:
Epidural Anaesthesia Puncture Kit /
Spinal Anaesthesia Puncture Kit



Code:
TC1018-1

Product Name:
Anesthesia Mini Pack/Epidural Kit

Specification
Epidural needle(tuohy needle), 16/18G*80mm
Epidural catheter: multiport with mark 0.8/1.0mm 2850mm
Epidural filter: 0.22um, hydrophobic membrane. Luer lock
LOR syringe, 7ml, 10ml available
Catheter adaptor: TBA, secure the catheter completely.



Code:
TC1019-1
Product Name:
Central Venous Catheter
Specification
Adult Size: Single Lumen 14G /16G
Double Lumen 7F / 8F /8.5F Triple
Lumen 7F/8.5F Quad Lumen 8.5F
Pediatric size: Single Lumen 18G/20G
/22G/24G Double Lumen 4F/5F Triple
Lumen 4.5F/5.5F
Length: 5cm-30cm Material: TPU



Code:
TC1019-2
Product Name:
Hemodialysis Catheter
Specification
Adult Size: Single Lumen 7F/ 8F Double
Lumen 11.5F /12F/14F Triple Lumen 12F
Pediatric Size: Double Lumen 6.5F/8.5F
Length: 5cm -20cm
Material: TPU




Code:
TC1020
Product Name:
Disposable Anaesthesia Air Filter
Specification
Filter Efficiency: >99.9% For Particles 0.3um



Code:
TC1025
Product Name:
Non-Rebreathing Mask With Reservoir Bag
Specification
Size: S(Pediatric Standard);
M(Pediatric Elongated)
L(Adult Standard);
XL(Adult Elongated)
With 2m Tube
Color:Light Green,Clear



Code:
TC1026
Product Name:
Tracheostomy Mask
Specification
Connector : 360° Rotation



CODE:
TC1027
Product Name:
Mouth To Mouth Face Shield
Specification
Size: L



Code:
TC1020-1
Product Name:
Disposable Humidifier Artificial Nose
Specification
Size: Adult/Child use
Packing:Blister packing




Code:
TC1021
Product Name:
Oxygen Mask
Specification
Size:S(Pediatric Standard);
M(Pediatric Elongated)
L(Adult Standard);
XL(Adult Elongated)
With 2m Tube
Color:Light Green,Clear



Code:
TC1022
Product Name:
Nebulizer Mask
Specification
Nebulizer Mask
Size: S(Pediatric Standard);
M(Pediatric Elongated)
L(Adult Standard);
XL(Adult Elongated)
With 2m Tube
Color:Light Green,Clear



Code:
TC1028
Product Name:
Nasal Oxygen Cannula
Specification
Size:S(Neonatal Use);
M(Pediatric Use);L(Adult Use)
Tube:2m
Color:Light Green,Clear



Code:
TC1029
Product Name:
A:Yankauer tip
B:Suction Tubing
C:Suction Tubing with Yankauer tip
Specification
Tube Size: 1/4", 3/16", 9/32"
Tube Length:1.8M,2M,3.6M
Yankauer Handle:Standard tip,
With/Without Vent;
Crown Tip,With/Without Vent



Code:
TC1030
Product Name:
Breathing Circuit
Specification
Size: Adult/Child use
Type:Corrugated,Smoothbore,Expandable
Tube length:1.5m,1.6m,1.8m,2.4m ,3.0m etc



Code:
TC1023
Product Name:
Oxygen Adjustable Venturi Mask
Specification
Size: S(Pediatric Standard);
M(Pediatric Elongated)
L(Adult Standard);
XL(Adult Elongated)
With 2m Tube,Adjustable Switch To
High/Low Oxygen Concentration
Color:Light Green,Clear



Code:
TC1023-1
Product Name:
Oxygen Venturi Mask
Specification
Size: S(Pediatric Standard);
M(Pediatric Elongated)
L(Adult Standard);
XL(Adult Elongated)
With 2m Tube,Adjustable Switch To
High/Low Oxygen Concentration
Color:Light Green,Clear



Code:
TC1024
Product Name:
Changeable High Pressure Oxygen Mask
Specification
Size: S(Pediatric Standard);
M(Pediatric Elongated)
L(Adult Standard);
XL(Adult Elongated)
With 2m Tube
Six Color Connector For Choice
Color:Light Green,Clear



Code:
TC1030-1
Product Name:
Disposable Anesthesia Circuits
Specification
Size: Adult/Child use
Contents:Anesthesia Circuit, Reservoir
Bag, Anesthesia Mask, HMEF



Code:
TC1031
Product Name:
Jet Nebulizer Kit
Specification
With 7ft oxygen connecting tube
Color: clear



Code:
TC1031-1
Product Name:
Anaesthesia Breathing Bag
Specification
Latex or Latex Free
Capacity:1L,2L,3L etc



Code:
TC1031-2

Product Name:
Respiratory Exerciser

Specification
Flow Range:600cc-1200cc
With 3 colors Balls



Code:
TC1032A

Product Name:
Silicone Breath Resuscitator

Specification
S:Neonatal Use(<=2 years)
M:Infant Use(2-7Years)
L:Adult Use



Code:
TC1032B

Product Name:
PVC Breath Resuscitator

Specification
S:Neonatal Use(<=2 years)
M:Infant Use(2-7Years)
L:Adult Use



Code:
TC1036

Product Name:
Guedel Airway

Specification
Size:000#,00#,0#,1#,2#,3#,4#,5#
(40-110mm)



Code:
TC1036-1

Product Name:
Nasopharyngeal/Nasal Airway

Specification
Size:ID3.0-ID9.0
A:with/without connetion
B:with lubricant



Code:
TC1037

Product Name:
PVC Nelaton Catheter

Specification
Size:6fr-24fr
With Or Without Detectable X-Ray
Packing:Polybag Or Blister Packing



Code:
TC1032-1

Product Name:
Re-usable CPAP Mask

Specification
Style: Full Mask,Nasal Mask
Size: S/M/L
Packing: Blister packing
Fit any brand of CPAP/BiPAP
Fix-position adjustable in 2 dimensions



Code:
TC1032-2

Product Name:
Disposable CPAP Mask

Specification
Style: PVC Mask,22F,30M
Size: S/M/L
Optional: silicone headgear, PEEP Valve
Packing: PE bag



Code:
TC1033

Product Name:
CPR Mask

Specification
Type:Economic ,Luxury
Packing:Plastic Box



Code:
TC1038

Product Name:
Feeding Tube

Specification
Size:4fr-22fr
With Or Without Detectable X-Ray
Packing:Polybag Or Blister Packing



Code:
TC1039

Product Name:
Stomach Tube

Specification
Size:6fr-22fr
With Or Without Detectable X-Ray
Packing:Polybag Or Blister Packing



CODE:
TC1039-1

Product Name:
PVC Ryle's Tube

Specification
With Metal Ball or With Barium Sulfate
Size:6fr-20fr
With or Without detectable X-ray
Packing:Blister



Code:
TC1034

Product Name:
PVC Anesthesia Mask

Specification
Size:S(Neonate)
M(Infant)
L(Pediatric)
XL(Adult-Small)
XXL(Adult-M)



Code:
TC1034-1

Product Name:
Silicone Anesthesia Mask

Specification
Size:A:Silicone Integral type
0# (Neonate) 1# (Infant)
2# (Pediatric) 3# (Adult-small)
4# (Adult-medium) 5# (Adult-large)
B:Silicone & PC combined type
3# (Adult-small) 4# (Adult-medium)
5# (Adult-large)
Packing:PE bag



Code:
TC1035

Product Name:
Berman Airway

Specification
Color: White,Colorful
Size:000#,00#,0#,1#,2#,3#,4#,5#
(40-110mm)



CODE:
TC1039-2

Product Name:
Silicone Ryle's Tube

Specification
With Metal Ball Or With Barium Sulfate
Size:6fr-20fr
With or Without detectable X-ray
Packing: Blister



Code:
TC1040

Product Name:
Rectal Tube/ flatus tube

Specification
Size:26fr-36fr
With Or Without Detectable X-Ray
Packing:Polybag Or Blister Packing



Code:
TC1041

Product Name:
Suction Catheter

Specification
Size:5fr-24fr
With Or Without Detectable X-ray
Connector :Finger Control/Funnel
Packing:Polybag Or Blister Packing



Code:
TC1042

Product Name:
Thoracic Cavity Drainage Tube

Specification
Size:24fr-36fr
Pkg:blister packing



Code:
TC1043

Product Name:
Uterus Drainage Tube

Specification
Size:6Fr-24Fr
Pkg: blister packing



Code:
TC1044

Product Name:
Silicone Chest Drainage Tube

Specification
Size:12fr-36fr
Packing:Blister



Code:
TC1045

Product Name:
Endometrial Biopsy Curetter

Specification
Size:24fr-36fr
Packing:Blister Packing



Code:
TC1046

Product Name:
Mucus Extractor

Specification
Size:25ml, Fr8, Fr10, Fr12
Finger Control Or Funnel Type
Packing:Polybag Or Blister Packing



Code:
TC1047

Product Name:
Tracheostomy Tube

Specification
With Cuff:I.D.5.0-10.0(MM)
Without Cuff:I.D.3.0-10.0(MM)



Code:
TC1047-1

Product Name:
Tracheostomy Tube With Mucus Extractor

Specification
With or W/o cuff:I.D.6.5-9.0mm
Suction size:8fr,25ml
Type:Finger Control,Funnel
Packing:Blister packing



Code:
TC1048

Product Name:
Latex Tubing

Specification
Size:Φ3mm x 5mm, Φ4mm x 6mm
Φ5mm x 8mm, Φ6mm x 9mm
Φ7mm x 10mm, Φ8mm x 11mm



Code:
TC1049

Product Name:
Disposable PVC Laryngeal Mask Airway

Specification
Size:1#, 1.5#, 2#, 2.5#, 3#, 4#, 5#
Packing:Blister Packing



Code:
TC1049-1

Product Name:
Disposable silicone laryngeal mask airway

Specification
Size:1#, 1.5#, 2#, 2.5#, 3#, 4#, 5#
Packing:Blister Packing



Code:
TC1049-2

Product Name:
Disposable PVC+Silicone Laryngeal Mask Airway

Specification
Size:1#, 1.5#, 2#, 2.5#, 3#, 4#, 5#
Packing:Blister Packing



Code:
TC1049-3

Product Name:
Disposable Reinforced Silicone Laryngeal Mask Airway

Specification
Size:1#, 1.5#, 2#, 2.5#, 3#, 4#, 5#
Pkg:Blister Packing



Code:
TC1050

Product Name:
Re-Usable Silicone Laryngeal Mask Airway

Specification
Size:1#, 1.5#, 2#, 2.5#, 3#, 4#, 5#
Packing:Blister Packing



Code:
TC1051

Product Name:
Endotracheal Tube

Specification
With Cuff:I.D.3.0-10.0(mm)
Without Cuff:I.D.2.0-10.0(MM)



Code:
TC1051-1

Product Name:
Reinforced Endotracheal Tube

Specification
Size:6fr/10fr/14fr
Pkg: Blister packing



Code:
TC1051-2

Product Name:
Endotracheal Tube With Suction Catheter

Specification
With cuff:I.D.6.5-9.0mm
Suction size:8fr
Type:Finger Control,Funnel
Packing:Blister packing



Code:
TC1051-3

Product Name:
Endotracheal Tube With Mucus Extractor


Specification
With cuff:I.D.6.5-9.0mm
Suction size:8fr,25ml
Type:Finger Control,Funnel
Packing:Blister packing



Code:
TC1051-4

Product Name:
Endotracheal Tube Holder

Specification
Size: Adult , Child Use
Packing:blister packing



Code:
TC1051-5
Product Name:
Intubating Stylet
Specification
Size:6fr/10fr/14fr
Pkg: Blister packing



Code:
TC1052
Product Name:
Performed Tracheal Tube
Specification
With Cuff:I.D.4.0-10.0(mm)
Without Cuff:I.D.3.0-10.0(mm)



Code:
TC1052-1
Product Name:
Endobronchial Tube
Specification
Type: left-sided/right-sided
Size:26fr/28fr/32fr/35fr/37fr/39fr/41fr



Code:
TC1053
Product Name:
Latex Foley Catheter(Silicone Coated)
Specification
One-Way:6fr-24fr
Two-Way:6fr-10fr(Peadiatric)
12fr-30fr(Adult)
Three-Way:16fr-26fr



Code:
TC1053-1
Product Name:
Latex Malecot Catheter
Specification
Size: one way:12fr-36fr



Code:
TC1054
Product Name:
100%Silicone Foley Catheter
Specification
Two-Way:6fr-10fr(Peadiatric)
12fr-26fr(Adult)
Three-Way:14fr-24fr(Adult)



Code:
TC1055
Product Name:
Condom Catheter/Latex External Catheter
Specification
Sizev:S(Φ 20mm),M(Φ 25mm)
L (Φ30mm),XL(Φ35mm)
With Sponge Adhesive Strap



Code:
TC1056
Product Name:
Latex Tiemann Foley Catheter
Specification
Two-way:12fr-22fr
Valve: Rubber,Plastic



Code:
TC1056-1
Product Name:
Catheter Leg Strap
Specification
Size:3.5x50cm
2.8x80cm
2.5x40cm etc



013-022
PART 2

STETHOSCOPE
SPHYGMOMANOMETER



Code:
TC1057

Product Name:
Single Head Stethoscope

Specification
Silver Chestpiece & Tubing
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1058

Product Name:
Single Head Stethoscope With Plastic Ring

Specification
Silver Chestpiece & Tubing & Ring
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1059

Product Name:
Coloured Single Head Stethoscope

Specification
Silver Chestpiece & Tubing & Ring
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1064

Product Name:
Dual Head Stethoscope With Non-Chill Ring

Specification
Silver Chestpiece & Tubing & Ring
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1065

Product Name:
Stainless Steel Stethoscope

A:Adult use
B:Child use
Specification
Stainless Steel Chestpiece&Tubing&Ring
Tubing Color: Black/Blue/Red/Yellow/ Pink etc



Code:
TC1065-2

Product Name:
Colorful Plating Stainless Steel Clinician Stethoscope

Specification
Chestpiece φ :3.6/4.6cm
Product Length :70cm
Stainless Steel Chestpiece&Tubing&Ring
Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code:
TC1060-1A

Product Name:
Deluxe Single Head Stethoscope

Specification
Zinc - alloy chestpiece with chrome- plated silver or nickel-plated silver finish.



Code:
TC1060-2

Product Name:
Acrylic Head Stethoscope

Specification
Acrylic Chestpiece & Tubing
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1060-3

Product Name:
Disposable Single Head Stethoscope

Specification
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1065-3

Product Name:
Black Frequency Conversion Stainless Steel Clinician Stethoscope

Specification
Stainless Steel Chestpiece&Tubing&Ring
Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code:
TC1065-4

Product Name:
Colorful Tube Frequency Conversion Stainless Steel Clinician Stethoscope

Specification
Stainless Steel Chestpiece&Tubing&Ring
Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code:
TC1066

Product Name:
Cardiology Stainless Steel Stethoscope

Specification
Stainless Steel Chestpiece&Tubing&Ring
Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code:
TC1061

Product Name:
Dual Head Stethoscope

Specification
Silver Chestpiece & Tubing
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1062

Product Name:
Dual Head Stethoscope With Plastic Ring

Specification
Silver Chestpiece & Tubing
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1063

Product Name:
Coloured Dual Head Stethoscope

Specification
Silver Chestpiece & Tubing
Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code:
TC1066-1

Product Name:
Cardiology Stainless Steel Stethoscope with double membrane

Specification
Stainless Steel Chestpiece&Tubing&Ring
Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code:
TC1067

Product Name:
Cross Membrane Lock Stethoscope



Code:
TC1070

Product Name:
Standard Fetal Stethoscope



Code:
TC1070-1
Product Name:
Fetal Stethoscope
Specification:
Material:
A:Wooden B:Plastic



Code:
TC1071
Product Name:
Multi-Function Fetal Stethoscope



Code:
TC1072
Product Name:
Neonatal Dual Head Stethoscope



Code:
TC1074
Product Name:
Aneroid Sphygmomanometer
Specification
Standard Type
Cuff:Cotton/Nylon.
Bulb/Bladder:PVC, Latex



Code:
TC1075
Product Name:
Aneroid Sphygmomanometer With D-Ring
Specification
Standard Type
Cuff:Cotton/Nylon.
Bulb/Bladder:PVC, Latex



Code:
TC1076
Product Name:
Infusion Cuff Sphygmomanometer
Specification
Bulb/Bladder:Pvc, Latex
Size:500ml, 1000ml



Code:
TC1073A
Product Name:
Gold-Plated Head Sprague Rappaport Stethoscope
Specification:
Tubing Color:Black/Green/Yellow/Blue/Red/Purple etc



Code:
TC1073B
Product Name:
Sprague Rappaport Stethoscope
Specification:
Tubing Color:Black/Green/Yellow/Blue/Red/Purple etc



Code:
TC1073C
Product Name:
With Semitransparent Tube Sprague Rappaport Stethoscope
Specification:
Tubing Color:Black/Green/Yellow/Blue/Red/Purple etc



Code:
TC1077
Product Name:
Aneroid Sphygmomanometer
Specification
French Type
Cuff:Cotton With Leather Attachment
Bulb/Bladder: PVC, Latex



Code:
TC1079
Product Name:
Aneroid Sphygmomanometer
Specification
Child Use
Cuff: Cotton With Cartoon
Bulb/Bladder: PVC, Latex



Code:
TC1080
Product Name:
Aneroid Sphygmomanometer With Separate Single Head Stethoscope
Specification
Cuff:Nylon With D-Ring
Bulb/Bladder: PVC, Latex
With :Single Head Stethoscope



Code:
TC1073D
Product Name:
Stethoscope With Clock
Specification:
Tubing Color:Black/Green/Yellow/Blue/Red/Purple etc



Code:
TC1073-1
Product Name:
3 Type Head Stainless Steel Stethoscope
Specification
3 Type head: Adult, Child ,Pediatric



Code:
TC1073-2
Product Name:
Stethoscope Covers Animal Toy Cover
Specification
Shape: Dog, Lion, Rabbit, Bear, Tiger, Giraffe, Crocodile



Code:
TC1080-A
Product Name:
Aneroid Sphygmomanometer With Dual Head Stethoscope
Specification
Cuff:Nylon
Bulb/Bladder: PVC
With :Dual Head Stethoscope



Code:
TC1080-B
Product Name:
Aneroid Sphygmomanometer With Sprague Rappaport Stethoscope
Specification
Cuff:Nylon With D-Ring
Bulb/Bladder: PVC
With:Sprague Rappaport Stethoscope



Code:
TC1082
Product Name:
Palm Type Aneroid Sphygmomanometer With Twin Tube
Specification
Cuff:Cotton With D-Ring
Bulb/Bladder: PVC, Latex



Code:
TC1083

Product Name:
Palm Type Aneroid Sphygmomanometer With Single Tube

Specification
Cuff: Nylon
Bulb/Bladder: PVC, Latex



Code:
TC1083-1

Product Name:
Palm Type Aneroid Sphygmomanometer With Single Tube

Specification
Cuff: Nylon+D-Ring
Bulb/Bladder: PVC
ABS plastic gauge with chrome plated
Diameter: 51mm



Code:
TC1083-2

Product Name:
Palm Type Aneroid Sphygmomanometer With Single Tube

Specification
Cuff: Nylon with silk screen printing + D-Ring
Bulb/Bladder: PVC
ABS plastic gauge Fluorescent surface
Diameter: 63mm



Code:
TC1083-3

Product Name:
Palm Type Aneroid Sphygmomanometer With Single Tube

Specification
Cuff: Nylon+D-Ring
Bulb/Bladder: PVC, Latex



Code:
TC1084

Product Name:
Palm Type Aneroid Sphygmomanometer With Single Tube

Specification
Eruope Type
Cuff: Nylon+D-ring
Bulb/Bladder: PVC, Latex.



Code:
TC1085

Product Name:
Aneroid Sphygmomanometer With Metal Hook Type

Specification
Cuff: Cotton
Bulb/Bladder: PVC, Latex



Code:
TC1086

Product Name:
Aneroid Sphygmomanometer With ABS Gauge

Specification
Family Type
Cuff: Nylon, Cotton
Bulb/Bladder: PVC, Latex



Code:
TC1088

Product Name:
Aneroid Blood Pressure Monitor Gift Set

Specification
Content: 1pc B.P. Monitor With 1pc Child Cuff & 1pc Adult Cuff & 1pc Obese Cuff
Cuff: Nylon



Code:
TC1088-1

Product Name:
Aneroid Sphygmomanometer Kit

Specification
Cuff: Nylon + D-Ring
Bulb/Bladder: PVC
Neurological Hammer Diagnostic
Pen Light Tourniquet
Single Head Stethoscope
Large Nylon Case



Code:
TC1091

Product Name:
Aneroid Sphygmomanometer

Specification
ABS Square Gauge
Desk / Wall Type
Nylon Cuff



Code:
TC1091-1

Product Name:
Aneroid Sphygmomanometer

Specification
Clock Wall Mounted Type
Cuff: Nylon/Cotton
Bladder/Bulb: Latex Or PVC



Code:
TC1091-2

Product Name:
Aneroid Sphygmomanometer

Specification
ABS Square Gauge
Desk / Wall Type
Nylon Cuff



Code:
TC1091-3

Product Name:
Aneroid Sphygmomanometer

Specification
Clock Wall Mounted Type
Cuff: Nylon/Cotton
Bladder/Bulb: Latex Or PVC



Code:
TC1092

Product Name:
Floor Type Mercury Sphygmomanometer

Specification
With Cotton Cuff
With Latex Bulb & Bladder



Code:
TC1093

Product Name:
Floor Type Aneroid Sphygmomanometer With Square Gauge

Specification
With Cotton Cuff
With Latex Bulb & Bladder



Code:
TC1094

Product Name:
Floor Type Aneroid Sphygmomanometer With Round Gauge

Specification
With Cotton Cuff
With Latex Bulb & Bladder



Code:
TC1095D

Product Name:
Wrist Type Fully Automatic Digital Blood Pressure Meter

Specification
Product Size (LxWxH): 77. 5x68x30(mm)
Power: 2XAAA
Memory: 99sets for 2 people



Code:
TC1095R

Product Name:
Wrist Type Fully Automatic Digital Blood Pressure Meter

Specification
Product Size (LxWxH): 77. 5x68x30(mm)
Power: 2XAAA
Memory: 99sets for 2 people



Code:
TC1096A
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
Power: 4XAA
Memory:198 sets for 2 users
With Voice



Code:
TC1096B
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
Power: 4XAA, AC
Memory:198 sets for 2 users



Code:
TC1096C
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
Power: 4XAAA
Memory:99sets for 2 people



Code:
TC1096D-1
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
LCD display 74*59mm
HIB arrhythmia detection
WHO blood pressure classification
3 times Average
Time and date display
Automatic shutdown



Code:
TC1096E-1
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
LCD display 74*59mm
HIB arrhythmia detection
WHO blood pressure classification
3 times Average
Time and date display
Product size:130 x126 x 50mm



Code:
TC1096F
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
Power: 4XAAA
Memory:99sets for 2 people



Code:
TC1096G
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
Power: 1pc Alkaline Battery
Memory:90sets



Code:
TC1096H
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
Power: 1pc Alkaline Battery
Memory:90sets



Code:
TC1096J
Product Name:
Upper Arm Fully Automatic Digital Blood Pressure Meter
Specification
99x2 sets memory for 2 users
Real voice (optional)
Dry battery / lithium battery (optional)
Size:107*96*44mm



Code:
TC-ZKB881
Product Name:
Upper Arm Blood Pressure Monitor
Specification
99x2 sets memory for 2 users
Intelligent pressure
Voltage power detection
Real voice (optional)



Code:
TC-ZKB882
Product Name:
Upper Arm Blood Pressure Monitor
Specification
99x2 sets memory for 2 users
Intelligent pressure
Voltage power detection
Real voice (optional)



Code:
TC-ZKB883
Product Name:
Upper Arm Blood Pressure Monitor
Specification
99x2 sets memory for 2 users
Intelligent pressure
Voltage power detection
Real voice (optional)



Code:
TC-ZKB885
Product Name:
Upper Arm Blood Pressure Monitor
Specification
99x2 sets memory for 2 users
Intelligent pressure
Heart rate detection
Voltage power detection
Real voice (optional)



Code:
TC-ZKB886
Product Name:
Upper Arm Blood Pressure Monitor
Specification
LED full screen display
Bluetooth connection
99x2 sets memory for 2 users
Intelligent pressure
Measuring arm circumference:22-36cm



Code:
TC-ZKB887
Product Name:
Upper Arm Blood Pressure Monitor
Specification
LED full screen display
Bluetooth connection
99x2 sets memory for 2 users
Intelligent pressure
Measuring arm circumference:22-36cm



Code:
TC-ZKB888
Product Name:
Upper Arm Blood Pressure Monitor
Specification
LED large-screen display
Time display
99x2 sets memory for 2 users
Intelligent pressure
Measuring arm circumference:22-36cm



Code:
TC-ZKB889
Product Name:
Upper Arm Blood Pressure Monitor
Specification
99x2 sets memory for 2 users
Intelligent pressure
Voltage power detection
Heart rate detection
Real voice (optional)
Lithium battery(TYPE-Cinterface)



Code:
TC-XY-W8
Product Name:
Wrist Blood Pressure Monitor
Specification
LCD full screen display
Bluetooth connection
99 sets memory
Intelligent pressure
Step counting function
Built-in lithium battery



Code:
TC-ZJK-202

Product Name:
Blood Glucose Meter

Function:
Automatic switch
8 seconds to display the result
Small blood volume
7/14/28 day average
Super capacity data storage

Specification:
Weight: about 50g
Size:95*60*27mm
50PCS/carton G.W: 9.5kg/ctn
Color box size:112*42*177mm
Outer carton size:580*235*375mm



Code:
TC-ZJK-203

Product Name:
Blood Glucose Meter

Function:
Automatic switch
8 seconds to display the result
Small blood volume
7/14/28 day average
Super capacity data storage

Specification:
Weight: about 48g
Size:93*58*20mm
50PCS/carton G.W: 9.2kg/ctn
Color box size:112*42*177mm
Outer carton size:580*235*375mm



Code:
TC-ZJK-204

Product Name:
Blood Glucose Meter

Function:
Automatic switch
8 seconds to display the result
Small blood volume
7/14/28 day average
Super capacity data storage

Specification:
Weight: about 48g
Size:92*58*20mm
50PCS/carton G.W: 9.5kg/ctn
Color box size:112*42*177mm
Outer carton size:580*235*375mm



Code:
TC-ZJK-205

Product Name:
Blood Glucose Meter

Function:
Automatic switch
8 seconds to display the result
Small blood volume
1 button automatic return bar
Double unit conversion

Specification:
Weight: about 40g
Size:76*58*22mm
50PCS/carton G.W: 9.2kg/ctn
Color box size:112*42*177mm
Outer carton size:580*235*375mm



023-037
PART 3

- HOSPITAL GOWN
- LEAD PROTECTIVE PRODUCTS
- HOSPITAL SHOES
- DISPOSABLE NONWOVEN PRODUCTS
- BANDAGE
- GAUZE SWAB
- COTTON ITEMS



Code:
TC4001

Product Name:
Surgeon Gown

Specification
Material:100% Cotton Or T65%+C35%
Weight:145g-155g



Code:
TC4001-1

Product Name:
Surgeon Gown

Specification
Material:100% Cotton Or T65%+C35%
Weight:145g-155g



Code:
TC4002

Product Name:
Surgeon Gown

Specification
Material:100% Cotton Or T65%+C35%
Weight:145g-155g



Code:
TC4005-1

Product Name:
Doctor Uniform

Specification
Material :T65% & C35% or C100%



Code:
TC4006

Product Name:
Doctor Uniform

Specification
Material :T65% & C35% or C100%



Code:
TC4006-1

Product Name:
Doctor Uniform

Specification
Material :T65% & C35% or C100%



Code:
TC4002-1

Product Name:
Surgeon Gown

Specification
Material: Front- 99% Polyester+1%
Carbon Fiber
Back-65% Polyester+35% Cotton



Code:
TC4003

Product Name:
Surgical Uniform

Specification
Material:100% Cotton Or T65%+C35%



Code:
TC4003-1

Product Name:
Medical Scrub

Specification
Material:100% Cotton Or T65%+C35%
Weight:150g-180g



Code:
TC4007

Product Name:
Lead Vest Jacket

Specification
Material:Lead Leather&PVC
Color:Blue,Brown,Dark Green,Light
Grey etc
Lead Equivalent: 0.35mmPb,
0.5mmPB etc b



Code:
TC4008

Product Name:
Lead Vest Jacket

Specification
Material:Lead Leather&PVC
Color:Blue,Brown,Dark Green,Light
Grey etc
Lead Equivalent: 0.35mmPb,
0.5mmPB etc



Code:
TC4009

Product Name:
Lead Vest Apron

Specification
Material:Lead Leather&PVC
Color:Blue,Brown,Dark Green,Light
Grey etc
Lead Equivalent:0.25mmPb,0.35mm Pb,
0.5mmPb



Code:
TC4003-2

Product Name:
Medical Scrub

Specification
Material:100% Cotton Or T65%+C35%
Weight:150g-180g



Code:
TC4004

Product Name:
Medical Scrub

Specification
Material:100% Cotton Or T65%+C35%
Weight: 150g-180g
With Cartoon



Code:
TC4005

Product Name:
Doctor Uniform

Specification
Material :T65% & C35% or C100%



Code:
TC4010

Product Name:
Lead Vest Apron

Specification
Material:Lead Leather&PVC
Color:Blue,Brown,Dark Green,Light
Grey etc
Lead Equivalent: 0.35mmPb,
0.5mmPB etc



Code:
TC4011

Product Name:
Lead Vest Jacket

Specification
Material:Lead Leather&PVC
Color:Blue,Brown,Dark Green,Light
Grey etc
Lead Equivalent: 0.35mmPb,
0.5mmPB etc



Code:
TC4012

Product Name:
Skirt Lead Vest Apron

Specification
Material:Lead Leather&PVC
Color:Blue,Brown,Dark Green,
Light Grey etc
Lead Equivalent:0.25mmPb,0.35mmPb,
0.5mmPb



Code:
TC4013

Product Name:
Lead Vest Apron

Specification
Material: Lead Leather&PVC
Color: Blue, Brown, Dark Green, Light Grey etc
Lead Equivalent: 0.35mmPb, 0.5mmPb etc



Code:
TC4014

Product Name:
Lead Protective Cap

Specification
Material: Lead Leather&cotton ;
Lead Equivalent: 0.35mmPb, 0.5mmPb etc



Code:
TC4015

Product Name:
Lead Protective Collar

Specification
Material: Lead Leather&Polyester Taffeta
Lead Equivalent: 0.35mmPb, 0.5mmPb etc



Code:
TC-A1302

Product Name:
Clearroom Working Shoes

Specification
Size: 35/36-45/46#
Color: greenic/Khaki/Purple/blue



Code:
TC-ANR01

Product Name:
Clearroom Working Shoes

Specification
Size: 37-46#
Color: White/Blue/Green



Code:
TC-LE101

Product Name:
Nurse Working Shoes

Specification
Size: 35-45#
Color: White/Black



Code:
TC4016

Product Name:
Lead Protective Gloves

Specification
Material: Lead Leather, Cotton&Terylene
Size: M, L



Code:
TC4017

Product Name:
Mackintosh for operation table

Specification
Size: Various
Color: Brown, Blue, Magenta, light gray etc



Code:
TC4018

Product Name:
X-ray Protective Glasses

Specification
A: Universal Type
B: Side- Protective



Code:
TC-LE102

Product Name:
Nurse Working Shoes

Specification
Size: 40-46#
Color: White/Black



Code:
TC-LE123

Product Name:
Nurse Working Shoes

Specification
Size: 35-41#
Color: White/Black



Code:
TC-J402

Product Name:
Nurse Working Shoes

Specification
Size: 36-45#
Color: White/Black



Code:
TC-TPE01

Product Name:
Clearroom Working Shoes

Specification
Size: 37-46#
Color: White/Blue/Green
Antistatic



Code:
TC-TPE02

Product Name:
Clearroom Working Shoes

Specification
Size: 37-46#
Color: White/Blue/Green



Code:
TC-TPE03

Product Name:
Clearroom Working Shoes

Specification
Size: 37-46#
Color: White/Blue/Green



Code:
TC-K5105

Product Name:
Nurse Working Shoes

Specification
Size: 36-41#
Color: White/Black



Code:
TC-LR104

Product Name:
Nurse Working Shoes

Specification
Size: 34-42#
Color: White/Black



Code:
TC-LR125

Product Name:
Nurse Working Shoes

Specification
Size: 35-41#
Color: White/Black



Code:
TC1097-A

Product Name:
Surgical Drape

Specification
Size:50*50cm,75*90cm,100*100cm etc
Material:SMS,Bi-SPP Lamination fabric, Tri-SPP Lamination fabric, PE film, SS etc
Packing:Individual Package with EO Sterilization



Code:
TC1097-B

Product Name:
Surgical Pack General Surgical Pack

Specification
Size: to be customized
Color:Blue
Material:Non-Woven SMS, PSB, Tri-Lam, PE



Code:
TC1097-C

Product Name:
Disposable Sterile C-Section Packs

Specification
Material:Non-Woven SMS, PSB, Tri-Lam, PE
Items:Drape Utility with Tape,Medium Drape,Back Table Cover,Hand Towel Reinforced Surgical Gown,C-Section Drape,Suture Bag,Nayo Stand Cover



Code:
TC1103

Product Name:
PP Visiting Gown

Specification
Size:115*137cm,120*140cm,125*155cm,130cm*160cm etc
Gram:18g/m²,20g/m²,25g/m²,30g/m² etc
Color:Yellow,Blue,Green etc
With Elastic Cuff



Code:
TC1104

Product Name:
Protection Gown

Specification
Size:S,M,L,XL,XXL,XXXL
Gram:30g/m²,40g/m²,50g/m² etc
Color:White,Blue,Green etc
With Elastic Cuf



Code:
TC1105

Product Name:
PE Apron

Specification
Size:1220*760mm,1220*710mm,1200*900mm,1170*710mm etc
Thickness:0.02mm,0.025mm
Color:White,Blue etc.



Code:
TC1097

Product Name:
PP Surgeon Gown

Specification
Size:115*137cm,120*140cm,125*155cm etc
Gram:20g/m²,25g/m²,30g/m²,40g/m² etc
Color:Blue, Yellow, Green etc
With Elastic Cuff



Code:
TC1098

Product Name:
CPE Surgeon Gown

Specification
Size:120*140cm,129*210cm etc
Color:Blue,White
With Elastic Cuff



Code:
TC1099

Product Name:
PP Isolation Gown

Specification
Size:115*137cm,120*140cm,125*155cm etc
Gram:20g/m²,25g/m²,30g/m²,40g/m² etc
Color:Blue, Yellow, Green etc
With Elastic Cuff



Code:
TC1105-1

Product Name:
Nonwoven Pants

Specification
Gram:40g/m²,50g/m² etc
Size:68x60cm etc
Color: Dark Blue,Black etc



Code:
TC1105-2

Product Name:
Nonwoven Underpant

Specification
Gram:25g/m²,30g/m² etc
Size:S,M,L,XL etc
Color:white,blue etc



Code:
TC1106

Product Name:
Dust-Proof Face Mask

Specification
Gram:120g,140g,160g,180g,200g etc
Color:White,Pink,Blue etc.



Code:
TC1100

Product Name:
SMS Surgeon Gown

Specification
Size:115*137cm,120*140cm,125*155cm,130cm*160cm etc
Gram:25g/m²,30g/m²,40g/m²,50g/m² etc
Color:Blue,Green etc.
Cuff:Elastic Or Knitted Cuff



Code:
TC1101

Product Name:
PP Patient Gown

Specification
Size:S,M,L,XL,XXL,XXXL
Gram:30g/m²,40g/m²,50g/m² etc
Color:Blue,Green etc.



Code:
TC1102

Product Name:
PP Lab Coat

Specification
Size:S,M,L,XL,XXL,XXXL
Gram:30g/m²,40g/m²,50g/m² etc
Color:Blue,Green etc.
With Elastic Cuff



Code:
TC1107

Product Name:
Non-Woven Face Mask

Specification
With Tie Or With Earloop
Ply:2 or 3
Color:Blue,Green,White etc



Code:
TC1107-1

Product Name:
Activated Carbon Face Mask

Specification
With tie or with earloop
Ply:4ply



Code:
TC1108

Product Name:
N95 Face Mask

Specification
With Earloop
Color:White
With Valve Or Without Valve



Code:
TC1109

Product Name:
FFP2 Face Mask

Specification
With Earloop
Color:White
Style:Folding Type,Duckbilled Type
With Valve Or Without Valve



Code:
TC1110

Product Name:
Paper Face Mask

Specification
With Earloop
Ply:1 or 2
Color:White



Code:
TC1111

Product Name:
Face Mask With Eye Shield

Specification
Mask ply:2 or 3
Color:Blue,Green etc



Code:
TC1115

Product Name:
Non-woven Shoe Cover

Specification
Size:36*15cm,38*16cm,40*17cm etc
Gram:25g,30g,35g etc
Color:Blue,Green,White etc



Code:
TC1116

Product Name:
Non-Skid Shoe Cover

Specification
Size:36*15cm,38*16cm,40*17cm etc
Gram:25g,30g,35g etc
Color:Blue,Green,White etc



Code:
TC1116-1

Product Name:
Non-woven Boot Cover

Specification
Size:36x16x25cm,40x17x30cm etc
Gram:25g,30g etc
Color:green,blue etc



Code:
TC1111-1

Product Name:
Disposable Face Shield

Specification
Size:Half,3/4,full face
Type:With Elastic Strip ,With Plastic Clip
Anti Fog, Anti-Static.



Code:
TC1111-2

Product Name:
Beard Cover

Specification
Material:Non-woven,Net
Size:9"x12" etc
Gram:10g,12g,14g etc
Color:White etc



Code:
TC1112

Product Name:
Strip / Mob / Clip Cap

Specification
Size:18" 21" 24" etc
Gram:10g,12g,14g etc
Color:Blue, Yellow,Pink,Green,White etc
Elastic: Single, Double



Code:
TC1117

Product Name:
CPE Shoe Cover

Specification
Size:36*15cm,38*15cm,39*15CM,
40*15cm etc
Gram:2g,2.5g,3g,3.5g etc
Color:Blue,Green etc



Code:
TC1117-1

Product Name:
PE Shoe Cover

Specification
Size:36x15cm,38x15cm,39x15cm,
40x15cm etc
Gram:1.5g,2g,2.5g,3g etc
Color:Blue ,Green etc



Code:
TC1118

Product Name:
Plastic Sleeve Cover

Specification
Size:400*200mm(16")
460*220mm(18")
Gram:3.5g,3.8g etc
Color:Blue,White etc
Material:CPE or PE



Code:
TC1113

Product Name:
Doctor / Surgeon Cap

Specification
Style:With Tie Or Elastic Back
Size:18" 21" 24" etc
Gram:25g,30g etc
Color:Green,Blue etc



Code:
TC1114

Product Name:
Bouffant / Nurse Cap

Specification
Size:18" 21" 24" etc
Gram:10g,12g,14g etc
Color:White,Blue ,Green etc



Code:
TC1114-1

Product Name:
PE Shower Cap

Specification
Size:18",21",24" etc
Gram:2.6g,2.8g,3.2g etc
Color: white,pink,blue,green etc



Code:
TC1119

Product Name:
Non-Woven Bed Sheet

Specification
Size:100*200cm,120*220cm etc
Gram:25g,30g etc
Color:Blue,White etc



Code:
TC1119-1

Product Name:
Non-Woven Bed Cover


Specification
Size(WxLxH):80x175x20cm,
90x210x20cm etc
Gram:25g/m2,30g/m2 etc
Color:White,Blue etc



Code:
TC1119-2

Product Name:
Examination Roll

Specification
Type:2Ply,3Ply Paper
1Ply Paper + 1Ply PE Film
Size:60cmX50m,56cmX50m etc
Gram:32g,40g etc



Code:
TC1119-3
Product Name:
Sterile Burn Sheet
Specification
Size:60X90" etc



Code:
TC1120
Product Name:
Non-Woven Pillow Cover
Specification
Size:50*50cm,50*60cm etc
Gram:25g,30g etc
Color:Skyblue,Darkblue,Green,White etc



Code:
TC1121
Product Name:
Disposable UnderPad
Specification
With Or Without SAP
Size:600*400mm(45g),450*750mm(52g)
600*600mm(60g),600*900mm(80g)etc



Code:
TC1126-1
Product Name:
Orthopaedic Padding Viscose/Wadding
Specification
Width:2",3",4",6",8" etc
Length:2.7m,3m,3.6m etc
Weight:80g,90g etc
Material:50%Polyster+50%cotton
100% polyster,100% cotton



Code:
TC1127
Product Name:
Stockinette Tubular Bandage
Specification
Size:4.5cm*10m,6.25cm*10m,
6.5cm*10m,6.75cm*10m etc



Code:
TC1127-1
Product Name:
Tubular Bandage With Middle Line
Specification
Size:4.5cm*10m,6.25cm*10m,
6.5cm*10m,6.75cm*10m etc
Color of Middle Line: Blue,Green



Code:
TC1121-1
Product Name:
Disposable Diaper
Specification
Pediatric Use,Adult Use
Size:NB,XS,S,M,L
800*650mm with leg cuffs(110-115g),
800*650mm without leg cuff(95-100g)
960*880mm with leg cuffs(120-125g),
960*880mm without leg cuff(110-115g)



Code:
TC1122
Product Name:
PBT / Confirming Bandage
Specification
Width:2",3",4",6",8" etc
Stretched Length:4.5m
Color:Bleached,Unbleached



Code:
TC1123
Product Name:
First Aid Dressing Bandage(With Pad)
Specification
Size:6cm*4m(pad 6cm*8cm),
8cm*4m(pad 8cm*10cm)
10cm*4m(pad 10cm*12cm)
Weight Of PBT:28-30g/m²
Dressing Pad:120g/m²
Color:Bleached,Unbleached



Code:
TC1128
Product Name:
Thick PBT / Confirming Bandage
Specification
Width:2",3",4",6",8" etc
Stretched Length:4.5m
Color:Bleached,Unbleached



Code:
TC1129
Product Name:
Tubular Elastic Net Bandage
Specification
Size:1#-11#



Code:
TC1130
Product Name:
High Elastic Bandage
Specification
Width:2",3",4",6",8" etc
Stretched Length:4.5m
Color:Light Skin,Dark Skin,Unbleached



Code:
TC1124
Product Name:
Self-Adhesive / Cohesive Elastic Bandage
Specification
Width:2",3",4",6",8" etc
Stretched Length:4.5m
Color:Various Colors
Material:Non-woven Or Cotton



Code:
TC1125
Product Name:
Self-Adhesive / Cohesive Elastic
Bandage W/Patterns
Specification
Width:2",3",4",6",8" etc
Stretched Length:4.5m
Pattern Color:Yellow,Blue,Green,Pink etc
Material:Non-woven



Code:
TC1126
Product Name:
Plaster Of Paris / P.O.P.Bandage
Specification
Width:2",3",4",6",8" etc
Length:2.7m,3m,4.6m etc



Code:
TC1130-1
Product Name:
Rubber High Elastic Bandage With Velcro
Specification
Material:Cotton+Spandex+Fibre
Weight(g/m²):80g,90g,100g
Stretched Length:4.5m
Width:2",3",4",6" etc
Color:Light Skin,Unbleached



Code:
TC1130-2
Product Name:
Blue-Side High Elastic Bandage
Specification
Width:2",3",4",6" etc
Stretched Length:4.5m
Color: Bleached,Unbleached



Code:
TC1130-3
Product Name:
Rubber Elastic Bandage
Specification
Width:2",3",4",6" etc
Stretched Length:4.5m
Color: Light Skin ,Dark Skin



Code:
TC1130-4
Product Name:
Plain Elastic Bandage
Specification
Width: 2", 3", 4", 6" etc
Stretched Length: 4.5m
Color: Bleached, Unbleached etc



Code:
TC1131
Product Name:
Crepe Elastic Bandage
Specification
Width: 2", 3", 4", 6", 8" etc
Stretched Length: 4.5m
Color: Bleached, Unbleached



Code:
TC1132
Product Name:
100% Pure Cotton Crepe Bandage
Specification
Type: Plain, With Red-Side Or With Blue Side
Width: 2", 3", 4", 6", 8"
Stretched Length: 4.5m
Color: Bleached, Unbleached



Code:
TC1133
Product Name:
Red-Side Crepe Bandage
Specification
Type: Adhesive Or Non-Adhesive
Width: 2", 3", 4", 6", 8" etc
Stretched Length: 4.5m
Color: Bleached, Unbleached



Code:
TC1133-1
Product Name:
Blue-Side Crepe Bandage
Specification
Width: 2", 3", 4", 6", 8" etc
Stretched Length: 4.5m
Color: Bleached, Unbleached



Code:
TC1133-2A
Product Name:
Military Emergency Trauma Bandage
Specification
Size: 10cmx3.6cm, 15x3.6cm



Code:
TC1133-2B
Product Name:
First Aid Hemostatic Bandage
Specification
7.5x250cm(WxL), 7.5x450cm(WxL)
10x250cm(WxL), 10x450cm(WxL)



Code:
TC1133-2C
Product Name:
H Type First Aid Bandage
Specification
Length: 10cmx1.75m; Padding: 20cmx24cm



Code:
TC1133-3
Product Name:
Skin Traction Kit
Specification
Style: Child, Adult
Type: Adhesive Or Non-Adhesive



Code:
TC1134
Product Name:
Triangular Gauze Bandage With 2 Pins
Specification
40's*40's Cotton Yarn
Mesh: 48*48, 44*30 etc
Size: 36"*36"*51", 40"*40"*56" etc



Code:
TC1135
Product Name:
Triangular Non-woven Bandage With 2 Pins
Specification
Gram: 30g/m², 40g/m² etc
Size: 127*127*140cm etc



Code:
TC1135-1
Product Name:
Collar&Cuff Bandage
Specification
Size: 5cmx6m, 7.5cmx6m
Color: Skin, white



Code:
TC1136
Product Name:
Emergency Blanket
Specification
Color: Silver, Gold, Silver + Gold
Size: 160cm*210cm etc



Code:
TC1137
Product Name:
Sterile Tracheotomy Swab
Specification
40's*40's Cotton Yarn
Mesh: 19*9, 24*20 etc
Size: 10cm*10cm etc
Ply: 12 etc



Code:
TC1138
Product Name:
Gauze Roll
Specification
40's*40's Cotton Yarn
With Or Without X-Ray Thread
Mesh: 18*12, 19*15, 24*20, 26*18 etc
Ply: 4
Size: 36"*50m, 36"*100Y, 36"*100m etc



Code:
TC1138-1
Product Name:
Zigzag Gauze Swab
Specification
40'sx40's cotton yarn
Mesh: 12x8, 18x11, 19x15, 24x20 etc
Ply: 4
Size: 65cmx100m, 90cmx100y,
90cmx100m etc



Code:
TC1138-2
Product Name:
Pillow Gauze Swab
Specification
40'sx40's cotton yarn
Mesh: 12x8, 18x11, 19x15, 24x20 etc
Ply: 4
Size: 90cmx100y, 90cmx100m




Code:
TC1139
Product Name:
Wow Gauze Bandage
Specification
40's*40's Cotton Yarn
Mesh: 18*12, 19*15, 24*20, 20*18 etc
Size: 5cm*5m, 7.5cm*5m, 10cm*5m
12.5cm*5m, 15cm*5m etc



Code:
TC1140
Product Name:
Gauze Swab/Gauze Sponge
Specification
40's*40's Cotton Yarn
With Or Without X-Ray Thread
Mesh:18*12,19*15,24*20,26*18 etc
Ply:4,8,12,16 etc
Edge:Folded Or Unfolded
Size:5cm*5cm,7.5cm*7.5cm,
10cm*10cm,10cm*20cm etc



Code:
TC1141
Product Name:
Sterile Gauze Swab
Specification
40's*40's Cotton Yarn
With Or Without X-Ray Thread
Mesh:18*12,19*15,24*20,26*18 etc
Ply:4,8,12,16 etc , Edge:Folded Or Unfolded
Size:5cm*5cm,7.5cm*7.5cm,
10cm*10cm,10cm*20cm etc
Packing:1pc/pack,2pcs/pack,5pcs/pack



Code:
TC1142
Product Name:
Non-woven Swab
Specification
Gram:30g/m²,40g/m², etc
Size:5cm*5cm,7.5cm*7.5cm 10cm*10cm
Ply:4 etc



Code:
TC1148-1
Product Name:
Make Up Cotton
Specification
Size: φ 5.5cm, φ 5.8cm, 7x9cm, 5x5cm
Type:Round, Oval, Square
Surface:Plain Or Embossing




Code:
TC1149
Product Name:
Dental Cotton
Specification
Size: φ 0.8cm*L3.8CM
φ 1cm*L3.8cm
φ 1.2cm*L3.8cm



Code:
TC1150
Product Name:
Absorbent Cotton Roll
Specification
Weight:50g,100g,200g,250g,500g,1000g
Packing:Normal Paper,Interleaved Paper
Milky Polybag



Code:
TC1143
Product Name:
Laparotomy Sponge
Specification
40's*40's Cotton Yarn,Pre-washed Or Washable
With Or Without X-Ray,With Or Without
Cotton Loop
Mesh:18*12,19*15,24*20 etc
Size:30cm*30cm,45cm*45cm etc
Ply:4,8,12,16 etc , Sterile Or Unsterile



Code:
TC1144
Product Name:
Paraffin Gauze Swab
Specification
40's*40's Cotton Yarn
Size:10cm*10cm etc
Packing:Single Aluminum Foil Pack



Code:
TC1145
Product Name:
Alcohol Swab/Prep Pad
Specification
Size:65mm x 30mm,65mm x 56mm etc
Ply:2,4 etc



Code:
TC1151
Product Name:
Zig-Zag Cotton Wool
Specification
Weight:50g,100g,200g,500g,1000g etc
Packing:Milky Polybag,Transparent
Polybag



Code:
TC1152
Product Name:
Abdominal Pad
Specification
Size:10x10cm,10x20cm,20x20cm,
20x30cm ,20x40cm etc
Material:Non-woven+Cotton,
with X-ray Thread



Code:
TC1153
Product Name:
Orthopaedic Fiberglass Casting Tape
Specification
Width:2",3",4",6",8" etc
Length:3m,3.6m etc
Color:White, Colorful



Code:
TC1146
Product Name:
Absorbent Gauze Ball
Specification
Mesh:40's/26*18 etc
Size:10*10cm,20*20cm etc
With Or Without X-Ray Thread
Shape Type:Peanut, Plum



Code:
TC1147
Product Name:
Absorbent Cotton Ball
Specification
Weight:0.5g/pc ,1g/pc
Color:White / Colorfull



Code:
TC1148
Product Name:
Cotton Eye Pad
Specification
Oval Shape
Size:6cm*8cm,5*7.5cm etc
Sterile Or Unsterile



Code:
TC-IW001
Product Name:
Cold-Wrap Elasticated Bandage
Specification
Width:5cm,7.5cm,10cm, etc
Length:3.6m



Code:
TC-FB001
Product Name:
Fire Blanket
Specification
Size:1x1m,1.2x1.2m,1.2x1.8m,



Code:
TC-CG01
Product Name:
Weaved Gauze Bandage
Specification
Width:2",3",4",6" Etc
Length:4m,5y,5m Etc



038-045
PART 4

WOUND DRESSING
PLASTER
TAPE
GLOVES
SURGICAL BLADES
BLOOD LANCET
THERMOMETER



Code:
TC1154
Product Name:
IV Cannula Wound Dressing
Specification
With Or Without Pad
Size:6 x 7cm etc
Spunlace Non-woven,PU



Code:
TC1155
Product Name:
Spunlace Non-Woven Adhesive Eyes Plaster With Pad
Specification
Shape:Oval, Square, Pear
Size:80 x 50mm,85 x 55mm etc



Code:
TC1156
Product Name:
Nose Plaster
Specification
Size:10mm x 45mm,12mm x 70mm



Code:
TC1157
Product Name:
Wound Dressing Plaster With Pad
Specification
Width:4cm,6cm,8cm etc
Length:10cm,1m,5m etc
Material:Elastic Cloth,Cotton,PE, PVC,
Spunlace Non-Woven With Or Without Hole
Color:Skin,White, Various Cartoon Pattern



Code:
TC1157-1
Product Name:
Healing Capsicum Plaster
Specification
Size:10x15cm,36x40cm etc



Code:
TC1158
Product Name:
Spunlace Non-woven Adhesive Tape
Specification
Width:5cm,10cm,15cm,20cm etc
Length:10m etc
Color:White
With Or Without Hole
Back: White Paper, Square Grid



Code:
TC1159
Product Name:
Spunlace Non-woven Self-Adhesive Wound Dressing(With Pad)
Specification
Shape:Square Edges, Round Edges
Size:5cm x 5cm,5 x 7cm ,6cm x 8cm,
5cm x 10cm,10cm x 10cm,10cm x 12cm,
10 x 15cm ,10cm x 20cm,10cm x 25cm,
10cm x 30cm,10 x 35cm etc



Code:
TC1159-1
Product Name:
Hydrocolloid Dressings
Specification
Size:20X60mm,37X55mm
20X65mm,28X69mm
17X48mm,15X51mm
30X60mm,25X65mm etc



Code:
TC1159-2
Product Name:
Wound Closure Strip
Specification
Size:3X75mm,6X75mm
6X38mm,6X100mm
12X100mm etc



Code:
TC1160

Product Name:
PU Transparent Wound Dressing

Specification
Size: 5 x 7cm, 6cm x 8cm, 10cm x 10cm,
10 x 15cm, 10cm x 20cm etc
With or Without Pad
Type: Square Edge, Round Edge
, Pointedness



Code:
TC1161

Product Name:
First Aid Adhesive Bandage/Wound Plaster

Specification
Size: Φ22mm, Φ25mm, 40 x 10mm, 38 x 19mm, 72 x 19mm, 72 x 25mm,
76 x 19mm, 76 x 25mm, 76 x 38mm, 51 x 45mm Butterfly, 76 x 45mm Butterfly,
76 x 38mm H, 10 x 45mm Small Nose, 12 x 70mm Big Nose etc
Material: Cotton, PVC, PE, PU, POE, Elastic Cloth, Spunlace Nonwoven etc
Color: Skin, White, Various Cartoon Patterns
Latex-Free Or Porous Are Available



Code:
TC1160-1

Product Name:
PU Surgical Operation Film

Specification
Type: Normal, With Providone Iodine



Code:
TC1162

Product Name:
Zinc Oxide Plaster

Specification
Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm, 15cm etc
Length: 1m, 5m, 10m etc
Color: White, Light Skin, Dark Skin
Pkg: Simple paper, plastic shell, tinplate shell.
Metal: Tinplate Shell



Code:
TC1162-1

Product Name:
100% Cotton Umbilical Tape

Specification
Size: 3mm x 50m, 3mm x 100m etc
Color: White
Pkg: Plastic Shell, Poly Bag etc



Code:
TC1163

Product Name:
Surgical Cotton Sports Tape

Specification
Width: 2.5cm, 3.75cm, 5cm etc
Length: 10y, 10m, 15y etc
Color: White, Yellow, Green, Red etc



Code:
TC1163-1

Product Name:
Kinesio Tape

Specification
Size: 5cm x 5m, 7.5cm x 5m etc
Color: Blue, Pink, Yellow, Green, Brown etc



Code:
TC1163-2

Product Name:
PE Cotton Complex Adhesive waterproof Tape

Specification
Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm etc
Length: 5y, 10y, etc
Color: Milky white etc
Pkg: Paper, plastic shell, with cutter
, Dispenser etc



Code:
TC1163-3

Product Name:
Thick Elastic Cloth Adhesive tape
/Tensoplast

Specification
Width: 2.5cm, 5cm, 7.5cm, 10cm etc
Length: 4.5m etc
Color: Skin, White etc



Code:
TC1163-4

Product Name:
Elastic Adhesive Bandage/Elastoplast

Specification
Width: 5cm, 7.5cm, 10cm etc
Length: 4.5m etc
Color: Skin, White etc



Code:
TC1164

Product Name:
Microporous Non-Woven Surgical Tape

Specification
Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm, 15cm etc
Length: 5y, 10y etc
Packing: Simple Paper, Plastic Shell Or
With Cutter/Dispenser



Code:
TC1165

Product Name:
Transparent PE Surgical Tape

Specification
Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm,
15cm etc
Length: 5y, 10y etc
Packing: Simple Paper, Plastic Shell Or
With Cutter/Dispenser



Code:
TC1166

Product Name:
Silk Surgical Tape

Specification
Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm,
15cm etc
Length: 5y, 10y etc
Packing: Simple Paper, Plastic Shell Or
With Cutter/Dispenser



Code:
TC1167

Product Name:
Nitrile Gloves

Specification
Powdered Or Powder-Free
Size: S, M, L



Code:
TC1168

Product Name:
PE Gloves

Specification
HDPE & LDPE
Plain & Embossed Film
Color: Clear & White



Code:
TC1169

Product Name:
Latex Exam Gloves

Specification
Pre-Powdered, Powder-Free
Size: S, M, L, XL
Sterile Or Unsterile



Code:
TC1170

Product Name:
Latex Surgical Gloves

Specification
Pre-Powdered, Powder-Free
Size: 6#, 6.5#, 7#, 7.5#, 8#, 8.5#
Sterile



Code:
TC1171

Product Name:
Vinyl/PVC Gloves

Specification
Powered Or Powdered - Free
Size:S,M,L
Sterile Or Unsterile



Code:
TC1172

Product Name:
Blood Lancet

Specification
Stainless Steel, Flake Type
SIZE:L,S



Code:
TC1173

Product Name:
Blood Lancet

Specification
Mini Type, Plastic Handle
SIZE:28G,30G



Code:
TC1179

Product Name:
Plastic Handle Scalpel

Specification
Material:Carbon Steel Or Stainless Steel
Size:10,10A,11,12,12B,13,14,15,15C,
16,17,18,19,20,21,22,23,24,25,36



Code:
TC1180

Product Name:
Stitch Cutter

Specification
Material:Carbon Steel Or Stainless Steel
Length:65mm,110mm



Code:
TC1181

Product Name:
Plastic Wall Thermometer


Specification
-50°C~50°C(-60°F~120°F)



Code:
TC1174

Product Name:
Blood Lancet

Specification
Twist Type, Plast Handle
Size:28G,30G



Code:
TC1174-1

Product Name:
Safety/Automatic Blood Lancet

Specification
Button Activated Safety Type ;
Size:21G,23G,26G (2.4cm)



Code:
TC1175

Product Name:
Blood Lancet Device

Specification
Length:125mm Or 95mm



Code:
TC1182

Product Name:
Wooden Wall Thermometer

Specification
-40°C~50°C(-40°F~120°F)



Code:
TC1183

Product Name:
Ear Infra-Red Thermometer

Specification
3 Digit, Display Range:34.0°C~44.0°C
(93.2°F~111.2°F)
Accuracy:±0.2°C(±0.4°F)
Min Scale: 0.1°C /0.1°F
Memory: 10 memories
Measurement Time:1 second,
Battery:AAAX2 , Alkaline Batteries
Battery Life:Approx.4000times



Code:
TC1184

Product Name:
Ear Infra-Red Thermometer Mini Size

Specification
3 Digit, Display Range:34.0°C~44.0°C
(93.2°F~111.2°F)
Accuracy:±0.2°C(±0.4°F)
Min Scale: 0.1°C /0.1°F
Memory: 10 memories
Measurement Time:1 second
Battery:3V,Button Battery(LR/CR 2032)
Battery Life:Approx.4000times



Code:
TC1176

Product Name:
Disposable Razor

Specification
Medical Use
Material:Carbon Steel, Stainless Steel
With one/two blades in one side



Code:
TC1177

Product Name:
Disposable Razor

Specification
Medical / Civilian Use
Material:Carbon Steel, Stainless Steel
With One Blade On Each Side



Code:
TC1178

Product Name:
Surgical Blade

Specification
Material:Carbon Steel Or Stainless Steel
Size:10,10A,11,12,12B,13,14,15,15C,
16,17,18,19,20,21,22,23,24,25,36



Code:
TC1184-1

Product Name:
Ear Infra-red Thermometer

Specification
3 Digit, Display Range:34.0°C~44.0°C
(93.2°F~111.2°F)
Accuracy:±0.2°C(±0.4°F)
Min Scale: 0.1°C /0.1°F
Memory: 10 memories
Measurement Time:1 second
Battery:3V,Button Battery(LR/CR 2032)
Battery Life:Approx.4000times



Code:
TC1184-2

Product Name:
Head Infra-Red Thermometer Mini Size

Specification
3 Digit, Display Range:34.0°C~44.0°C
(93.2°F~111.2°F)
Accuracy:±0.2°C(±0.4°F)
Min Scale: 0.1°C /0.1°F
Memory: 10 memories
Measurement Time:1 second
Battery:3V,Button Battery(LR/CR 2032)
Battery Life:Approx.4000times



Code:
TC1184-4

Product Name:
Head Infra-red Digital Thermometer

Specification
3Digit, LCD Display Range:34.0°C~44.0°C
(93.2°F~111.2°F)
Accuracy:±0.2°C(±0.4°F)
Min Scale: 0.1°C /0.1°F
Memory: 32 memories
Measurement Time:1 second
Battery:3V,Button Battery(LR/CR 2032)
Battery Life:Approx.4000times



Code:
TC1184-7
Product Name:
Non-Contact Infra-Red Digital Thermometer
Specification
3 Digit, tricolor Illuminated Display
Voice Identification
Range: 34.00~44.00°C/93.2~111.20°F
Accuracy: ±0.2°C/±0.4°F
32 Memories



Code:
TC1184-10
Product Name:
Non-contact Infrared Thermometer
Specification
Measurement range:
Body:32.0-42.9°C 89.6-109.2°F
Object:0.0-100.0°C 32.0-212.0°F
Response time:1Sec
Reading scale:°C /°F (switchable)
Accuracy:
Body:±0.2°C/0.4°F Object:±1.5°C/2.7°F



Code:
TC1184-11
Product Name:
Non-contact Infrared Thermometer
Specification
Measurement range:
Body:32.0-42.9°C 89.6-109.2°F
Object:0.0-100.0°C 32.0-212.0°F
Response time:1Sec
Reading scale:°C /°F (switchable)
Accuracy:
Body:±0.2°C/0.4°F Object:±1.5°C/2.7°F



Code:
TC1184-12
Product Name:
Ear & Forehead Infrared Thermometer
Specification
Measurement range:
32.00-44.00°C 89.00~111.20°F
Response time:1 Sec
Reading scale:°C /°F (switchable)
Accuracy: 36°C~39°C:±0.2°C,
RH%<85% (96.8°F~102.2°F±0.4°F)



Code:
TC1184-13
Product Name:
Non-contact Infrared Thermometer
Specification
Measurement range:
Body:32.0-42.9°C 89.6-109.2°F
Object:0.0-100.0°C 32.0-212.0°F
Response time:1Sec
Reading scale:°C /°F (switchable)
Accuracy:
Body:±0.2°C/0.4°F Object:±1.5°C/2.7°F



Code:
TC1185
Product Name:
Clinical Glass Thermometer
Specification
A:Rectal Use, Short Blub
B:Oral Use, Long Bulb
C:Armpit Use, Medium & Large Size



Code:
TC1186
Product Name:
Basic Digital Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:60±10 Seconds In Oral
100±20 Seconds Underarm



Code:
TC1186-1
Product Name:
Digital Basal Thermometer
Specification
4digit, Display Range: 32.00~43.00°C/
90.00~109.40°F
Accuracy: ±0.1°C/±0.2°F
Min Scale: 0.1°C /0.1°F
Measurement Time:60±10seconds in Oral
100±20seconds underarm.



Code:
TC1187-1
Product Name:
Rapid Digital Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:17±2 Seconds In Oral
20±6 Seconds Underarm



Code:
TC1187-2
Product Name:
Rapid Digital Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:17±2 Seconds In Oral
20±6 Seconds Underarm



Code:
TC1188
Product Name:
Digital Flexible Tip Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:60±10 Seconds In Oral
100±20 Seconds Underarm



Code:
TC1188-1
Product Name:
Waterproof Digital Flexible Tip Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:17±2 Seconds In Oral
20±6 Seconds Underarm



Code:
TC1188-2
Product Name:
Waterproof Digital Flexible Tip Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:60±10 Seconds In Oral
100±20 Seconds Underarm



Code:
TC1189
Product Name:
Digital Flexible Tip Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:60±10 Seconds In Oral
100±20 Seconds Underarm




Code:
TC1190
Product Name:
Water Proof Digital Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Min Scale: 0.1°C /0.1°F
Measurement Time:60±10 Seconds In Oral
100±20 Seconds Underarm



Code:
TC1191-1
Product Name:
Digital Thermometer
Specification
3 Digit, Display Range:32.0°C~42.0°C
(90°F~107.6°F)
Accuracy:±0.1°C(±0.2°F)
Alarm:About 10 Seconds Sound After
Operation



Code:
TC1192-2
Product Name:
Milk Bottle Thermometer
Specification
3Digit, Display Range:32°C~42°C
(89.6°F~109.40°F)
Display showing "L" for temperature
less than 32°C;
Display showing "H" for temperature
More than 42°C
Accuracy:±1°C
Power: 1X1.5V



Code:
TC1192-3
Product Name:
Forehead Disposable Thermometer
Specification
Size:16X90mm, 19X75mm
Temperatur:35°C~40°C



046-050
PART 5

BATHROOM SCALE
BABY SCALE&MEASURE TAPE
BMI CALCULATOR



Code:
TC-PA10-01
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-111
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs




Code:
TC-RTZ-116
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-114
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-121A
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-131A
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-132A
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-110C
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-RTZ-312
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:130kgs / 286lbs



Code:
TC-PA05
Product Name:
Digital Bathroom Scale
Specification
Capacity:180kgs / 396lbs




Code:
TC-RSZ-060
Product Name:
Digital Body Fat Scale
Specification
Glass Type
Capacity:150kgs / 330lbs



Code:
TC-PA04
Product Name:
Digital Bathroom Scale
Specification
Glass Type
Capacity:150kgs / 330lbs



Code:
TC-HCS-20D-YE
Product Name:
Digital Baby Scale
Specification
Max. Weighting:20kgs
Weight Division:10g/0.5oz
Load Platform Area(L*W*H):590*400*180mm
Product Size(L*W*H):620*325*70mm
N.W./G.W.:4kgs/5kgs



Code:
TC-ACS-20B-YE
Product Name:
Digital Baby Scale
Specification
Max. Weighting:20kgs
Weight Division:10g/0.5oz
Height Measurement Rang:0~560mm
Height division:1mm



Code:
TC-EBSD-20
Product Name:
Digital Baby Scale
Specification
Max. Weighting:20kgs
Weight Division:5g/0.18oz



Code:
TC-2006A1
Product Name:
Digital Bathroom Scale
Specification
Glass
Capacity:150kgs / 330lbs



Code:
TC-2006A2
Product Name:
Digital Bathroom Scale
Specification
Glass
Capacity:150kgs / 330lbs



Code:
TC-2008A1
Product Name:
Digital Bathroom Scale
Specification
Glass
Capacity:150kgs / 330lbs



Code:
TC-YRBB-20
Product Name:
Mechanical Baby Scale
Specification
Max. Capacity:20kgs
Product Size(L*W*H):545*345*135mm
N.W./G.W.:3.5kgs/5kgs



Code:
TC-RGZ-20
Product Name:
Mechanical Baby Scale
Specification
Max. Weighting:20kgs
Weight Division:0.05kgs(0-10kgs)
0.1kgs(10-20kgs)
Load Platform Area(L*W):545*270mm
Product Size(L*W*H):545*330*153mm
N.W./G.W.:3.5kgs/5kgs



Code:
TC-RGZ-20A
Product Name:
Mechanical Baby Scale
Specification
Max. Weighting:20kgs
Weight Division:0.05kgs(0-10kgs) ,
0.1kgs(10-20kgs)
Load Platform Area(L*W):545*270mm
Product Size(L*W*H):545*330*153mm
N.W./G.W.:3.5kgs/5kgs



Code:
TC-RTZ-610A
Product Name:
Mechanical Bathroom Scale
Specification
Capacity:150kgs/330lbs



Code:
TC-DT02A
Product Name:
Mechanical Personale
Specification
Capacity:160kgs/352lbs



Code:
TC-DT01D
Product Name:
Mechanical Personale
Specification
Capacity:160kgs/352lbs



Code:
TC-EBSL-20L
Product Name:
Digital Baby Scale With Height Meter
Specification
Max :20kgs
Dimension:60. 3X38. 5X15cm



Code:
TC-RGZ-25
Product Name:
Hanging Baby Scale
Specification
Max Weight:25kgs
Weight Division:100g



Code:
TC-BM-100
Product Name:
Baby Body Length Measure Tape
Specification
Measure Range: 20-99cm



Code:
TC-MR-100
Product Name:
Baby Measuring Meter
Specification
Measurement Range:0-1000mm
Division:1mm



Code:
TC-SH-2
Product Name:
Height Wall Mounted Scale
Specification
Max Height:2M



Code:
TC-BMI-1
Product Name:
BMI Calculator
Specification
Material: ABS+PVC Tape Width:0.75cm,
1.5cm
Measurement Range:0-1500mm
Division:1mm
Tape Color:White Or Colorful
Shape:Round, Triangle, Heart, Stomach,
Flower etc



Code:
TC-MST-1
Product Name:
MUAC Measure Tape
Specification
Printing: 0-16cm red, 16-18.5cm yellow,
18.5-45cm Green
Or Full White



Code:
TC-ZT-120
Product Name:
Weight + Height Floor Type Balance
Specification
Max. Weighting:120kgs,Weight Division:0.5kgs
Height Measurement Rang:700~1900mm
Height division:5mm
Load Platform Area(L*W):375*275mm
Product Size(L*W*H):695*286*293mm



Code:
TC-RGT-200RT
Product Name:
Weight + Height Floor Type Balance
Specification
Max. Weighting:140-200kgs,Weight Division:100g
Height Measurement Rang:700~1900mm
Height division:5mm
Load Platform Area(L*W):375*275mm
Product Size(L*W*H):570*437*1317mm



Code:
TC-H01
Product Name:
Ultrasonic Height Body Fat Analyzer
Scale With BMI
Specification
Capacity:3-200kgs
Min. Weighting:2kg
Height Measuring
Body Fat Measuring and Analyzing



Code:
TC-TCS200RT
Product Name:
Weight + Height Floor Type Balance
Specification
Max. Weighting:200kgs,Weight Division:100g
Height Measurement Rang:700~1900mm
Height division:5mm
Load Platform Area(L*W):375*275mm
Product Size(L*W*H):535*275*940mm




Code:
TC-TCS-200RTB
Product Name:
Digital Wheelchair Scale
Specification
Max. Weighting:200kgs
Min. Weighting:2kg
Weight Division:100g
Product Size(LxWxH):870x560x1070mm
N.W/G.W.:25kgs/35kgs



051-067
PART 6

DRESSING SETS
DRAINAGE BAGS
VAGINAL SPECULUMS
BRACELETS
DIAGNOSTIC ITEMS
FIRST AID KITS AND
SUTURES & NEEDLES
OTHER MEDICAL DISPOSABLES



Code:
TC1193

Product Name:
Tongue Depressor

Specification
A: Wooden
B: Plastic
Adult Use&Child Use;Sterile Or Unsterile



Code:
TC1194

Product Name:
Wooden Cervical Scraper

Specification
A:With Tongue-Shape Tip
B:With Round Tip



Code:
TC1195

Product Name:
Applicator

Specification
A:Without Cotton Tip
B:With Single Cotton Tip
Size:3" Or 6"
Wooden Or Plastic



Code:
TC1196-4

Product Name:
Plastic Hemostat

Specification
Size:140mm etc
Color: Blue,Green etc



Code:
TC1196-5

Product Name:
Plastic Forceps/Tweezer

Specification
Size:110mm,130mm etc
Color:Blue,Green,Yellow Etc.



Code:
TC1196-6

Product Name:
Disposable Smear Kit

Specification
Including: 1pc gyno/cyto brush
1pc wooden cervical scraper
1pc 6" applicator single cotton tip
1pc cover slid.



Code:
TC1195-1

Product Name:
Disposable Swabstick

Specification
A:Lemon Glycerin
B:70% isopropyl alcohol
C:Povidone Iodine
pkg:1pc/bag,3pcs/bag etc



Code:
TC1195-2

Product Name:
Prep Swab Applicators

Specification
Size:10.5ml,26ml etc



Code:
TC1196

Product Name:
Cyto Brush/Gyno Brush

Specification
A:Simple
B:with ball end
C:with bone end
D:with broom shape



Code:
TC1196-7

Product Name:
Suture Removal Kit

Specification
Including: 1pc suture removal scissor
1pc metal forceps 4"
1pc gauze sponge.



Code:
TC1197

Product Name:
Penlight

Specification
With Or Without Battery
Pen Color:Red,Blue etc



Code:
TC1197-1

Product Name:
Penlight

Specification
With Or Without Battery
Pen Color:Red,Blue etc



Code:
TC1196-1

Product Name:
Medical Sponge

Specification
Size:25*18*150mm(Length),
50*50*25-150mm(Length)
Pkg:1pc/pk,5pcs/pk etc
Sponge Shape:Rhombus/
Hexagonal Flower,Cylindrical etc



Code:
TC1196-2

Product Name:
Nail Brush

Specification
Type:Sponge+Brush



Code:
TC1196-3

Product Name:
Plastic Dressing Pliers

Specification
Size: 140mm,190mm,240mm etc
Color: Blue,Green etc



Code:
TC1198

Product Name:
Penlight

Specification
With Or Without Wooden Tongue
Depressor
Pen Color:Gray,Green etc



Code:
TC1198-1A

Product Name:
Simple Otoscope Set



Code:
TC1198-1B

Product Name:
Simple Otoscope Set



Code:
TC1198-1C
Product Name:
Simple Otoscope Set



Code:
TC1198-2A
Product Name:
Otoscope Set



Code:
TC1198-2B
Product Name:
Fiber Otoscope Set



Code:
TC1198-3
Product Name:
Ophthalmoscope Set



Code:
TC1198-4
Product Name:
Otoscope & Ophthalmoscope Set



Code:
TC1198-4A
Product Name:
Fiber Otoscope



Code:
TC1198-5
Product Name:
ENT Diagnostic Set



Code:
TC1198-6
Product Name:
Disposable Anesthesia Laryngoscope
Specification
Size: 95mm, 110mm, 120mm, 140mm etc



Code:
TC1198-7
Product Name:
Reusable Anesthesia Laryngoscope
Specification
Material: Stainless Steel



Code:
TC1199
Product Name:
Reflex Hammer



Code:
TC1200A
Product Name:
Reflex Hammer Gift Set
Specification
Including: 1 pc Rossier Reflex Hammer
1 pc Tensible Reflex Hammer
1 pc Gear Wheel Reflex Hammer
1 pc Buck Reflex Hammer
1 pc Trigona Taylor Neurological Reflex Hammer



Code:
TC1200B
Product Name:
Reflex Hammer Gift Set
Specification
1 pc Trigona Taylor Neurological Reflex Hammer
1 pc Buck Reflex Hammer
1 pc Rossier Reflex Hammer



Code:
TC1200-1A
Product Name:
Diabetes Filament/Monofilament
Specification
Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code:
TC1200-1B
Product Name:
Diabetes Filament/Monofilament
Specification
Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code:
TC1200-1C
Product Name:
Diabetes Filament/Monofilament
Specification
Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code:
TC1200-1D
Product Name:
Diabetes Filament/Monofilament
Specification
Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code:
TC1200-1E
Product Name:
Diabetes Filament/Monofilament
Specification
Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm




Code:
TC1200-1F
Product Name:
Diabetes Filament/Monofilament
Specification
Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code:
TC1201

Product Name:
Self-Sealing Flat Sterilization Pouch

Specification
Size:2.25*4",3,3*6",3.5*9",5 1/3*10",6*9" etc



Code:
TC1202

Product Name:
Flat Sterilization Reel

Specification
Width:5cm,7.5cm,10cm,15cm,20cm,25cm,30cm etc
Length:200m etc



Code:
TC1202-1

Product Name:
Bowie Dick Test Pack



Code:
TC1207

Product Name:
Urine Drainage Bag Without Outlet

Specification
Size:1500ml,2000ml



Code:
TC1208

Product Name:
Urine Leg Bag

Specification
Size:750ml,500ml
With Hanging Elastic Strap



Code:
TC1208-1

Product Name:
Urine Leg Bag with T-Tap Outlet

Specification
Size:750ml,500ml
With Hanging Elastic Strap



Code:
TC1203

Product Name:
Autoclave Steam Tape/Chemi Vappor/Steam Sterilization Tape Indicator

Specification
Size:12.5mm*50m,20mm*50m,30mm*50m etc



Code:
TC1203-1

Product Name:
Crepe Wrapping Sterilization Paper


Specification
Gram:60g/ m2,70G/m2
Color:Green,Blue etc
Size:40x40cm,50x50cm,60x60cm,70x70cm,90x90cm etc



Code:
TC1204

Product Name:
Electrode Pencil

Specification
Stainless Steel Blade Electrode
170mm ABS Pen
3m Length PVC Medical Cable
3pins Plug
Max.Output Current 1A
Frequency Corfine:0-1MHz
Current Resistance:200



Code:
TC1209

Product Name:
Paediatric Urine Collector

Specification
100ml,200ml



Code:
TC1209-1

Product Name:
Disposable Drainage Bag

Specification
Size:1500ml,2000ml etc



Code:
TC1209-2

Product Name:
Luxury Urine Drainage Bag

Specification
Size:1500ml,2000ml etc



Code:
TC1204-1

Product Name:
Electrosurgical Tip Cleaner

Specification
Size:5X5cm etc



Code:
TC1205

Product Name:
Urine Drainage Bag With Outlet

Specification
Size:1500ml,2000ml



Code:
TC1206

Product Name:
Urine Drainage Bag With T-Tap Outlet

Specification
Size:1500ml,2000ml



Code:
TC1209-3

Product Name:
Luxury Urine Drainage Bag With T-Tap Outlet

Specification
Size:2000ml,2600ml etc



Code:
TC1209-4

Product Name:
Luxury Urine Drainage Bag t With T-Tap Outlet and Hanging Hook

Specification
Size:2000ml



Code:
TC1210

Product Name:
Wound Drainage System

Specification
Size:200ml,400ml,800ml
Tube:10fr,12fr,14fr,16fr,18fr



Code:
TC1210-1
Product Name:
Wound Drainage Reservoir System
Specification
Material:PVC,Silicone
Reservoir Bulb:100ml,200ml



Code:
TC1211
Product Name:
Urinometer
Specification
Size:500ml+2000ml



Code:
TC1211-1
Product Name:
Urinometer
Specification
Size:500ml+2000ml




Code:
TC1214
Product Name:
Disposable Vaginal Speculum French Type
Specification
Size:XXS,XS,S,M,L




Code:
TC1215
Product Name:
Disposable Vaginal Speculum Side Screw Type
Specification
Size:S,M,L



Code:
TC1216
Product Name:
Disposable Vaginal Speculum Middle Screw Type
Specification
Size:XS,S,M,L



Code:
TC1211-2
Product Name:
Disposable Colostomy Bag
Specification
Type: one piece



Code:
TC1212
Product Name:
Disposable Colostomy Bag
Specification
Size:20*14cm,25*15cm etc



Code:
TC1212-1
Product Name:
Reusable Urostomy Bag
Specification
Size:50mm,60mm ,70mm



Code:
TC1216-1
Product Name:
Disposable Vaginal Speculum Push Type
Specification
Size: S,M,L



Code:
TC1216-2
Product Name:
Disposable Vaginal Speculum Spanish Type
Specification
Size: S,M,L



Code:
TC1216-3A
Product Name:
Gynecological examination Kit
Specification
1pc vaginal speculum;1pc gyno brush
1pc wooden cervical scraper
1pc cover slid
1pair latex examination glove



Code:
TC1212-2
Product Name:
Cleaning Enema Bag
Specification
Size:1500ml,2000ml



Code:
TC1212-3
Product Name:
Feeding Bag
Specification
Size:1000ml,1200ml



Code:
TC1213
Product Name:
Blood Bag With CPDA Solution
Specification
Single Room,Double Room
Triple Room,Quadruple Room
Size:100ml,250ml,350ml,450ml,500ml etc
Bag Type: Rolling ,Extruding



Code:
TC1216-3B
Product Name:
Gynecological examination Kit
Specification
1pc vaginal speculum
1pc plastic cervical spoon
1pc nonwoven examination pad
1pair latex examination glove



Code:
TC1216-3C
Product Name:
Gynecological examination Kit
Specification
1pc vaginal speculum
1pc gyno brush
1pc wooden cervical scraper
1pc sample container
1pair latex examination glove



Code:
TC1217
Product Name:
Chest Drainage System
Specification
One Chamber
Two Chambers
Three Chambers



Code:
TC1217-1
Product Name:
Disposible Water Seal Chest Drainage



Code:
TC1218
Product Name:
First Aid Kit
Specification
Material:PP,ABS
Size:22*14*5.5cm,26*17*8cm etc
With Or Without Content
Color:White,Green etc



Code:
TC1218-1
Product Name:
First Aid Kit
Specification
Material: EVA
Size(LxWxH):12x10x4.5cm
With Content
Color:Green,Blue,Red etc



Code:
TC1220-1
Product Name:
Standard Oxygen Bag
Specification
Material: Polyester
Size:27"X12"X10" etc
Color:Green,Navy,Red etc



Code:
TC1220-2
Product Name:
Oxygen Barrel Bag
Specification
Material:Polyester
Size:21" x8.5" etc
Color:Green,Navy,Red etc



Code:
TC1220-3
Product Name:
Basic Elite Trauma Bag
Specification
Material:Polyester
Size:25.5"x13.75"x11.5" etc
Color:Red,Orange,Blue etc



Code:
TC1218-2
Product Name:
First Aid Kit
Specification
Material: ABS
Size: 27.5x22.9x9.5cm
With Content
Wall Mounted Available



Code:
TC1219
Product Name:
First Aid Kit
Specification
Material: Nylon
Size:18*13*5cm,20*15*5.5cm etc
With Content



Code:
TC1219-1
Product Name:
First Aid Kit
Specification
Material: Nylon
Size:13*8*5cm
With Content



Code:
TC1220-4
Product Name:
First Responder Trauma Bag
Specification
Material:Polyester;
Size:17"x9"x7" etc
Color:Orange,Red,Navy etc



Code:
TC1220-15
Product Name:
Emergency Backpack
Specification
Size:21.5"x13"x7"
Color:Navy,Red,Orange etc




Code:
TC1220-16
Product Name:
Oxygen Bag



Code:
TC1219-2
Product Name:
First Aid Kit
Specification
Material:Nylon
Size:18*13*5cm etc
With Content



Code:
TC1220
Product Name:
First Aid Kit
Specification
Size:23*19*14.5cm etc
Without Content



Code:
TC1220B
Product Name:
Metal First Aidkit
Specification
Size: A 300*460*140mm
B 300*460*140mm
C 270*185*65mm



Code:
TC1220-21
Product Name:
EMS Rescue Backpack
Specification
Size:13.75"X22.25"X7.75"



Code:
TC1220-5
Product Name:
Oxygen Regulator
Specification
Conector:male/Female



Code:
TC1220-6
Product Name:
Medical Aluminum Oxygen Cylinder
Specification
With Or Without Valve
Capacity:2L,4L,6.3L,8L,10L etc



Code:
TC1220-7
Product Name:
Suction Regulator
Specification:
Bottle Size:170ml,1000ml,2000ml etc



Code:
TC1220-8
Product Name:
Humidifier Bottle
Specification:
Size: 250ml,500ml etc
Packing:Blister



Code:
TC1220-9
Product Name:
Oxygen Flow Regulator
Specification:
Capacity: 0-4L/min,0-8L/min,0-15L/min,
0-25L/min
Color: Green,Blue etc



Code:
TC1221-5
Product Name:
Aluminum Strip Splint
Specification:
Width:1.2cm,1.5cm,2.5cm,5cm,8cm,10cm
Length:45cm,50cm etc




Code:
TC1221-6
Product Name:
Air Splints Set
Specification:
Contents:1pc For Hand&Twist
1pc for Foot&Ankle
1pc for Half Upper Limbs
1pc for Full Upper Limbs
1pc for Half Lower Limbs
1pc for Full Lower Limbs



Code:
TC1222
Product Name:
Bandage Scissors
Specification:
Size: 7" etc
Color: Blue, Yellow,Black, Pink etc



Code:
TC1220-10
Product Name:
Bullnose Oxygen Regulator
Specification:
Size:Single,Double



Code:
TC1221
Product Name:
Tourniquet
Specification:
Color:Red,Blue, Yellow, Green, Pink
White,Orange etc



Code:
TC1221-1
Product Name:
Arm Sling
Specification:
Size: 35x19cm,42x21.5cm,49x19.5cm etc



Code:
TC1223A
Product Name:
Patient ID Bracelet
Specification:
Size: Adult Or Infant Use
Color: Pink,Blue,White,Green etc



Code:
TC1223B
Product Name:
Mother-Baby ID Bracelet
Specification:
Color:White,Blue,Pink etc
Numbered Or w/o Numbered




Code:
TC1224
Product Name:
Test Cassette/Strip
Specification:
HCG, LH, HB, sAg, HCV, HIV
Morphine, Methamphetamine
Malaria, TB, H. Plori etc



Code:
TC1221-2
Product Name:
Basic Splint
Specification:
Size:36"x4.25",100x11cm,50x11cm,18"x4.25"
10"x4.25",5x11cm,7x11cm etc
Color:Orange+Blue,Orange+Grey,Orange+White
Dark Grey+Dark Grey etc



Code:
TC1221-3
Product Name:
Finger Splint
Specification:
Type: Cot, Frog, Baseball, Spoon
Length:2",3",4"(Cot);3",3 1/2",4"(Frog)
3 3/4",5",6"(Baseball);2 1/2",3 1/2",4 1/4"
(Spoon)



Code:
TC1221-4
Product Name:
Padded Wood Board Splints
Specification:
Width:3"
Length:12",15",18",24",32",36",42",54" etc



Code:
TC1225
Product Name:
Latex Condom
Specification:
Specification:Smooth Surface,Lubricated
Dotted Surface,Lubricated
Ribbed Surface,Lubricated
Size: 49mm,52mm,55mm
Normal Or Flavor



Code:
TC1226
Product Name:
Dressing Pack
Specification:
Contents: 1pc Plastic Forceps
1pair Surgical Gloves 7.5#,5pcs Cotton Ball 0.5g
1pc Non-woven Hand Towel 30x30cm
1pc Waste Bag 35x37cm
1pc Sterile Field
1pc Dressing Tray



Code:
TC1226-1
Product Name:
Dressing Pack
Specification:
Contents:1pc Sterile Field
5pcs Nonwoven Swabs 7.5cmx7.5cm-4ply
8pcs Cotton Ball 0.5g
3pcs Plastic Forceps
1pc Dressing Towel
1pc Dressing Tray With Gallipot.



Code:
TC1226-2

Product Name:
Dressing Pack

Specification
1pc dressing tray
1pc dressing forceps
1pc dressing korchher
5pcs gauze ball D.5cm
1pc waterproof wrapper 40x40cm
5pcs nonwoven compress 7.5x7.5cm 4ply



Code:
TC1226-3

Product Name:
Disposable Haemodialysis Set



Code:
TC1226-4

Product Name:
Disposable Shaving Pack



Code:
TC1229

Product Name:
Ice Bag

Specification
With Or Without Box
CoverSize:6",9",11"



Code:
TC1230

Product Name:
Hot Water Bag

Specification
With Or Without Cover
Size:1000ml,2000ml,2500ml etc



Code:
TC1231

Product Name:
Air Cushion

Specification
Size:Φ35cm,Φ40cm,Φ42.5cm,Φ45cm
Color:Red,Orange



Code:
TC1226-5

Product Name:
Delivery Bag/Obstetric Birth Kit



Code:
TC1226-6

Product Name:
Suture Set



Code:
TC1226-7

Product Name:
Catheterization Pack



Code:
TC1232

Product Name:
Ear Syringe Ball

Specification
Size:30g,60g,90g
Color:Red
Material:PVC,Rubber



Code:
TC1233

Product Name:
Mouth Opener

Specification
Color:White,Orange etc



Code:
TC1233-1

Product Name:
Eyes Field/Shield

Specification
Color: Transparent,White



Code:
TC1226-8

Product Name:
Piston Irrigation Tray



Code:
TC1227

Product Name:
Reusable Hot&Cold Pack


Specification
Material of Package: Fabric ,Nylon ,PVC
Size: 5"x10"(321g),5"x7"(144g),7"x10"(395g)



Code:
TC1228

Product Name:
A:Instant Hot Compress
B:Instant Cold Compress

Specification
Size:11*15cm(100g),12*25cm(240),
12*25cm(200g),15*23cm(280),
15*23cm(250g) etc



Code:
TC1233-2

Product Name:
Eyes Test Chart

Specification
Type:Universal, Symbols, Snellen etc



Code:
TC1233-3

Product Name:
Safety Goggles



Code:
TC1234

Product Name:
Umbilical Cord Clamp

Specification
Type: One Pin Or Two Pins
Material: PE,ABS,Nylon
Color:White,Blue
Pkg:Polybag Or Blister Packing



Code:
TC1235
Product Name:
Amniotic Membrane Perforator/Hook
Specification
Shape: Straight Or Curved
Material: ABS
Length: 248mm
Color: White, Blue etc



Code:
TC1236
Product Name:
Medical Record Holder
Specification
Material: ABS
Size: 31*22.5cm



Code:
TC1237
Product Name:
Pear Type Vaginal Douche Spray
Specification
Size: 120ml, 180ml



Code:
TC6003
Product Name:
Mouth Mirror
Specification
Lens: Plastic, Glass
Length: 15, 15.8, 16.5cm
Diameter: 2.2, 2.4cm



Code:
TC6004
Product Name:
Dental Probe
Specification
Type: Single Head, Double-Ended



Code:
TC6005
Product Name:
Evacuation Tips
Specification
Type: Bending



Code:
TC1238
Product Name:
Pressure Infuser
Specification
Size: 500ml, 1000ml, 3000ml



Code:
TC1239
Product Name:
Surgical Suture
Specification
Suture material:
polyglycolic acid (PGA, 910PDS)
Chromic (Catgut), Plain (Catgut)
Silk (Braided), Nylon (Monofilament)
polypropylene (Monofilament)
Polyester (Beaded)
Needle type: 1/2 Circle, 3/8 Circle,
1/4 Circle, 5/8 Circle, Straight

POINT TYPE	TYPE NAME	SYMBOL	NEEDLE HOLE NAME	SHAPE
	Taper Point	●	Rolled-End	
	Blunt Taper Point	◻	Drilled-End	
	Curved Cutting Edge	▲	Regular Eye	
	Reverse Cutting Edge	▼	Spring Eye	
	Taper Cutting	⊗	Spring Double Eyes	
	Micro-Point Spatula Cutting	◻		



Code:
TC6006
Product Name:
Dental Tweezers
Specification
Material: Plastic
Length: 16.2cm



Code:
TC6007
Product Name:
Aspirator Tips
Specification
Outer Diameter: 5.8mm



Code:
TC6008
Product Name:
Dental Kit
Specification
Content:
1pc Dental Bib
2pcs Dental Probe
1pc Dental Tweezer
1pc Saliva Ejector
1pc Mouth Mirror
1pc Aspirator Tips
3pcs Dental Cotton



Code:
TC1240
Product Name:
Manual Suction Kit
Specification
Size: 300ml



Code:
TC6001
Product Name:
Dental Bib
Specification
2ply Paper+1ply PE film
Size: 33x45cm
Color: Blue, Green, Pink, White etc



Code:
TC6002
Product Name:
Saliva Ejector
Specification
Size: 150x6.6mm
Color: Transparent, White, Green etc



Code:
TC6009
Product Name:
Dental Needle
Specification
Size: 27G, 30G
Length: 32mm, 38mm, 25mm



Code:
TC6010
Product Name:
Intra Oral Tips



Code:
TC6011
Product Name:
Dental Mixing Tips



068-081
PART 7

MICROSCOPES

CENTRIFUGES

LABORATORY EQUIPMENTS

LAB. DISPOSABLE ITEM



TC/XSP-L101



TC/XSP-12



TC/XSP-13A



TC/XSP-101

Specification	Code			
	TC/XSP-L101	TC/XSP-12	TC/XSP-13A	TC/XSP-101
Nosepiece	Triple	•	•	•
Eyepiece	WF10X	•	•	•
Achromatic Objective	H5X, H10X, H12.5X(H16X For Choice)	•	•	•
	4X, 10X, 40X(S)			•
Stage	DIN 10X, 40x(S), 100x(S,Oil)		•	•
	100X(S, Oil), 40X(S)		•	
Focusing	Plain Stage With Sude Clips		•	
	Stage+slide Sups			•
Illumination Condenser	Stage+Moving Scale		•	
	Separate Coarse		•	•
Illumination Condenser	Soarse Adjustment Focusing			•
	Abbe Condenser NA 1.25 With Iris Diaphragm		•	•
Illumination Condenser	Disc Diaphragm, Plain-concave Mirror		•	•



TC/XSP-102



TC/XSP-104



TC/XS-811



TC/XS-911

Specification	Code			
	TC/XSP-102	TC/XSP-104	TC/XS-811	TC/XS-911
Nosepiece	Triple	•	•	•
Eyepiece	Quadrupe	•	•	•
Achromatic Objective	WF10X	•	•	•
	H5X, H10X, H12.5X(H16X For Choice)	•	•	•
Stage	4X, 10X, 40X(S)	•	•	•
	100X(S, Oil)	•	•	•
Focusing	Plain Stage With Sude Clips	•	•	•
	Double layer mechanical stage 125x115mm		•	130*125mm
Illumination Condenser	Coaxial Coarse And Fine Adjustment	•	•	•
	Focusing Range 20mm	•	•	•
Illumination Condenser	6V 20W Lamp	•	•	•



TC/XSZ-N107



TC/XSZ-107BN



TC/XSZ-207



TC/XSP-106

Specification	Code			
	TC/XSZ-N107	TC/XSZ-107BN	TC/XSZ-207	TC/XSP-106
Viewing Head	Sliding Binocular(45°),Rotalatable(360°) Compensation Free Binocular(30°),Rotalatable(360°)			
Nosepiece	Quadruple			
Eyepiece	WF10X(WF16X For Choice) H5X,H10X,H12.5X(H16X For Choice)			
Achromatic Objective	DIN 4X,10X,40x(S),100x(S,Oil)			
Stage	Double Layer Mechanocal Stage,Moving Range 75*45mm			
Focusing	Coaxial Coarse Fine Adjustment,Focusing Rang 30mm Focusing Interval 0.002mm			
Condenser	Abbe Condenser NA 1.25 With Iris Diaphragm &Filter			
Illumination Condenser	Plain-concave Mirror Bult-in Aluminaton,Halogen Lamp220v/110v,6v,20w			



TC/XSP-107E



TC/XS-810



TC/XS-910



TC/XSZ-2108

Specification	Code			
	TC/XSP-107E	TC/XS-810	TC/XS-910	TC/XSZ-2108
Viewing Head	Monocular(45°),Rotalatable(360°) Compensation Free Binocular Head(30°)			
Nosepiece	Quadruple			
Eyepiece	WF10X(WF16X For Choice) Filed Wide F.N=18(Anti-mould)			
Achromatic Objective	DIN 4X,10X,40x(S),100x(S,Oil)			
Stage	Stage+Moving Scale Double Layer Mechanocal Stage			
Focusing	Coarse Adjustment Focusing 15mm Fine Adjustment Focusing 1.6mm Coaxial Coarse Fine Adjustment			
Illumination Condenser	Abbe NA 1.25 6v/20w Halogen Lamp,Adjustable Brightness Abbe NA 1.20 6v/20w Halogen Lamp,Adjustable Brightness			
Power	AC Input 220v/110v,DC Output 6v			



TC/SHD-32



TC/XSZ-2005



TC/XSZ-N207

Specification	Code		
	TC/SHD-32	TC/XSZ-2005	TC/XSZ-N207
Viewing Head	Compensation Free Binocular(30°),Rotalatable(360°) Compensation Free Binocular(30°),Rotalatable(360°)		
Nosepiece	Quadruple		
Eyepiece	WF10X(WF16X For Choice)		
Achromatic Objective	DIN 4X,10X,40X(S),100X(S,Oil)		
Stage	Stage+Moving Scale Double Layer Mechanical Stage		
Focusing	Coaxial Coarse And Fine Adjustment 15mm Coarse Adjustment And 1.6mm Fine Adjustment		
Illumination Condenser	Abbe Condenser NA1.25 Halogen Lamp,Adjustable Brightness Abbe Condenser NA1.20 Halogen Lamp,Adjustable Brightness		



TC/XSZ-2101



TC/XSZ-N107E



TC/XSZ-N107CCD



TC/2005DN
Digital Microscope

Specification	Code			
	TC/XSZ-2101	TC/XSZ-N107E	TC/XSZ-N107CCD	TC/2005DN
Viewing Head	Sliding Binocular(450) Trinocular Head For Photography Trinocular Head For Video Camera(C mount)			
Eyepiece	Wide Filed Eyepiece WF10X			
Achromatic Objective	DIN 4X,10X,40X(S)<100X(S,Oil)			
Stage	Double Layer Mechanical Stage140X140mm Moving range:75x45mm Double Layer Mechanical Stage125X125mm/60x40mm			
Illumination Condenser	Abbe NA1.25 Halogen Lamp,Adjustable Brightness Abbe NA1.25 With Iris Diaphragm, LED lamp			
SoftWare	Built-in Digital Camera System,With Micro-image Process Software			



Code:
TC-MR11
Product Name:
Blood Roller Mixer
Specification:
Speed:20-80 times/min



Code:
TC-MR11-A
Product Name:
Blood Roller Mixer With Digital Display
Specification:
Speed:20-100 times/min
Time setting 0-99 min



Code:
TC-MR1V
Product Name:
Blood Mixer
Specification:
Speed:6-32 r/min



Code:
TC-MR1V-A
Product Name:
Blood Mixer With Digital Display
Specification:
Speed:5-35 r/min
Timesetting 0-99 min



Code:
TC-XH-B
Product Name:
Vortex
Specification:
Shaking Frequency > 2600rpm



Code:
TC-201A
Product Name:
Oscillator



Code:
TC-DSR10
Product Name:
Digital Shaking Rotator



Code:
TC-201BD
Product Name:
Oscillator



Code:
TC-MS79-1
Product Name:
Magnetic Heating Stirrer
Specification:
Speed Rang:start up 1600rpm
Stepless Speed Adjustment
Capacity:100-1000ml
Heating Power:150w



Code:
TC-HH-S1
Product Name:
Water Bath
Specification:
Hole:1,2,4,6,8
Stainless Steel Interior
Aluminum Ring Cover



Code:
TC/800
Product Name:
Low Speed Centrifuge
Specification:
Capacity:20ml x 6
Max.RCF:1790xg
Max Speed:4000rpm



Code:
TC800D
Product Name:
Low Speed Centrifuge
Specification:
Capacity:20ml x 6
Max.RCF:1790xg
Max Speed:4000rpm
Timer:0-60min



Code:
TC80-1
Product Name:
Low Speed Centrifuge
Specification:
Capacity:20ml x 6
Max.RCF:1790xg
Max Speed:4000rpm
Timer:0-30min
With Safety Swith



Code:
TC80-2C
Product Name:
Low Speed Centrifuge
Specification:
Capacity:20ml x 12
Max.RCF:2325xg
Max Speed:4000rpm
Timer:0-99min
With Mechanical Lock



Code:
TC90-1
Product Name:
Low Speed Centrifuge
Specification:
Capacity:20ml x 12
Max.RCF:2325xg
Max Speed:4000rpm
Timer:0-30min
With Safety Swith



Code:
TC90-4
Product Name:
Low Speed Centrifuge
Specification:
Capacity:15ml x 18
Max.RCF:2325xg
Max Speed:4000rpm
Timer:0-30min
With Mechanical Lock



Code:
TC/HC-16C
Product Name:
High Speed Centrifuge
Specification:
Capacity:1.5 x 2mm x 12
Max.RCF:17000xg
Max Speed:16000rpm
Lcd Display
Timer:0-99min



Code:
TC-DHG-9030
Product Name:
Dry Oven
Specification:
Working SiZe:350x350x350mm
power:500w
Temperature Range:50-300 C



Code:
TC-BRF25V450
Product Name
-25°C Freezer(Separate Refrigerator)
Specification:
Size:741*811*1889mm
Refrigerator:
295L internal size 590*675*746mm
Freezer:
155L internal size 520*647*460mm



Code:
TC-U3000Plus
Product Name
3-Part-Diff Hematology Analyzer
Specification:
Up to 60 T/H
Big touch screen, easy to use
High performance
Accurate and reliable
Less maintenance
Exclusive software for veterinary use



Code:
TC-URIT-5160
Product Name
5-Part-Diff Hematology Analyzer
Specification:
Up to 60 T/H
Advanced 5-Diff analyzer with RET
Up to 34 parameters
Pure laser technology, more accurate
Easy to use, less maintenance
Exclusive software for veterinary use



Code:
TC7000
Product Name
Cover Slip
Specification
Size:16x16mm,18x18mm,20x20mm,
22x22mm,24x24mm,24x32mm,
24x50mm,24x60mm etc



Code:
TC7001
Product Name
Petri Dish
Specification
SIZE: ϕ 90*15mm, ϕ 100*15mm,
100x100mm
Type:1room,2room,3room,3vents.



Code:
TC7002
Product Name:
Centrifuge Tube With Screw Cap
Specification
Circular Self-Standing:45ml,50ml
Conical Bottom:10ml,15ml,45ml,50ml



Code:
TC7003A
Product Name:
Micro Centrifuge Tube
Specification
Size:0.5ml,1.5ml,2ml
Color: white,yellow,pink etc.



Product Name:
Microscope Slides
Code:
TC7101 Ground Edges, Plain
TC7102 Unground Edges, Plain
TC7105 Ground Edges, Frosted One End One Side
TC7105-1 Unground Edges, Frosted One End One Side
TC7107 Ground Edges, Frosted One End Both Side
TC7107-1 Unground Edges, Frosted One End Both Side
TC7109 Ground Edges, Color Frosted One End One Side
TC7109-1 Ground Edges, Frosted One End Both Side Color Painted With Dots




Code:
TC7003C
Product Name:
Micro centrifuge tube with screw cap
Specification
Size: 1.5ml
Cap Color:White,blue,pink etc



Code:
TC7004
Product Name:
Cryotube
Specification
Size:5ml,1.8ml,1ml



Code:
TC7005
Product Name:
PCR Tube
Specification
With Domed Cap
With Flat Cap
8strips,12strips etc




Code:
TC7006
Product Name:
PCR Plate
Specification
Size:96well




Code:
TC7007
Product Name:
Embedding Cassette
Specification
Color: Yellow,Red,White,Blue etc




Code:
TC7008
Product Name:
Bacterial Cell Spreader
Specification
Type: L shape, T shape, Δ shape
L:14.8cmx3cm
T:18.2cmx3.2cm
 Δ :16cmx4cm
24cmx6cm



Code:
TC7009
Product Name:
Cell Scraper/Lifter
Specification
Length:
A:15/21.5cm
B:18/25cm
C:25/30cm



Code:
TC7010
Product Name:
Inoculating Loop
Specification
Type: Needle Tip;1ul,10ul



Code:
TC7011-1
Product Name:
Medical Swab With Applicator
Specification
A:With Amies Clr
B:With Amies
Applicator: Stainless Steel Stick,
Wooden Stick,Plastic Stick



Code:
TC7011-2

Product Name:
Medical Swab With Applicator

Specification
A:With Stuart
B:With Stuart Clr
Applicator: Stainless steel Stick,
Wooden Stick,Plastic Stick



Code:
TC7011-3

Product Name:
Medical Swab With Applicator

Specification
With Medium
With Cary Blair
Applicator: Stainless Steel Stick,
Wooden Stick,Plastic Stick



Code:
TC7011-4

Product Name:
Medical Swab With Applicator

Specification
Without Medium
A:With Plastic Stick
B:With wooden Stick
C:With Stainless Steel Stick
D:With Bamboo Stick
Applicator: Stainless steel Stick,
Wooden Stick,Plastic Stick



Code:
TC7015

Product Name:
Pipette Tip

Specification
For Eppendorf Or For Gilson, Qingyun,
Finland
Size:1000ul blue, 200ul yellow,
10ul white etc



Code:
TC7015-1

Product Name:
Micropipette

Specification
Adjustable:2-20ul/5-25ul
10-100ul/100-500ul
200-1000ul



Code:
TC7016

Product Name:
Urine Container

Specification
40ml,60ml, 100ml, 120ml



Code:
TC7012

Product Name:
Test Tube

Specification
Material: PS
Size:Ø12X75mm,Ø13X75mm,
Ø12X100mm,Ø15X100mm,
Ø13X100mm,Ø16X100mm,



Code:
TC7012-1

Product Name:
Micro ESR System

Specification
Material:PS
ESR Pipette With An Upper
Sealing Cap And A Tube Sodium
Citrate Prefilled 200ul 3.8%



Code:
TC7012-2

Product Name:
Urinary Sediment Tube



Code:
TC7017

Product Name:
VTM Disposable Virus Sampling Tube

Specification
10ml PP tube with Medium 3ml VTM
Flocking swab(Nose Swab)



Code:
TC7018

Product Name:
Stool Container

Specification
30ml,40ml,60ml etc



Code:
TC7019

Product Name:
Tube Stopper

Specification
Ø12mm, Ø13mm, Ø15mm
Flange Type, High Grip Type



Code:
TC7012C

Product Name:
Test Tube With Cap

Specification
Material:PS
Type: Round Bottom
Size:10ml



Code:
TC7013

Product Name:
PopTop Vial

Specification
Material: PP
Siz:13D,19D,30D,60D
Color:Red, Green, Black, White, Blue etc



Code:
TC7014

Product Name:
Pasteur Transfer Pipette

Specification
1ML,3ML



Code:
TC7020

Product Name:
Simple Urine Cap

Specification
40ml



Code:
TC7021

Product Name:
Sputum Container

Specification
20ml,40ml etc



Code:
TC7022A

Product Name:
Swab Sampling Collector


Specification
one end with liquid




Code:
TC7022B
Product Name:
Swab Sampling Collector
Specification
one end with liquid



Code:
TC7023B
Product Name:
Urine Collector System




Code:
TC7024
Product Name:
Box For Cryo Tube




Code:
TC7025
Product Name:
Multi-purpose Tube Rack



Code:
TC7026
Product Name:
Cover Slides Storage Box
Specification
A:100pcs, B:50pcs, C:25pcs



Code:
TC7027
Product Name:
Rack For Pipette Tips
Specification
A:10ul(96well); B:200ul(96well);
C:1000ul(100well)



Code:
TC7028
Product Name:
Multi-Purpose Rack for micro centrifuge tube
Specification
A:For 0.5ml,1.5ml;60wells,90wells
B:For 0.5ml(72wells);1.5ml(72wells);
5ml(32wells);



Code:
TC7029A
Product Name:
Micro Blood Collection Tube
Specification
For EDTA K2 size:0.5ml



Code:
TC7029B
Product Name:
Micro Blood Collection Tube
Specification
For EDTA K2, Heparin Lithium,
Plain, Separation Gel
Size:0.5ml



Code:
TC7030A
Product Name:
Vacuum Blood Tube
Specification
Type:Plain(No-additive),Pro-coagulation,
E.S.R(sodium citrate)
Heparin Lithium, Heparin Sodium,
EDTA K2, EDTA K3
Sodium Fluoride/Potassium Oxalate,
Gel and clot activator
Tube: 13*75mm, 13*100mm; Size: 1ml,
2ml, 3ml, 4ml, 5ml, 6ml, 7ml etc



Code:
TC7030B
Product Name:
Non-Vacuum Blood Collection Tube
Specification
Type:Plain(No-additive),Pro-coagulation,
E.S.R(sodium citrate)
Heparin Lithium, Heparin Sodium,
EDTA K2, EDTA K3
Sodium Fluoride/Potassium Oxalate,
Gel and clot activator
Tube: 13*75mm, 13*100mm;
Size:1ml,2ml,3ml,4ml,5ml,6ml,7ml etc



Code:
TC7031A
Product Name:
Blood Collection Needle
Specification
Soft Type; Size: 21G, 22G etc



Code:
TC7031B
Product Name:
Blood Collection Needle
Specification
Hard Type; Size: 21G, 22G etc



Code:
TC7031C
Product Name:
Needle Holder
Specification
Type: Universal



Code:
TC7032A
Product Name:
Sharp Container
Specification
Capacity: 0.7L
Size(LxWxH): 95x75x135mm
Color: yellow, red



Code:
TC7032B
Product Name:
Sharp Container
Specification
Capacity: 0.8L
Size(LxWxH): 120x90x116mm
Color: yellow, red



Code:
TC7032C
Product Name:
Sharp Container
Specification
Capacity: 3L
Top Dia. 14cm, Bottom Dia.: 12cm, Height: 24cm
Color: Yellow, Red



Code:
TC7032D
Product Name:
Sharp Container
Specification
Capacity: 2.7L, 5L, 6.2L
Size(LxWxH):
200x160x135mm (2.7L),
245x200x165mm (5L),
245x200x185mm (6.2L)
Color: yellow, red



Code:
TC7032E

Product Name:
Sharp Container

Specification
Capacity:2.8L,3.6L,6L
Size(LxWxH):
160x140x150mm(2.8L),
165x140x190MM(3.6L),
220x190x200MM(6L)
Color:yellow,red



Code:
TC7032F

Product Name:
Sharp Container

Specification
Capacity:1L
Size(LxWxH):105x80x180mm
Color:yellow,red



Code:
TC7032G

Product Name:
Sharp Container

Specification
Capacity:1L
Size(LxWxH):95X80X170mm
Color:yellow,red



Code:
TC7032N

Product Name:
Sharp Container

Specification
Capacity:15L,23L



Code:
TC7032O

Product Name:
Sharp Container

Specification
Capacity:0.2L



Code:
TC7033

Product Name:
Plastic Emesis Basin

Specification
Type: Width,Narrow
Color:White,Transparent,Green etc



Code:
TC7032H

Product Name:
Sharp Container

Specification
Capacity:7L
Size(LXWXH):250x200x230mm
Color:yellow,red



Code:
TC7032I

Product Name:
Sharp Container

Specification
Capacity:4.6L
Size(LXWXH):270X115X270mm
Color:yellow,red



Code:
TC7032J

Product Name:
Sharp Container

Specification
Size:8L(210x180x250mm)



Code:
TC7034

Product Name:
Medicine Cup

Specification
A-Material:PP,Size:30ml,60ml
B-Material:Paper,Size:30ml,60ml,90ml



Code:
TC7035

Product Name:
Biohazard Bag

Specification
Capacity:A:15x25cm,18.5x26cm etc
B:10-15L,20-30L,50L etc



Code:
TC7036

Product Name:
Vomiting Bag

Specification
Size:1000ML,1500ML



Code:
TC7032K

Product Name:
Sharp Container

Specification
Size:5L,4.6L(270x115x270mm)



Code:
TC7032L

Product Name:
Safety Box

Specification
Size:5L,10L,15L,20L



Code:
TC7032M

Product Name:
Sharp Container

Specification
Capacity:10L



Code:
TC7037

Product Name:
Paper Pulp Kidney Disher Urine Bottole



Code:
TC7038

Product Name:
Foot Pedal Medical Waste Bin

Specification
Size:15L,18L,25L,30L etc



Code:
TC7039

Product Name:
Medicine Bag

Specification
Size:7x10cm,8x10cm etc



082-105
PART 8

- WHEEL CHAIRS
- COMMUNE CHAIRS
- WALKERS
- STICKS
- CANES
- CRUTCHS
- BATH BENCHS



TC205LHQ
Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Detachable Footrest, Solid Castor, Quick Release, Pneumatic Rear Wheel, Carrying Wheel And Anti-Tippers, Angle-Adjustable Footplate, Locking Drum Brake.



TC250LCPQ
Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Detachable Elevating Footrest, PU Castors, Quick Release PU Rear Wheel, Anti-Tippers, Angle-Adjustable Footplate.



TC121LF1
Powered Pediatric Wheel Chair, Aluminum Chair Frame, Adjustable PU Armrest, Adjustable Seat Width, Reclining High Back, Lithium Battery, Rubber Foam Drive Wheel.



TC131GC
Steel Chair Frame, Adjustable And Detachable Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Electrical Lifting Seat, Adjustable Seat Angle.



TC958LBPYF8
Aluminum Adapting Child Wheel Chair Adjustable Seat Size And Seat Height, Push Handle, Movable Armrest, Optional Accessories: Food Table, Height Adjustable Footrest And Adjustable Headrest, Tiltable Seat, Reclining Back, PU Wheels.



TC980LQF8
Aluminum Adapting Child Wheel Chair, Adjustable Seat Size, Solid Castor, Flip-UP Armrest, Fixed Footrest, Height Adjustable Footplate, Quick Release Pneumatic Rear Wheel.

Code	Specification (cm)		Wheelchair Icons							+ -	W	Recline	Kg	Dimensions (CM)		Weight (kg)	
	Seat H	Seat W	Wheel H	Wheel W	Wheel D	Wheel C	Wheel S	Wheel M	N.W.					G.W.			
TC121LF1	59	38(46)	32	20	52	96	20	1-7	23AH	200W*2	12°	75	86*58*75	40.9	48.9		
TC131GC	59	46	32	20	55	120-127	25	1-7	40AH	200W*2	12°	100	86*65*75	91.7	98.5		
TC958LBPYF8	52	25-32	30	15	38-66	98-120						35	86*53*45	24	27		
TC980LQF8	50-60	25-35	52	10	50-55	87-92						75	76*39*90	14.4	17.4		
TC205LHQ	68	46	62	15	49	90						100	77*33*91	18.6	20.9		
TC250LCPQ	67	46	60	17.5	50	93						100	83*31*91	20.4	22.6		



TC809
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel



TC809B
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Mag Wheel



TC876
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Rear Castor, Rear Wheel Pneumatic



TC901
Chromed Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Rear Wheel



TC802-35
Children Type, Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel



TC972
Chromed Steel Frame, Fixed Armrest, Detachable Footrest, Solid Castor, Solid Rear Wheel



TC983
Chromed Steel Frame, Detachable Armrest, Fixed Footrest, Solid Castor, Solid Wheel



TC902C
Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, PU Castor, Pneumatic Rear Wheel



TC909
Powder coating steel frame, Flip-up desk armrest, Detachable footrest, Solid castor, Solid rear wheel



TC874A
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Drop Back Handle, Solid Castor, Solid Rear Wheel, Double Cross Bars



TC810Y
Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel, Hard Seat Cushion.



TC903GC
Chromed Steel Frame, 8" PVC Castor, 24" Solid Wheel, Detachable Armrest, Elevating Footrest, Reclining High Back

Code	Specification (cm)										N.W.	G.W.	20°FCL	40°FCL		
	Seat	Back	Armrest	Footrest	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel						
TC809	60(65)	23	41(46)	59	20	51	87	106	40	40	100	93*21*87	18	21	144	300
TC809B	60(66)	24	41(46)	59	20	51	90	108	40	42	100	93*21*86	18	21	140	288
TC802-35	54	23	35	55	15	47	85	97	36	42	75	84*24*86	18	20	164	332
TC972	60(65)	23	41(46)	29	20	50	87	102	40	40	100	93*21*87	18	20	172	320
TC874	60(65)	27	41(46)	59	20	47	91	104	40	42	120	93*26*91	20	22	108	220
TC874A	62	28	39	61	20	45	84	106	40	42	100	97*31*85	16	18	88	192

Code	Specification (cm)										N.W.	G.W.	20°FCL	40°FCL		
	Seat	Back	Armrest	Footrest	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel						
TC876	60(65)	28	41(46)	59	20	47	91	106	40	41	110	84*28*78	20	22	144	330
TC901	60(64)	28	41(46)	59	20	50	90	106	40	41	100	80*27*88	20	22	132	268
TC983	60(65)	28	41(46)	59	20	51	89	105	40	42	100	93*28*88	19	21	172	320
TC902C	60(66)	28	41(46)	61	20	50	90	105	40	42	100	80*30*88	20	22	126	260
TC810Y	66	46	58		20	50	89	100				94*31*95	19.7	22.2	108	220
TC903GC	63(65)	30	41(46)	59	20	51	96	118	42	82	100	97*30*87	26	28		



TC903

Powder Coating Frame, Detachable Footrest&Armrest, Solid Castor,Solid Rear Wheel



TC903B

Powder Coated Steel Frame, Solid Castor,Solid Rear Wheel, Detachable Armrest And Footrest



TC951B-56

Powder Coating Steel Frame,22" Seat Width, Flip-UP Armrest,Detachable Footrest, Rubber Foam Castor,Pneumatic Mag Wheel.



TC204BJ

Powder Coating Steel Frame,Reclining High Back, Adjustable And Detachable Headrest,Detachable Pillow, Adjustable Seat Angle,Height Adjustable Armrest, Elevating Footrest,TPR Castor,United Brake.



TC904B

Powder Coating Steel Frame, Detachable Desk Armrest, Detachable Footrest,Solid Castor, Pneumatic Mag Wheel.



TC909B

Powder Coated Steel Frame, Flip Up Armrest,Detachable Footrest, Solid Castor ,Solid Mag Wheel



TC209AE-61

Powder Coating Steel Frame,Detachable Desk Armrest, Detachable Footrest,24" Seat Width,Foldable Push Bar, Solid Castor,Pneumatic Rear Wheel.



TC212BCEG-41

Chromed Steel Frame,Reclining High Back, Flip-UP Desk Armrest,Elevating Footrest, Solid Castor,Pneumatic Mag Wheel, Foldable Push Bar.



TC972B

Powder Coating Steel Frame, Fixed Armrest,Fixed Footrest Solid Castor,Solid Mag Rear Wheel.



TC902GC

Chromed Steel Frame Detachable Desk Armrest Elevating Footrest PU Castor,Pneumatic Rear Wheel



TC870ABJ

Chromed Steel Frame,Double Cross Bar, Drop Back Handle With United Brake Fixed Armrest,Fixed Footrest, Solid Castor,Pneumatic Mag Rear Wheel.



TC976ABJ-43

Chromed Steel Frame,Fixed Armrest, Detachable Footrest, Drop Back Handle With United Brake,Solid Wheel.

Code	Specification (cm)	Icons										N.W.	G.W.	20°FCL	40°FCL	
		1	2	3	4	5	6	7	8	9	10					
TC903	60(65)	30	41(46)	59	20	51	90	106	42	82	100	80*28*91	20	22	130	260
TC903B	63(65)	30	41(46)	59	20	51	96	118	42	82	100	80*29*89	26	28		
TC904B	62		46	31	20	50	88				100	71*25*90	143	164	180	406
TC909B	57(68)	30	41(46)	60	20	50	93	106	40	45	100	83*29*95	20	22	130	260
TC972B	63		46	58	20	49	87				100	80*24*91	176	192	172	390
TC902GC	63(65)	30	41(46)	59	20	51	96	118	40	78	100	95*30*87	26	28	92	186

Code	Specification (cm)	Icons										N.W.	G.W.	20°FCL	40°FCL
		1	2	3	4	5	6	7	8	9	10				
TC951B-56	73	56	62	20	54	93	125	83*33*93	21.5	24.1	112	245			
TC204BJ	68	46	62	20	58	121-133	150	88*64*84	38	42.5	58	132			
TC209AE-61	81	61	62	20	51	93	125	86*37*83	21.8	24.5	100	240			
TC212BCEG	88	41	40	15	49	107	100	83*33*109	20.2	22.4	98	232			
TC870ABJ	60	41	40	15	45	89	100	82*28*76	14.5	17.4	168	387			
TC976ABJ-43	56	43	20	20	50	96	100	74*26*78	12.9	15.1	216	432			



TC907BC
Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Wheel.



TC869X
Powder Coating Steel Frame, Double Cross Bar, Fixed Inclined Armrest, Fixed footrest, Solid Castor solid Rear Wheel.



TC875
Powder Coating Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



TC901B
Powder Coating Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Mag Wheel.



TC908AQ
Chromed Steel Frame, Flip-up Desk Armrest, Detachable Footrest, Solid Castor, Quick Release Pneumatic Rear Wheel, Drop Back Handle



TC975-51
Chromed Steel Frame, 20" Seat Width Detachable Armrest And Footrest, Solid Castor Pneumatic Rear Wheel

Code	Specification (cm)	Wheelchair Icons							Weight (Kg)	Dimensions (CM)	N.W.	G.W.	20°FCL	40°FCL
		1	2	3	4	5	6	7						
TC907BC	58								100	73*28*89	17.2	19.2		
TC869X	62								100	103*25*89	16.2	19	144	372
TC875	65								100	94*28*89	15.9	18.6	132	326
TC901B	64								100	80*28*91	17.9	22	126	340
TC908AQ	64								100	82*31*93	19	21.3		
TC975-51	73								125	80*28*91	18.4	21.3	130	310



TC864LY
Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Plastic Footplate Hard Cushion, Solid Castor, Pneumatic Rear Wheel Plastic Hand Rim



TC865BLJ
Aluminum Frame With United Brake, Solid Castor, PU Mag Wheel, Fixed Armrest, Fixed Footrest



TC872LJ
Aluminum Frame With United Brake, Pneumatic Wheel, Fixed Armrest, And Fixed Footrest



TC908LAH
Aluminum Chair Frame With Drum Solid Castor, PU Wheel, Flip Up Armrest Detachable Footrest



TC231LHPQ
Aluminum Chair Frame, Flip-UP Height-Adjustable Inclined Armrest, Detachable Footrest, PU Castor, Quick Release PU Rear Wheel, Locking Drum Brake, Anti-Tippers, Angle-adjustable Footplate.



TC800LBJ
Transit Wheel Chair, Aluminum Light Weight Chair Frame, 6" Rear Solid Castors, 5" Front Castors, Flip Armrest, Drop Back Handle, Lockable Attendant Brake, With Seat Belt.

Code	Specification (cm)	Wheelchair Icons							Weight (Kg)	Dimensions (CM)	N.W.	G.W.	20°FCL	40°FCL
		1	2	3	4	5	6	7						
TC864LY	62(70)								100	92*28*93	20	22	108	196
TC865BLJ	56(61)								100	86*26*87	10	12	128	264
TC872LJ	55(61)								100	80*28*88	12	14	140	280
TC908LAH	56(63)								100	80*28*72	14	16	168	342
TC231LHPQ	68								100	78*31*94	17.6	20.1	108	272
TC800LBJ	51								100	48*34*66	6.9	9.1	270	670



TC803LB
Transit Wheelchair,
Aluminum Light Weight Chair Frame,
6" Rear Solid Castors, 4" Front Castors,
Flip-UP Armrest, With Seat Belt



TC868L
Aluminum light Weight Frame,
Solid Castor And Wheel, Fixed
Armrest And Footrest



TC903LQ
Aluminum Frame, Flip-Up Desk Armrest,
Detachable Footrest, Solid Castor,
Quick Release Pneumatic Rear Wheel.



TC955L
Aluminum Chair Frame,
Flip-Up Inclined Armrest,
Detachable Footrest,
Solid Castor, Pneumatic Rear Wheel.



TC874LAJ-30
Pediatric Wheel Chair Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest,
Solid Castor, Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC874LAJF1-30
Pediatric Wheel Chair Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest, Solid Castor,
Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC974LP
Aluminum Frame, Fixed armrest,
Detachable footrest,
Solid castor, PU/Rear/Wheel.



TC976LAB
Aluminum Chair Frame, Fixed Armrest,
Detachable Footrest, Solid Castor,
Solid Rear Mag Wheel, Drop Back Handle



TC874LF5
Aluminum Chair Frame,
fixed armrest and footrest, solid castor,
24" PU wheel, with brake



TC878LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest,
Flip Up Footrest, Solid Castor,
Pneumatic Rear Mag Wheel, Drop Back Handle,
Locking United Brake.



TC976LA-12:
Aluminum Frame Detachable Footrest
Drop Back Handle, Aitk Brake,
Solid Castor And Wheel



TC804LABJP
Transit Wheel Chair,
Aluminum Light Weight Chair Frame,
8" Rear Solid Castors, 5" Front Castors,
Flip-Up Armrest, Drop Back Handle,
Lockable Attendant Brake, With Seat Belt.

Code	Specification (cm)										Weight (kg)		CTNS			
	Seat	Back	Armrest	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	N.W.	G.W.	20°FCL	40°FCL		
TC803LB	38		32	15	10	45	84				100	39*29*70	6	7.5	357	864
TC868L	62(65)	24	43(46)	61	20	50	86	100	40	38	100	97*24*87	14	16		
TC874LAJ-30	53		30	53	15	44	85				75	78*28*68	12.3	14.4	186	444
TC874LAJF1-30	53		30	53	15	44	85				75	78*28*68	12.8	14.9	186	444
TC874LF5	58		46	30	15	48	94				100	74*28*95	10.6	13.3	192	440
TC878LAJ	70		46	58	15	49	88				100	82*28*76	12.7	14.2	168	401

Code	Specification (cm)										Weight (kg)		CTNS			
	Seat	Back	Armrest	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	N.W.	G.W.	20°FCL	40°FCL		
TC903LQ	64		46	62	15	52	90				100	80*28*91	14.2	16.3	108	272
TC955L	63		46	62	15	50	89				100	83*28*90	15.7	17.9	126	282
TC974LP	63		41	61	20	49	88				100	80*28*91	14	16	108	272
TC976LAB	60		46	20	20	52	101				100	74*26*83	10.6	12	200	485
TC976LA-12"	56	24	41	30	20	49	97	100	43	45	90	70*26*79	14	16		
TC804LABJP	45		37	20	12.5	45	89				100	75*25*66	6.7	9.4	228	560



TC805LABJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip-Up Footplate, Solid Castor, Pneumatic Rear Mag Wheel, Drop Back Handle, United Brake.



TC807LABP
Transit Wheel Chair, Aluminum Light Weight Chair Frame, 6" Rear Solid Castors, 5" Front Castors, Flip-Up Armrest, With Seat Belt



TC980LA-30
Pediatric Wheel Chair Aluminum Chair Frame, Flip-Up Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



TC863LABJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor, Pneumatic Rear Mag Wheel, Drop Back Handle, Locking United Brake.



TC870LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle, With United Brake.



TC207LABP
Aluminum Chair Frame, Flip-Up Inclined armrest, Detachable footrest, Solid Castor, PU/Rear/Mag/Wheel, Drop back handle



TC879LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor, Pneumatic Rear Wheel Drop Back Handle, Locking United Brake.



TC864L
Aluminum Light Weight Frame, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel



TC985LBGY-38
Aluminum Chair Frame, Adjustable Headrest, Detachable Armrest, Fixed Footrest, Solid Castor, Pneumatic Mag Wheel, Adjustable Seat Angle, Safety Belt.



TC871LBJ
Aluminum Light Weight Chair Frame, Fixed Armrest & Footrest, Solid Castor, Pneumatic Mag Wheel, With United Brake.



TC950LBPQ-46
Aluminum Chair Frame, Flip-UP And Height-Adjustable Inclined Armrest, Detachable Footrest, Solid Castor, Quick Release PU Mag Wheel, Anti-Tippers, Angle-Adjustable Footplate.



TC958LBCGPY-38
Aluminum Chair Frame, Reclining High Back, Adjustable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, PU Mag Wheel, Adjustable Seat Angle, Safety Belt

Code	Specification (cm)						Weight (Kg)	Dimensions (CM)	Weight (kg)		CTNS	
	Seat	Back	Wheel	Footrest	Armrest	Mag Wheel			N.W.	G.W.	20'FCL	40'FCL
TC805LABJ	59	46	31	15	49	90	72*25*76	9.6	11.22	140	324	
TC807LABP	37	32	15	12.5	45	87	56*23*60	7	8.1	472	864	
TC870LAJ	69	46	40	15	48	89	80*28*76	12.5	14.5	176	410	
TC207LABP	62	46	38	15	50	89	78*28*76	13.9	15.9	186	378	
TC985LBGY-38	52	38-44	40	15	48	97-116	72*25*76	11	12	90	223	
TC871LBJ	54	41	40	15	49	89	80*28*91	10.6	13.6	140	340	

Code	Specification (cm)						Weight (Kg)	Dimensions (CM)	Weight (kg)		CTNS	
	Seat	Back	Wheel	Footrest	Armrest	Mag Wheel			N.W.	G.W.	20'FCL	40'FCL
TC980LA-30	47	30	53	15	48	90	90*33*73	12.5	15	148	315	
TC863LABJ	60	46	31	15	48	90	71*28*71.5	9.5	11	12	441	
TC879LAJ	65	46	31	15	15	87	72*30*72	11.5	13	168	384	
TC864L	67	46	62	20	48	89	94*28*92	12.8	15			
TC950LBPQ	67	46	61	15	51	91	83*33*93	16.7	19.1	92	224	
TC958LBCGPY-38	52	38-44	40	15	48	97-116	84*40*97	18.3	21	90	223	



TC980LA
Aluminum Chair Frame, Flip-UP Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



TC980LA-35
Pediatric Wheel Chair Aluminum Chair Frame, Flip-UP Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



TC983L
Aluminum Frame, Flip-UP Desk Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel.



TC9003L
Aluminum Frame, 5" Castor, 8" PVC Rear Wheel, Foldable Back With Brake.



TC873LABJP
Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, PU Rear Mag Wheel, Drop Back Handle, Locking Unit Brake.



TC7905CO
Senior Citizen Walking Aid

Code	Specification (cm)														N.W.	G.W.	20°FCL	40°FCL		
	Seat	Back	Depth	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel						
TC980LA	64	46	61	15	51	94									100	94*28*73	14.6	17.6	126	284
TC980LA-35	52	35	58	15	48	90									75	90*33*73	13	15.5	148	315
TC983L	58	41	55	15	49	85									100	94*28*89	13	115.7	108	272
TC9003L	45	21	36	12.5	12.5	45	86	101	36	43	75	82*22*65	10	12						
TC873LABJP	58	46	30	15	48	94									100	74*28*75	10.6	13.3	192	440



TC122L
Aluminum Frame, Vehicle Seat, With Reclining Back, Detachable Arm And Footrest, Mobile Seat, PU Castor, PU Drive Wheel



TC152
Powder Coated Steel Frame, Seat with Reclining, Back Adjustable Armrest, Detachable Footrest, PU Castor, PU Drive Wheel, With Safety Lamp



TC111A
Powder Coated Steel Frame, Foldable, Flip Up Armrest, Detachable Footrest, Drop Back Handle, PU Castor, PU Drive Wheel



TC110A
Powder Coating Steel Frame, Foldable Flip up Armrest, Detachable, Footrest, Drop Back Handle, PU Castor, PU Drive Wheel



TC112
Resin-Coating Steel Frame, Fixed Armrest, Detachable, Footrest, Mag Drive Wheel, Rubber Foam Castor, Foldable Chair Frame.



TC121
Powder Coating Steel Frame, Flip-UP Desk Armrest, Detachable Footrest, Rubber Foam Castor And Drive Wheel, Foldable Backrest

Code	Specification (cm)														N.W.	G.W.	20°FCL	40°FCL
	Seat	Back	Depth	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel	Wheel				
TC122L	64	43	32	20*5	50	127	120	40	53	120	83*64*65	72	77	66	150			
TC152	58	46	32	20*5	53	100	104	44	36	110	94*31*95	60	70	54	120			
TC111A	58(62)	35	41(46)	32	20*5	53	95	100	40	46	110	78*38*78	33	35	115	230		
TC110A	58(62)	35	41(46)	32	20*5	52	93	100	40	43	110	78*38*78	33	35	115	230		
TC121	63	46	46	30	20	51	94			125	83*67*73	56	65.8	46	96			
TC112	62	46	31	20	49	91				100	85*43*94	33.2	42	36	78			



TC124
Resin-Coating Steel Frame, Adjustable And Detachable Armrest Pad, Detachable Sideboard, Rubber Foam Castor And Drive Rear Wheel. Electrically Lifting Seat Plate.



TC129
Power Stand Up Wheel Chair ,Powder Coating Frame, Flip-Up, Armrest With Single Controller, For Both Driving & Seat Lifting. Strong Rubber Foam Drive Wheel, Special Design With Comfortable, Safety Legrest Belt.



TC139
Power Stand Up Wheel Chair, Powder Coating Frame, Flip-Up, Armrest With Single Controller, For Both Driving & Seat Lifting. Strong Rubber Foam Drive Wheel, Special Design With Comfort, Safety Legrest Belt.



TC159L
Standing Walking&nursing Intelligent Type Standing Power Wheel Chair, Aluminum Frame, 200*50 PU Front Castors, 12" PU Drive Wheels, Adjustable Head&Neck Rest, Adjustable Leg Pad



TC141
Comfortable Swivel Seat, Flip-Up Armrest, Driving Lamp And Luggage Basket. Rubber Foam Castor Rubber Foam Rear Wheel.



TC140
Comfortable Cehicle Seat, Adjustable Backrest and Seat Height, Flip-Up Armrest. Rubber Foam Wheel, With Driving Lamp.

Code	Specification (cm)							KM	KM/H	+	-	W motor	°	(Kg)	(CM)	N.W.	G.W.	20°FCL	40°FCL	CTNS	CTNS
	63	46	26	26	64-70	135	40AH														
TC140	63	46	26	26	64-70	135						8°	110	140*71*79	105.2	120	22	44			
TC139	59	46	32	30	52	96							100	103*69*68	67	85	54	144			
TC124	62	43	32	20	52	92	20	1-6	38AH	200W*2	12°	110	80*66*64	75	85	63	168				
TC129	65	46	32	20	58	107	25	1-6	38AH	200W*2	12°	100	103*69*68	80.4	98.2	54	144				
TC141	58	48	26	22	58	129-139	30-40	1-10	33AH	400W	12°	100	124*59*80	78	90.5	24	48				
TC159L	62	45	32	20.5	58	103	30-40	1-10			12°	110	83*62*110	78	81						



TC607-70
Chromed Steel Heavy Duty Frame PU Castor Solid Wheel Fixed Armrest And Footrest 70cm Seat Width



TC609GCU
Foldable Chromed Steel Frame, Plastic Commode Seat, Reclining High Back, Detachable Armrest And Elevating Footrest, Solid Castor And Rear Wheel



TC609LU
Foldable Aluminum Chair Frame, U Shape Commode Seat, Fixed Armrest And Footrest, Solid Castor, Pneumatic Rear Wheel.



TC609U
Foldable Chromed Steel Frame, Plastic Commode Seat, Fixed Armrest And Footrest, Solid Castor And Rear Wheel.



TC654LGCU
Stainless Steel Chair Frame, Flip Down Armrest, Detachable Elevating Footrest, U Shape Commode Seat. Pneumatic Rear Wheel, Solid Castor.



TC681
Foldable Chromed Steel Frame, Plastic Commode Seat, Flip-Up Armrest And Detachable Footrest, Solid Castor And Solid Rear Wheel.

Code	Specification (cm)										(Kg)	(CM)	N.W.	G.W.	20°FCL	40°FCL	CTNS	CTNS
	89	32	70	59	20*5	70	105	120	50	40								
TC607-70	89	32	70	59	20*5	70	105	120	50	40	150	104*34*106	33.5	38	100	200		
TC609GCU	64		44	58	20	53	129				100	107*33*78	25.6	29.3	90	184		
TC609LU	68.5		46	58	15	51	90				100	94*29*92	15.2	18.9	120	244		
TC609U	64		44	58	20	50	87				100	92*29*89	19.2	21.3	120	244		
TC654LGCU	67		46	61	20	50	128				100	97*41*86	21.5	23.5	90	184		
TC681	60		45	58	15	53	90				100	75*28*91	19.6	21.4	126	272		



TC691
Powder Coated Steel Frame, Detachable Armrest And Footrest, Solid Rear Castor With Lock, Plastic Commode Seat.



TC692
Powder Coating Steel Frame, Flip Down Armrest, Detachable Footrest, Solid Rear Castor With Lock Plastic Commode Seat.



TC693
Powder Coating Steel Frame, Fixed Armrest, Foldable Footrest Rear Castor With Lock, Plastic Commode Seat.



TC695
Chromed Steel Frame Flip Up Armrest 5 Castor Detachable Footrest.



TC694S
Stainless Steel Frame. Netted Back Resr PU Armrest, Solid Castor, Pear Wheel With Lock, Plastic Commode Seat, Length Adjustable Footrest.



TC695S
Stainless Steel Chair Frame, Flip Down Armrest, Detachable Footrest, Four Castors With Lock, PU Commode Seat With Cover

Code	Specification (cm)							N.W.	G.W.	20°FCL	40°FCL	CTNS	CTNS		
	1	2	3	4	5	6	7								
TC691	54	45	12.5	12.5	53	93	87	43	38	100	54*53*53	12	14	160	336
TC692	55	45	12.5	12.5	54	95				100	56*53*57	10.8	12.8	160	320
TC693	55	44	12.5	12.5	51	81	70	44	36	100	50*26*66	10.5	11.7	253	529
TC695	55	45	12.5	12.5	58	98	83	43	38	100	55*54*51	21.6	24.6	80	165
TC694S	54	44	12.5	12.5	47	82	84			100	54*53*56	9.4	11.6	160	320
TC695S	54	44	12.5	12.5		50	97			100	61*55*55	12.2	14.4	180	368



TC697S
Stainless Steel Chair Frame, PU Commode Seat, Flip Down Armrest, Detachable Footrest, Rear Castor With Lock.



TC696
Chromed Steel Frame Adjustable Height



TC697
Chromed Steel Frame Adjustable Height



TC699L
Aluminum Chair Frame, Fixed Armrest, Foldable Footrest, Solid Rear Castor With Lock, Plastic Commode Seat.



TC899



TC817



TC815



TC893



TC890



TC812L



TC8992



TC894

Specification (cm)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Code	48	44	45	78	41	35	94*54*37		4	21										
TC899	48	44	45	78	41	35	94*54*37		4	21										
TC817	56	47	42	87	43	49	78*24*58		2	18										
TC815	48	44	48.5	84.5	43	34	50*25*85		1	5										
TC893	56	44	47	94	43	38	50*19*75		1	8.5										
TC812L	43	44	38-48	68-75	44		60*38*52		2	6										
TC890	45	43	42	77	40	28	63*32*44	8	2	8.9										
TC8992	60	48	45	82	41	40	88*30*60	12.8	1	14.2										
TC894	48	45	44-45	78-88	43	33	50*21*76	6	1	7										
TC697S	54	44	12.5	12.5			55*54*57	10	1	13.8										
TC696	55	44	7.5	7.5	45-55	78-88	51*21*76	8.2	2	10										
TC697	55	45	7.5	7.5	55	43	52*25*81	90	2	9										
TC699L	55	45	7.5	7.5			57*57*73	100	1	8.5										



TC818L



TC800



TC896



TC897



TC893L



TC895L



TC810



TC811



TC812



TC8101



TC814



TC8951L



TC9122L-A



TC912L(XS)



TC9126L



TC962



TC918L



TC9122L



TC794L



TC7954

Specification (cm)									PCS CTN	G.W. (kg)
Code						(CM)	N.WT(kg)			
TC818L	51	48	35-45	72-82	38	38	51*55*37		2	3
TC800	48	49	45-60	67-76	44	35	52*42*42		1	9.6
TC896	53	45	49-59	78-88	43	29	52*25*83		2	8.5
TC897	41	38	40	45			62*30*42	9.2	4	10.3
TC893L	56	44	47	94	43	38	51*19*75	5.3	1	6.4
TC895L	51	46	42-52	70-81	43	29	60*34*52	9.2	2	10.6
TC810	56	46	41-51	74-84	40	33	61*33*49	12.1	2	13
TC811	50	49	50-60	80-90	40	33	71*53*56	10	2	11.8
TC812	51	50	51-61	67-77	40	33	71*55*56	10.4	2	12.4
TC8101	46	44	41-56	60-75	37	18	44*22*66	10.8	2	12
TC814	58	48	43	67-77	39	43	58*58*70	5.2	2	11.5
TC8951L	43	40	40-50	62-72	41	-	45*18*63	2.6	5	3.6
TC794L	23	41		18	23		83*25*40	8.1	2	9.3
TC7954	42	38	40-50	40-50	38		57.5*39*25	8.1	2	9
TC912L(XS)	42	55		48.5-58.5			53*18*52	3.6	2	4.6
TC9122L	52	59		45-55			66*18*65	6	2	6.9
TC9122L-A	52	50		60-70			61*25*80	8.6	2	9.7
TC9126L	51	44		80-90			59*18*70	5	10	6.1
TC918L	58	38		78-88			96*68*38	19	1	22.1
TC962	54	45		52-87			62*22*67	8	1	9.1



TC919L



TC913L



TC915L



TC914L



TC971



TC9610



TC961L



TC965L



TC965L-5"



TC963L



TC966L(S)-5"



TC966L



TC-FST8201S



TC-FST8230



TC-YC618

Specification (cm)							PCS CTN	G.W. (kg)
Code					(CM)	N.WT(kg)		
TC919L	47	46	-	78-96	53*17*81	4.8	2	5.8
TC913L	47	46	-	78-96	53*17*81	4.8	2	5.8
TC915L	47	47	-	78-96	53*17*81	5.1	2	6.2
TC914L	50	47	52-62	79-89	60*34*89.5	7	2	8.7
TC971L	71	44	52	109-135	77*27*97	9.4	1	11.8
TC9610	74	74	55	110-155	74*15*85	11.9	1	14.6
TC916L	49	44	43-61	74-92	57*19*79	6.7	2	7.7
TC965L	68	46	53	78-90	62*24*84	7.4	1	9
TC965L-5"	50	62	-	82-100	64*20*83	6	2	7
TC963L	74	60	-	54-66	54*39*74	7	2	8.2
TC966L(S)-2.5"	35	51	52-62	-	55*25*62	2	2	3
TC966L(S)	35	51	52-62	-	55*25*62	2	2	3



TC964LR



TC912L-5"



TC917L(S/M/L)



TC9631L



TC9632L



TC960



TC9621



TC965LH



TC968L



TC914H



TC9622



TC969H



TC7962L



TC7991L



TC799L



TC798L



TC796L



TC790B



TC7931



TC797L



TC790



TC7920L



TC7972L



TC792

Specification (cm)							PCS CTN	G.W. (kg)
Code					(CM)	N.WT(kg)		
TC964LR	42	58	-	64-82	54*20*81	-	2	6
TC912L-5"	52	57	-	78-96	65*20*83	-	2	8
TC917L(S/M/L)	43	38	-	65-75	76*68*35	14.9	10	16.9
TC9631L	52	64	-	73.5-92	58*18*77	9.2	2	10.7
TC9632L	48	44	-	82-100	57*19*86	5.1	2	6.4
TC960	58	45	-	31	54*41*34	5.4	2	6.52
TC9621	62	46	54	80-105	60*18*80	8.2	1	9.5
TC965LH	68	46	53	78-90	62*24*84	7.4	1	9
TC968L	59	46	53	78-90	61*19*81	7	1	8.4
TC914H	70	43	62	78-90	60*25*72	10	1	10.9
TC9622	60	47	47	76-86	70*20*75	10.3	1	12
TC969H	59	38	-	82-97	63*25*70	7.7	1	9.2

Specification (cm)									PCS CTN	G.W. (kg)
Code							(CM)	N.WT(kg)		
TC7962L	75	44	48	88	39	37	67*29*53	6	1	7.5
TC7991L	51	64	46-56	84-94	42	38	70*45*52	13	2	15
TC799L	45	72	43-53	80-90	41	41	78*23*46	6	2	7.7
TC798L	42	50	35-45	78-84	30	40	68*19*39	5.9	2	7.1
TC796L	51	41	34-44	73-83	37	41	53*50*25	6.6	2	7.6
TC790B	41	50	47	80	30	30	90*22*51	3.9	2	8.8
TC7931	31	66	9.5	13.5	31	-	32*7*71.5	2.8	1	3.3
TC797L	42	50	35-45	39-49	30		60*17*36.5	3.6	2	4.4
TC790	39	51	47	52	30		74*19*52	6.4	2	7.2
TC7920L	38	48	51-63	69-81	28	28	55*41*78	5.4	2	7.3
TC7972L	34	32.5	38-56	38-56	32.5		35*35*39	3.1	2	3.9
TC792	50	49	49-59	82-91	37	37	77*56*38.5	8.8	2	10.6



TC-YC852 TC920L TC9201L TC928L TC929L TC930L TC938L TC9282L TC927L TC936L TC9283L TC923L



TC9251L TC9252L TC925L(S) TC925L(M) TC925L(L) TC935(S) TC935(M) TC935(L) TC9204L TC937L TC933L

Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC920L	71-94	0.36	65*15*28	20	7.7
TC9201L	71-94		65*15*28	20	8
TC928L	79.5-102.5		79*29*19	20	8
TC929L	71-94	0.3	65*15*28	20	8.3
TC930L	71-94	0.35	65*15*27	20	7.6
TC938L	80-103		79*34*19	20	8
TC9282L	74-97	0.35	68*36*18	20	8
TC927L	80-90(29.5)	0.37	62*16*26	20	8.3
TC936L	126(34)	0.3	53*12*36	20	8.2
TC9283L	74-97	0.5	74*36*18	20	8
TC923L	86-117	0.52	86*26*29	20	11

Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC9204L	105-128	1.12	79*41*56	20	23.7
TC937L	96-119	0.35	100*28*32	20	12
TC933L	86-117	0.6	95*29*31	20	12.1
TC9251L	115-135	0.81	120*36*30	20	17.5
TC9252L	100-130	0.95	83*33*29	20	20
TC925L(S)	95-115.5	0.8	101*33*29	20	15.5
TC925L(M)	114-134.5	0.85	119*33*29	20	16.5
TC925L(L)	135-155.5	0.9	140*33*29	20	17.5
TC935(S)	98-118		101*33*29	20	15.5
TC935(M)	113-133		119*33*29	20	16.5
TC935(L)	128-148		140*33*29	20	17.5



TC911L TC940L TC942L TC9321S TC9322S TC9323S TC9424S TC921 TC931 TC922



TC926 TC934 TC924 TC932 TC9412L TC9414L TC9221 TC9242L TC9415L



TC9391L TC9301L-1 TC9301L-2 TC9301L-3 TC9301L-4 TC9274L TC9208L TC9207LW-1 TC9207LW-2 TC9207LW-3 TC9304L TC9381L TC9382L

Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)	Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)	Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC911L	86	0.8	85*30*40	10	10	TC924	65-88	0.8	72*30*34	10	9.2	TC9301L-2	71-94	0.35	65*15*27	20	7.6
TC940L	105-118		91*30*25	10	10	TC932	74-97	0.88	78*29*43	10	12	TC9301L-3	71-94	0.35	65*15*27	20	7.6
TC942L	78-98		92*49*41	10	10	TC9411L	75-95	3.4	61*34*34	4	4.3	TC9301L-4	71-94	0.35	65*15*27	20	7.6
TC9321S	84-107		78*29*43	10	12	TC9412L	70-90	3.2	64*27*27	4	4.2	TC9274L	71-94	0.35	65*15*27	20	7.6
TC9322S	76-99		78*29*43	10	12	TC9413L	72-92	3.2	64*27*25	4	4.1	TC9208L	71-94	0.35	65*15*27	20	7.6
TC9323S	76-99		78*29*43	10	12	TC9414L	70-93	5	76*39*23	8	6.2	TC9207LW-1	71-94	0.36	65*15*26	20	7.7
TC9424S	72-98		78*29*43	10	12	TC9243	66-89	7.3	70*21*44	8	8.5	TC9207LW-2	71-94	0.36	65*15*26	20	7.7
TC921	64.5-87.5	0.9	79*34*44	10	12	TC9221	73.5-96	0.79	78*29*43	10	9.1	TC9207LW-3	71-94	0.36	65*15*26	20	7.7
TC931	72-95		79*36*44	10	12	TC9242L	85-100	0.52	72*30*34	10	6.4	TC9304L	94-117	7.2	27*18*102	6	8.5
TC922	74-97	0.83	78*29*43	10	11	TC9415L	75-95	3.4	61*34*34	4	4.3	TC9381L	77-100	0.32	79*29*18	20	7.5
TC926	74-97	0.76	78*29*36	10	8.7	TC9391L	67-90	0.34	63*15*28	20	7.3	TC9382L	77-100	0.32	79*29*18	20	7.5
TC934	65-88	0.78	79*30*34	10	9	TC9301L-1	71-94	0.35	65*15*27	20	7.6						



106-143
PART 9


- HOSPITAL BES
- OPERATION TABLES/COUCH
- STRETCHERS
- TROLLEYS
- HOSPITAL FURNITURES
- AND MEDICAL CARE PRODUCTS
- ANESTHESIA MACHINE / DIAGNOSTIC ULTRASOUND SYSTEM
- / HAEMODIALYSISMACHINE
- DEFIBRILLATOR MONITOR / BREATHING MACHINE



Code:
TC-HB01K
Product Name:
Five Functions Electric Hospital Bed(ICU BED)
Specification
Size: L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS guardrails ,
Control button for outside of side rails,
Integrated stamping frame and mattress base are
made of steel epoxy with ABS soft joint ,
I.V.Rod & Drainage hook ,Center control lock



Code:
TC-HB02K
Product Name:
Five Functions Electric Hospital Bed(ICU BED)
Specification
Size:L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS guardrails ,
Control button for outside of side rails and foot board,
Control button for inside of side rail,
Integrated stamping frame and mattress base are
made of steel epoxy ,I.V.Rod & Drainage hook



Code:
TC-HB001
Product Name:
Five Functions Electric Hospital Bed(ICU BED)
Specification
Size: L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS guardrails ,
Integrated stamping frame and mattress base are
made of steel epoxy,
I.V.Rod & Drainage hook



Code:
TC-HB002
Product Name:
Five Functions Electric Hospital Bed(ICU BED)
Specification
Size: L2150*W950*H430-720mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Mattress base made of ABS Plastic ,
I.V.Rod & Drainage hook





Code:
TC-HB003

Product Name:
Three Functions Electric Hospital Bed(ICU BED)

Specification
Size: L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS guardrails,
Integrated stamping frame made of steel epoxy,
Mattress base made of ABS Plastic with soft joint,
I.V.Rod & Drainage hook ,Center control lock



Code:
TC-HB004

Product Name:
Three Functions Electric Hospital Bed(ICU BED)

Specification
Size: L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook,
Center control lock.



Code:
TC-HB007

Product Name:
Three Functions Electric Hospital Bed

Specification
Size: L2150*W1050*H460-720mm
Detachable ABS head/foot board,
collapsible ABS guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook ,
5"Castor with brakes



Code:
TC-HB010

Product Name:
Three Functions Electric Hospital Bed

Specification
Size: L2150*W950*H350-690mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook,
5"Castor with brakes



Code:
TC-HB005

Product Name:
Three Functions Electric Hospital Bed

Specification
Size: L2150*W950*H350-690mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook,
5"Castor with brakes



Code:
TC-HB006

Product Name:
Three Functions Electric Hospital Bed

Specification
Size: L2150*W950*H350-690mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook,
5"Castor with brakes



Code:
TC-HB013

Product Name:
Three Functions Electric Hospital Bed

Specification
Size: L2150*W950*H380-650mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook,
5"Castor with brakes



Code:
TC-HB014

Product Name:
Two Functions Electric Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Integrated stamping frame and mattress base are
made of steel epoxy,I.V.Rod & Drainage hook,
5"Castor with brakes





Code:
TC-HB015
Product Name:
Two Functions Electric Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible ABS guardrails,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes



Code:
TC-HB016
Product Name:
Single Function Electric Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes



Code:
TC-HB102
Product Name:
Three Functions Manual Hospital Bed

Specification
Size: L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS side rails,
Integrated stamping frame and mattress base are made of steel epoxy with ABS soft joint, I.V.Rod & Drainage hook, Center control lock



Code:
TC-HB104
Product Name:
Three Functions Manual Hospital Bed

Specification
L2150*W1050*H460-750mm
Specification: Detachable ABS head/foot board,
Collapsible ABS guardrails,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes



Code:
TC-HB017
Product Name:
Two Functions Electric Hospital Bed

Specification
Size: L2030*W1050*H400mm
Material: Powder Coating Foldable Steel Frame
Electric two functions metal net panel
Fixed Guardrail



Code:
TC-HB101
Product Name:
Three Functions Manual Hospital Bed

Specification
Size: L2150*W950*H350-690mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes



Code:
TC-HB105
Product Name:
Three Functions Manual Hospital Bed

Specification
Size: L2150*W1050*H460-750mm
Detachable ABS head/foot board,
Collapsible ABS side rails,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, Center control lock



Code:
TC-HB106
Product Name:
Three Functions Manual Hospital Bed

Specification
Size: L2150*W1050*H400-720mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, Center control lock





Code:
TC-HB107
Product Name:
Three Functions Manual Hospital Bed

Specification
Size: L2150*W950*H380-720mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium with diner table,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook,
5" Castor with brakes



Code:
TC-HB108
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook,
5" Castor with two brakes



Code:
TC-HB111
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible ABS side rails,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook,
Center control lock



Code:
TC-HB112
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2050*W930*H530mm
Material: Stainless Steel Frame, Stainless Steel Head
And End Bed-board
Detachable Guardrails' Double Handle Knobs




Code:
TC-HB109
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook,
5" Castor with two brakes



Code:
TC-HB110
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook,
Center control lock



Code:
TC-HB114
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook,
5" Castor with two brakes



Code:
TC-HB115
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H550mm
Detachable ABS head/foot board,
Collapsible aluminium side rails with diner table,
Integrated stamping frame and mattress base are
made of steel epoxy, I.V. Rod & Drainage hook





Code:
TC-HB116
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W1050*H500mm
Detachable ABS head/foot board,
Collapsible side rails by ABS Plastic,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook,
5" Castor with brakes



Code:
TC-HB117
Product Name:
Two Functions Manual Hospital Bed

Specification
Size: L2150*W950*H550mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook



Code:
TC-HB121
Product Name:
Single Functions Manual Hospital Bed

Specification
Size: L2150*W950*H550mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook



Code:
TC-HB122
Product Name:
Ordinary flat bed

Specification
Size: L2150*W950*H550mm
Detachable ABS head/foot board,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook



Code:
TC-HB118
Product Name:
Single Functions Manual Hospital Bed

Specification
Size: L2150*W950*H500mm
Detachable ABS head/foot board,
Collapsible side rails by aluminium,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook,
5" Castor with two brakes



Code:
TC-HB119
Product Name:
Single Functions Manual Hospital Bed

Specification
Size: L2150*W950*H550mm
Detachable ABS head/foot board,
Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook



Code:
TC-HB123
Product Name:
Ordinary flat bed

Specification
Size: L2150*W900*H550mm
Detachable head/foot board by steel frame, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook



Code:
TC-HB124
Product Name:
Shower Bed

Specification
Size(LxWxH):950*900*460-750mm
1) Electric Motor with back-up battery
2) Material: Stainless Steel
3) Integrated Stamping Frame
4) 3" Castor with brakes



Code:
TC-HB125
Product Name:
Quadruple Crank Orthopaedic Traction Bed
Specification
Size: L2150*W950*H500mm
Specification:Aluminum alloy head/foot board, portal frame, painted batten bed surface, aluminum alloy 4 guardrail, 5inch wheels.



Code:
TC-HB126
Product Name:
Triple Crank Orthopaedic Traction Bed with double arm
Specification
Size: L2150*W950*H500mm
Aluminum alloy head board,Stainless steel foot board, powder coated steel bed frame,punching bed surface, aluminum alloy 4 guardrail, 5inch wheels.



Code:
TC-HB127
Product Name:
Portal Style Orthopaedic Traction Bed With Quadruple Crank
Specification
Size: L2150*W950*H500mm
Aluminum alloy head/foot board,portal frame, traction shelf,powder coated steel bed frame, punching bed surface,aluminum alloy 4 guardrail, 5inch wheels.



Code:
TC-HB128
Product Name:
Powder Coated Children Single Crank Bed
Specification
Size: L1850*W750*H550mm



Code:
TC-HB130
Product Name:
Plastic Bassinet
Specification
Size: L1080*W420*H780/980mm



Code:
TC-HB131
Product Name:
Stainless Steel baby bed
Specification
Size: L730*W410*H610mm



Code:
TC-HB132
Product Name:
Stainless Steel Bassinet
Specification
Size: L820*W460*H750/1000mm



Code:
TC-HB133
Product Name:
Powder Coated Steel Bassinet
Specification
Size: L1080*W420*H950mm



Code:
TC-EC01
Product Name:
Examination Couch
Specification
Size: L1900*W650*H710mm



Code:
TC-EC02
Product Name:
Examination Couch
Specification
Size: L1900*W600*H500mm



Code:
TC-EC03
Product Name:
Examination Couch
Specification
Size: L1900*W650*H710mm
The Back-rest lifting angle is 0-75°.



Code:
TC-EC04
Product Name:
Examination Couch
Specification
Size:L1900*W600*H680mm
The back-rest lifting angle is 0-750



Code:
TC-EC05
Product Name:
Electric Examination Table
Specification
Size: L1900*W550*H400-800mm
The height adjustable from 400 to 800mm by electric motor



Code:
TC-EC06
Product Name:
Electric Examination Table

Specification
Size: L1900*W550*H400-800mm
The Back-rest lifting angle is 0-75° by Gas Spring;
The height adjustable from 400 to 800mm by electric motor



Code:
TC-EC07
Product Name:
Electric Examination Table

Specification
Size: L1900*W550*H600/800mm
The Back-rest lifting angle is 0-75° by Gas Spring;
The height adjustable from 400 to 800mm by electric motor;
The Knee-rest lifting angle is 0-45° by Gas Spring



Code:
TC-EC08
Product Name:
Gynecological Examination Table

Specification
Size: L1820*W500*H800
Material: Powder Coated steel.
The first function is head rise-and-down(0-75°)
The second function is foot flat-and-down(0-25°)



Code:
TC-EC09
Product Name:
Gynecological Examination Table

Specification
Size: L1800*W550*H800
Material: Full stainless steel.
The first function is head rise-and-down(0-75°)
The second function is foot flat-and-down(0-35°)



Code:
TC-OT001
Product Name:
Head Control Multi-Functional Operating Table

Specification:
Size(LxWxH):2040*480*800~1040mm



Code:
TC-OT002
Product Name:
Ordinary Operation Table

Specification:
1) Length and width for tabletop: 2000*480mm
2) Height adjustment range: 250-800mm
3) Leg section lowered from the horizontal $\geq 90^\circ$
4) Back rest: Up $\geq 90^\circ$ Down $\geq 20^\circ$
5) Kidney bridge elevation ≥ 120 mm
6) Head section raised from the horizontal $\geq 45^\circ$
7) Head section lowered from the horizontal $\geq 90^\circ$



Code:
TC-OT003
Product Name:
Electric Operation Table For Obstetrics

Specification:
1) Length and width for tabletop: 1850*600mm
2) Height adjustment range: 650-895mm
3) width of back rest: 600*800mm
4) width of seat place: 600*400mm
5) width of leg: 540*500mm
6) Back rest: Up $\geq 75^\circ$ Down $\geq 6^\circ$
7) Forward $> 10^\circ$ & Backward $> 25^\circ$



Code:
TC-OT004
Product Name:
Electric Multi-Function Operation Table

Specification:
1) Length and width for tabletop: 1960*480mm
2) Height adjustment range: 690-930mm
3) Forward $\geq 25^\circ$ backward $\geq 20^\circ$
4) Left $\geq 18^\circ$ Right $\geq 18^\circ$
5) Back rest: Up $\geq 75^\circ$ Down $\geq 10^\circ$
6) Kidney bridge elevation ≥ 80 mm
7) Head section raised from the horizontal $\geq 45^\circ$ (detachable)
8) Head section lowered from the horizontal $\geq 50^\circ$ (detachable)



Code:
TC-OT005

Product Name:
Electric Operation Table

- Specification:**
- 1)Adjustable height:700~950mm
 - 2)Size of top:L2050mm*W480mm
 - 3)Forward $\geq 25^\circ$ backward $\geq 25^\circ$
 - 4)Left $\geq 20^\circ$ Right $\geq 20^\circ$
 - 5)Kidney bridge elevation ≥ 120 mm
 - 6)Back section raised from the horizontal $\geq 80^\circ$
 - 7)Back section lowered from the horizontal $\geq 15^\circ$
 - 8)Head section raised from the horizontal $\geq 80^\circ$ (detachable)
 - 9)Head section lowered from the horizontal $\geq 80^\circ$ (detachable)



Code:
TC-OT006

Product Name:
Universal Obstetric Table

- Specification:**
- Length and width of table top:190/500mm
Lowest height of table top:750mm
Back rest adjustment: up $\geq 45^\circ$ down $\geq 7^\circ$
Seat rest adjustment: up $\geq 25^\circ$ down $\geq 8^\circ$
Leg rest adjustment: up $\geq 25^\circ$ down $\geq 25^\circ$



Code:
TC-OT007

Product Name:
Universal Operation Table For Gynaecology And Obstetrics

- Specification:**
- 1)Length of bed:1950mm(including auxiliary platform length 600mm);
 - 2)Width of bed:950mm(including the arm width 300mm);
 - 3)Minimum height of bed:700mm;
 - 4)The maximum height of bed:950mm;
 - 5)The angle of front and back: forward 25° , backward 10° ;
 - 6)Back to the point: 70°



Code:
TC-DT330

Product Name:
Dental Therapy Chair

- Standard configuration:**
- | | |
|---|------|
| Rotating Glass Spittoon | 1set |
| Auto Spittoon Flush And Cup Filler Control System | 1set |
| Assistant Control System | 1set |
| 24V DC Motor Chair | 1set |
| 3 Ways Syringe | 1set |
| Operation Light | 1set |
| X-ray Viewer | 1set |
| Saliva Ejector With High And Low Suction | 1set |
| Water Tank | 1set |
| Operation Stool (I) | 1set |
- Specification:**
- Voltage/Power:220V/50Hz
Motor Voltage: 24V
Air Pressure: 0.5Mpa-0.8Mpa
Color For Choice:Blue, Orange, Green etc
Optional:Water Cleaner,Light Curing Machine,Dental Air Compressor



Code:
TC-DT208B

Product Name:
Dental Therapy Chair

- Standard configuration:**
- | | |
|---|------|
| Rotating Ceramic Spittoon | 1set |
| Auto Spittoon Flush And Cup Filler Control System | 1set |
| Assistant Control System | 1set |
| 24V DC Motor Chair | 1set |
| 3 Ways Syringe | 1set |
| Operation Light | 1set |
| X-ray Viewer | 1set |
| Saliva Ejector With High And Low Suction | 1set |
| Glass Plate | 1set |
| Water Tank | 1set |
| Operation Stool (I) | 1set |
| With High /Low Speed Hand Piece | 1set |
- Specification:**
- Voltage/Power:220V/50Hz
Motor Voltage: 24V
Air Pressure: 0.5Mpa-0.8Mpa
Air Pressure: 0.5Mpa-0.8Mpa
Optional:Water Cleaner,Light Curing Machine,Dental Air Compressor



Code:
TC-DT326

Product Name:
Dental Therapy Chair

- Standard configuration:**
- | | |
|--|------|
| Ceramic Spittoon | 1set |
| Hot water System | 1set |
| Outlay Net Bottle | 1set |
| 3 Ways Syringe | 1set |
| Operation Light | 1set |
| X-ray Viewer | 1set |
| Saliva Ejector With High And Low Suction | 1set |
| Operation Stool (I) | 1set |
| High Speed Hand Piece | 1set |
| Low Speed Hand Piece | 2set |
| Assistant Control System | 1set |
- Specification:**
- Voltage/Power:220V/50Hz
Motor Voltage: 24V
Air Pressure: 0.5Mpa-0.8Mpa
Color For Choice:Blue, Orange, Green Etc



Code:
TC-DT2305

Product Name:
Dental Therapy Chair

- Standard configuration:**
- | | |
|--|------|
| Rotating Ceramic Spittoon | 1set |
| Hot water System | 1set |
| Purified Water&Running Water System | 1set |
| Cup &Spittoon Water System | 1set |
| 3 Ways Syringe | 1set |
| Operation Light | 1set |
| X-ray Viewer | 1set |
| Saliva Ejector With High And Low Suction | 1set |
| Operation Stool (I) | 1set |
| High Speed Hand Piece | 2set |
| Low Speed Hand Piece | 1set |
- Specification:**
- Voltage/Power:220V/50Hz
Motor Voltage: 24V
Air Pressure: 0.5Mpa-0.8Mpa
Color For Choice:Blue, Orange, Green Etc



CODE:
TC9001
Product Name:
Two Folding Aluminum Alloy Stretcher
Specification:
Product size(LxWxH):1850x500x30mm
Folded size(LxWxH):925x500x70mm
Packing size(1pc):96x54x16cm
G.W.:5.1KGS
Load bearing :≤159kgs



CODE:
TC9002
Product Name:
Two Folding Aluminum Alloy Stretcher
Specification:
Product size(LxWxH):1850x500x20mm
Folded size(LxWxH):920x500x90mm
Packing size(1pc):96x54x16cm
G.W.:7KGS
Load bearing :≤159kgs



CODE:
TC9003
Product Name:
Two Folding Aluminum Alloy Stretcher
Specification:
Product size(LxWxH):1850x500x24mm
Folded size(LxWxH):920x500x110mm
Packing size(1pc):96x54x12cm
G.W.:7KGS
Load bearing :≤159kgs



CODE:
TC9004
Product Name:
Telescopic Folding Stretcher(two parts)
Specification:
Product size(LxWxH):2080x545x130mm
Folded size(LxWxH):1040x90x170mm
Packing size(2pc):108x18x18.5cm
G.W.:4.7KGS
Load bearing :≤159kgs



CODE:
TC9005
Product Name:
Telescopic Folding Stretcher(four parts)
Specification:
Product size(LxWxH):2140x545x120mm
Folded size(LxWxH):210x140x580mm
Packing size(1pc):30x17x67cm
G.W.:6.6KGS
Load bearing :≤159kgs



CODE:
TC9006
Product Name:
Aluminum Folding Stretcher(four parts)
Specification:
Product size(LxWxH):1850x510x210mm
Folded size(LxWxH):500x510x160mm
Packing size(1pc):56x54x20cm
G.W.:7KGS
Load bearing :≤159kgs



CODE:
TC9007
Product Name:
Telescopic Folding Stretcher(Four parts)
Specification:
Product size(LxWxH):2140x545x120mm
Folded size(LxWxH):260x170x550mm
Packing size(1pc):30x17x67cm
G.W.:6.6KGS
Load bearing:≤159kgs



CODE:
TC9008
Product Name:
Aluminum Alloy Stair Stretcher
Specification:
Product size(LxWxH):900x510x910mm
Folded size(LxWxH):900x170x590mm
Packing size(1pc):96x17x64cm
G.W.:11.7KGS
Load bearing:≤159kgs



CODE:
TC9009
Product Name:
Aluminum Alloy Stair Stretcher
Specification:
Product size(LxWxH):900x510x910mm
Folded size(LxWxH):900x170x590mm
Packing size(1pc):96x17x70cm
G.W.:9.5KGS
Load bearing:≤159kgs



CODE:
TC9010
Product Name:
Aluminum Alloy Stretcher For Ambulance
Specification:
Product size(LxWxH):1900x550x500mm
Packing size(1pc):195x64x34cm
Max Angle of the back:60°
Distance between front and rear wheel:132mm
G.W.:31.5KGS
Load bearing:≤159kgs



CODE:
TC9011
Product Name:
Aluminum Alloy Stretcher For Ambulance
Specification:
Product size(LxWxH):1900x550x500mm
Packing size(1pc):195x64x34cm
Max Angle of the back:60°
Distance between front and rear wheel:132mm
G.W.:35KGS
Load bearing:≤159kgs



CODE:
TC9012
Product Name:
Aluminum Alloy Stretcher For Ambulance
Specification:
Maximum bit size (LxWxH):190x55x88cm
*Minimum bit size (LxWxH):190x55x72cm
*Packing Size(1pc/carton):195x62x42cm
G.W.:40.5kg
Load bearing:≤159kgs



CODE:
TC9013
Product Name:
Aluminum Alloy Stretcher For Ambulance
Specification:
Product Size:(L*W*H) :
High position:1900*550*920 mm
Low position:1900*550*260 mm
Maximum Angle of the Back:60°
Packing Size:1950*620*280mm
G.W.:43kg, Load Bearing:≤159kg



CODE:
TC9014
Product Name:
Aluminum Alloy Stretcher For Ambulance
Specification:
Product Size:(L*W*H):
High position:1900*550*920 mm
Low position:1900*550*260 mm
Maximum Angle of the Back:60°
Packing Size:1950*620*280mm
G.W.:43kg, Load Bearing:≤159kg



CODE:
TC9015
Product Name:
Automatic Loading Ambulance Stretcher
Specification:
Product Size (L x W x H):
High Position:196 x 55 x 86cm
Low Position:196x 55 x 25cm
Carton Size(1pc/carton):198 x 64 x 26cm
Load bearing: 159kg,N.W.:34kg G.W.:40kg
Maximum Angle of the Back:85°
Load Bearing:≤159kg




CODE:
TC9016
Product Name:
Aluminum Alloy Emergency Stretcher Trolley
Specification:
Product size(LxWxH):High position:190x55x88cm
Low position:190x55x54cm
Packing size:195x62x34cm
Maximum back angle: 60°
N.W.:35KGS, G.W.:41 KGS
Load Bearing:≤159kg



CODE:
TC9017
Product Name:
Stainless Steel Emergency Transfer Stretcher Trolley
Specification:
Product Size(L*W*H) :L1900*W630*H800mm
Size of the castors :φ125cm
Packing Size:195*65*35cm
N.W.:35kg, G.W.:36kg
Load Bearing:≤120kg



CODE:
TC-HC01
Product Name:
Luxury Operation Transfer Stretcher Cart
Specification:
Size: L3650*W640*640-970mm





CODE:
TC-HC02
Product Name:
Manual Patient Transfer Stretcher
Specification:
Size:L1950*W640*H570/860mm




CODE:
TC-HC03
Product Name:
Hydraulic Patient Transfer Stretcher
Specification:
Size:L1950*W640*H550/870mm



CODE:
TC9018
Product Name:
Extendible Scoop Stretcher
Specification:
Max Size(LxWxH):224x44x8cm
Min Size(LxWxH):124x44x8cm folded
N.W.9KGS,G.W.11KGS
Load Bearing:≤159kg
Dimension of packing:127x45x10cm



CODE:
TC9019
Product Name:
Traction Splint For Leg
Specification:
For Adult size:136x22x18cm
For Child size:118x18x17cm
Packing:4pcs/ctn(Adult/child)
N.W.:2KGS(Adult) 1.8kgs(Child)
G.W.:10KGS(Adult) 9kgs(child)
Dimension of packing:98X23X20cm(Adult),
91x23x20cm(Child)



CODE:
TC9020
Product Name:
Spine Board
Specification:
Product size (L x W x H):
A:183 x 45 x 5cm,B:185x 46x6. 5cm,
C:184x45x5.5cm
Packing size (1pc/carton):
A:185 x 47 x 7cm,B:187x48x8cm,
C:186x47x8cm—C
Load bearing: less than 159kgS



CODE:
TC9021
Product Name:
Patient Transfer
Specification:
Size(L×W×H)173.5×49×14cm
Folding Size(L×W×H) 87×49×28cm
Load bearings≤159kg
Net weight 6.1kg
Gross weight 7.1kg



CODE:
TC9022
Product Name:
Extrication Device
Specification:
Color: Green,Black,Green,etc.
Adult:82x71cm,Child:59x64cm,
N.W.:3kgs(Adult),2kgs(Child)
Pacing Size (2pcs):86x26x19cm
Cervical Collar



CODE:
TC9023
Product Name:
Cervical Collar
Specification:
A:Simple
B: 4 position adjustable
C:soft foam



CODE:
TC9024
Product Name:
Head Immobilizer
Specification:
Product Sizes: Padding : 40 cm x 25 cm x16cm
Two head blocks: on the side: 13.8cm,
On the bottom: 9cm, on the top: 5.2 cm,
External diameter of the hole: 6 cm.
Packing size (L x W x H): 41x 27x 20cm
N.W.: 1kg G.W.: 1.5kg



CODE:
TC9024-1
Product Name:
Vacuum Mattress
Specification:
Type:Adult,Child Use
Shape:With Or Without Head Immobilizer



CODE:
TC9025
Product Name:
CPR Board
Specification:
Product Size(LxWxH):64x43x8cm
N.W.:1.5kgs
Packing Size(L x W x H):66x44x9cm



CODE:
TC9026
Product Name:
Body Bag For Cadaver
Specification:
Material: PVC ,PP+PE etc
Color: White,Black etc
Size:50x110cm,90x220cm etc
Thickness:0.1cm,0.17cm etc
With Or Without Handle



TC-IE15
Fifteen Channels Digital
Electrocardiograph



TC-IE101
Single Channel Digital
Electrocardiograph



TC-IE300
Three Channels Digital
Electrocardiograph



TC-IE6
Six Channels Digital
Electrocardiograph



TC-IE12A
Twelve Channels Digital
Electrocardiograph



TC-1210
Twelve Channels Digital
Electrocardiograph



TC9027B
Multi-Functional Accompany Chair
Size: L620*W610*H420-950mm
N.W.:22.5KGS



TC9027C
Multi-Functional Accompany Chair
Size: L620*W610*H420mm
N.W.:22 KGS



TC9028
Luxury Transfusion Chair
Size:L700-1600*W750*H450-1080mm
N.W.:21.5KGS



TC9029
Blood Collection Chair
Size(LxWxH):1650x950x1700mm



TC9030
Treat-Waiting Chair
Size(LxWxH):186X70X78cm—3seats



TC9031
One Layer Footstool
A:Stainless steel
Size(LxHxW):40x30x20cm
B:Powder Coated steel
Size(LxHxW): 45x30x20cm
C:Stainless steel
Size(LxHxW):40x10x25cm



TC9032
Two layers Footstool
A:Stainless Stee
Size(LxHxW):40x30x36cm
B:Stainless Steel
Size(LxHxW):46x41x43cm
C:Stainless Steel
Size(LxHxW): 55x30x40cm



TC9033
Nurse Chair
A:size Ø550xH480-650mm
B:size Ø500xH450-700mm
C:size Ø380xH450-600mm
D:size Ø360xH450-600mm



TC9034
Folding Hospital Screen
S:Two Folding
M:Three folding
L: Four Folding



TC9035
Stainless Steel Hickey Cabinet
Size:900x400x1750mm



TC9036
Stainless Steel Medicine Cabinet
Size:900x500/400x1750mm



TC9037
Stainless Steel Anesthesia Trolley
Size(LxWxH):600x400x850mm



TC9038
Stainless Steel Emergency Trolley
Size(LxWxH):700x400x850mm



TC9039
Stainless Steel Emergency Trolley
Size(LxWxH):700x400x850mm



TC9040
Stainless Steel Treatment Trolley
With Two Layers
Size(LxWxH):850x500x900m



TC9041
Stainless Steel Treatment Trolley
With Two Layers
Size(LxWxH):850x500x900mm



TC9042
Stainless Steel Treatment Trolley
With Three Layers
Size(LxWxH):850x500x900mm



TC9043
Stainless Steel Treatment Trolley
With One Drawer
Size(LxWxH):600x360x850mm



TC9044
Stainless Steel Treatment Trolley
With Two Drawers
Size(LxWxH):650x450x900mm



TC9045
Stainless Steel Treatment Trolley
With One Drawers
Size(LxWxH):700x450x900mm



TC9046
Stainless Steel Fan Shap Instrument
Trolley With Two Layers
Size(LxWxH):1500x640x880mm



TC9047
Stainless Steel Thermos Trolley
Size: (LxWxH):650x500x1000mm
For 24bottles



TC9048
Stainless Steel Laundry Trolley
Size: 450xH750mm



TC9049
Stainless Steel Laundry Trolley
Size(LxWxH):700x500x900mm



TC9050
Laundry Trolley
Size(LxWxH):988x541x936mm



TC9051
Laundry Trolley
Size(LxWxH):1180x570x936mm



TC9052
Waste Collecting Trolley
Size(LxWxH):588X420X890mm



TC9053
Waste Collecting Trolley
Size(LxWxH):800x590x890mm



TC9054
Stainless Steel Treatment Trolley
Size(LxWxH):380x450x920mm



TC9055
Stainless Steel Double Arm
Lifter Tray Stand
Size(LxWxH):740x500x990mm



TC9056
Utility Trolley
Size(LxWxH):540x366x830mm



TC9057
Utility Trolley
Size(LxWxH):640x460x900mm



TC9058
Utility Trolley
Size(LxWxH):540x366x880mm



TC9059
Utility Trolley With Two Drawers
Size(LxWxH):640x460x900mm



TC9060
Utility Trolley With One Drawers
Size(LxWxH):540x366x900mm



TC9061
Clinical Trolley
Size(LxWxH):850x520x950mm



TC9062
Clinical Trolley
Size(LxWxH):720x470x920mm



TC9063
Clinical Trolley
Size(LxWxH):625x475x920mm



TC9064
Clinical Trolley
Size(LxWxH):930x450x920mm



TC9065
Nursing Trolley
Size(LxWxH):720x470x920mm



TC9066
Nursing Trolley
Size(LxWxH):850x520x950mm



TC9067
Anesthesia Trolley
Size(LxWxH):560x495x980mm



TC9068
Anesthesia Trolley
Size(LxWxH):720x470x920mm



TC9069
Anesthesia Trolley
Size(LxWxH):850x520x950mm



TC9070
Anesthesia Trolley
Size(LxWxH):720x470x920mm



TC9071
Medicine Trolley
Size(LxWxH):720x470x920mm



TC9072
Medicine Trolley
Size(LxWxH):625x475x920mm



TC9073
Double Sides Medicine Trolley
Size(LxWxH):850x520x950mm



TC9074
IV-Treatment Trolley
Size(LxWxH):930x450x920mm



TC9075
Emergency Trolley
Size(LxWxH):620x355x880mm



TC9076
Emergency Trolley
Size(LxWxH):560x495x1500mm



TC9077
Emergency Trolley
Size(LxWxH):850x520x950mm



TC9078
Emergency Trolley
Size(LxWxH):850x520x950mm



TC-B001
Bedside Cabinet
Size:450x470x780mm
Material:ABS



TC-B002
Bedside Cabinet
Size:450x470x780mm
Material: Frame-Plastic Steel,
Other-ABS



TC-B003
Bedside Cabinet
Size:475x470x750mm
Material:ABS



TC-B004
Bedside Cabinet
Size:475x470x760mm
Material:ABS



TC-B005
Bedside Cabinet
Size:475x470x750mm
Material:ABS



TC-B006
Bedside Cabinet
Size:475x470x880mm
Material:ABS



TC-B007
Bedside Cabinet
Size:500x510x710mm
Material:Frame-Plastic Steel,
Others-ABS




TC-B008
Bedside Cabinet
Size:475x470x750mm
Material:surface board-ABS,
Others-Plastic Steel



TC-B009
Bedside Cabinet
Size:520x480x740mm
Material:Aluminum+density board



TC-B010
Bedside Cabinet
Size:495x423x800mm
Material:Steel+ density board



Medical Seat Cushion



TC-KA01
Medical Air Cushion
With Air Pump



TC-KA02
Medical Air Cushion
With Air Pump



TC-KA03
Medical Mattress
Single Crank Use
Double Crank Use etc
Three Crank Use etc



TC560
Overbed Table
L:88cm W:40cm H:73-125cm



TC562
Overbed Table
L:77cm W:40cm H:72-113cm



TC5621
Overbed Table
L:78cm W:40cm H:79-105cm



TC5622
Overbed Table
L:92cm W:54cm H:94-106cm



TC5624
Overbed Table
Packing:840*520*140(mm)



TC9080
ECG Chest Electrode
Material: Nonwoven Or Foam
Use: Infant, Adult



TC9081
Disposble Elestrurgical Pad
Type: Monopolar
Size: 150mm*90mm, 210mm*100mm
180mm*135mm



TC9082
Ultrasound Gel
Capacity: 100ml, 250ml, 5L etc
Color: Transparent/White, Blue Color



TC9083
A: concentrated Developer Liquid
B: concentrated Fixer Liquid
High tempertre: capacity: 20L, 2x20L etc



TC9084
A: X-ray Developer powder
B: X-ray Fixer Powder
Capacity: 20L, 2x20L etc



TC-FA01
X-ray Observation Lamp
Single: (428x348)mm²
Double (428x698)mm²
Triple (428x1048)mm²



TC-FC01
Intensifying Screen
Size: 5"x7", 8"x10", 12"x10", 14"x14" etc
Color: Blue, Green Sensitive
Speed: Medium, High



TC-XF01
X-ray Film
Sensitive: Blue, Green
Size: 35x35cm, 35x43cm, 30x40cm,
15x40cm, 24x30cm, 18x24cm etc



TC-FE01
X-ray Film Developing Hanger
Size: 5"x7", 8"x10", 10"x12", 11"x14" etc



TC-FG01
General Type Eyesight Lamp Box
TC-FG02
Luxury Aluminum Eyesight Lamp Box
Both Size: 1000x160x37mm



TC-FF01
X-Ray Fil Cassette
with or without window
size: 5"x7", 8"x10", 10"x12", 14"x14" etc



TC-FA05
Standing X-Ray Film Cassette Shelf



TC661B
Stool Pan



TC662B
Urine Bottle,
Male Use



TC663B
Urine Bottle,
Male/Female Use



TC8141
Raised Toilet Seat



TC664B
Urine Bottle,
Male/Female Use



TC665B
Urine Bottle,
Male Use



TC669B
Raised Toilet Seat



TC8142
Raised Toilet Seat



TC514 I.V. Set **TC515** I.V. Set **TC516** I.V. Set **TC517** I.V. Set **TC518** I.V. Set



TC513A/B
Bed Backrest



Code:
TC-KD002
Product Name:
Soft Vertebrae Tractor



Code:
TC-KD004
Product Name:
Ultraviolet Lamp Trolley



Code:
TC9079
Product Name:
ECG Paper Roll/Book



TC-L751 TC-L751-II TC-01L-1 TC-01L-II-1

Specification/Code	TC-L751	TC-L751II	TC-01L-1	TC-01L-II-1
Illumination(Lx) at distance of 1m	>12,000	>20,000	>12,000	>25,000
Color temperature(K)	3000±500	3500±500	3000±500	3000±500
Main Voltage(AC)	220V±22V,50Hz±1Hz			
Rated voltage of bulb(AC)	24V	24V	24V	24V
Rated Power Of Bulb(W)	25	50	25	50
Input Power	30	60	30	60
Light	Halogen Bulb	Halogen Bulb	Cold light Source	Tungsten Halogen bulb



TC2000-3II TC-05L.III TC-500II TC-ZC0803

Specification/Code	TC2000-3II	TC-05L.III	TC-500II	TC-ZC0803
Illumination(Lx) at distance of 1m	>40000	>60000	>95000	>10000
Color temperature(K)	4300±200	4000±500	4200±500	3000-6000
Main Voltage(AC)	220V±22V,50Hz±1Hz			
Rated voltage of bulb(AC)	24V	24V	24V	
Rated Power Of Bulb(W)	25	25	100	
Input Power	30		150	3VA



TC-04L-I TC-500II-1 TC-LED-MDT61I

Specification/Code	TC-04L-I	TC-500II-1	TC-LED-MDT61I
Illumination(Lx) at distance of 1m	>60,000	>95000	>160,000
Color temperature(K)	4000±500	4200±500	6000
Main Voltage(AC)	220V±22V,50Hz±1Hz		
Rated voltage of bulb(AC)	24V	24V	100-240V
Rated Power Of Bulb(W)	25	100	200
Input Power	30	150	
Light	Halogen Bulb		



TC-05L-1 TC-09L-1 TC-12L-1 TC-600III TC-600-600III

Specification/Code	TC-05L-1	TC-09L-1	TC-12L-1	TC-600III	TC-600-600III
Illumination(Lx) at distance of 1m	>60,000	>100,000	>100,000	>105,000	>105,000
Color temperature(K)	4000±500	4000±500	4000±500	4300±500	4300±500
Main Voltage(AC)	220V±22V,50Hz±1Hz				
Rated voltage of bulb(AC)	24V	24V	24V	24V	24V
Rated Power Of Bulb(W)	25	25	25	120	120
Input Power	30	30	30		
Light	Halogen Bulb	Halogen Bulb	Cold light Source	Tungsten Halogen bulb	Tungsten Halogen bulb



TC-LED600I TC-LED600II TC-LED7060

MODEL	TC-LED600I	TC-LED600II	TC-LED7060
POWER SUPPLY	A.C.220 V 50 Hz		
INPUT POWER	55VA	110VA	60VA
Color temperature (K)	3000k ~ 6000k		
Illumination Of Main Light (lx)	80000-160000	80000-160000	100000-160000
Illumination Of Side Lamp(lx)	---	80000-160000	80000-160000
Spot Diameter of Main Light d10(mm)	130mm	130mm	150mm
Spot Diameter of Side Lamp d10(mm)	---	---	130mm
Spot Diameter of Main Light d50(mm)	75mm	75mm	85mm
Spot Diameter of Side Lamp d50(mm)	---	---	75mm
SHADOWLESS EFFECT THE SINGLE COVER RATE (lx)	> 35%(28000-56000)	> 35%(28000-56000)	> 35%(35000-56000)
DOUBLE RATE COVER PLATE (lx)	---	---	> 35%(28000-56000)
*BULB POWER(LED)	3V-3.4V/3W		
BEAM DEPTH	≥600mm		
COLOR RENDERING INDEX(Ra)	85 ~ 100		
MAXIMUM LASER OUTPUT	5.3mW		

Code:
TC-H003-C
Product Name:
Portable Electrical Suction Device
Specification
Main Voltage:AC200V/50Hz;
Pump Structure: Oil-free pump;
Air Pumping efficiency:≥18L/min
Negative Pressure:≥0.075MPa
Reservoir Capacity: 1000ml
Noise Level:≤55dB
Input Power:90VA



Code:
TC-DFX-23A
Product Name:
Portable Electrical Suction Device
Specification
Main Voltage:AC200V/50Hz;
Pump Structure: Oil-free pump;
Air Pumping efficiency:≥10L/min
Negative Pressure:≥0.07MPa
Reservoir Capacity: 1000ml
Adjustment range of negative pressure:0.01-0.07Mpa
Noise Level:≤45dB
Input Power:150VA





Code:
TC-DFX-23All

Product Name:
Portable Electrical Suction Device

Specification:
Main voltage: AC220V/50Hz;
Pump Structure: Oil-free pump
Air Pumping efficiency: $\geq 18L/min$
Negative Pressure: $\geq 0.075MPa$
Reservoir Capacity: 1000ml
Adjustment range of negative pressure: 0.01-0.17MPa
Noise Level: $\leq 45dB$
Input Power: 90VA



Code:
TC-DFX-23BI

Product Name:
Portable Electrical Suction Device


Specification:
Main Voltage: AC220V/50Hz;
Pump Structure: Oil-free pump
Air Pumping efficiency: $\geq 25L/min$
Negative Pressure: $\geq 0.09MPa$
Reservoir Capacity: 1000mlx2
Adjustment range of negative pressure: 0.013-0.09MPa
Noise Level: $\leq 55dB$
Input Power: 150VA



Code:
TC-DFX-23BIII

Product Name:
Portable Electrical Suction Device

Specification:
Main Voltage: AC220V/50Hz;
Pump Structure: Oil-free pump
Air Pumping efficiency: $\geq 20L/min$
Negative Pressure: $\geq 0.09MPa$
Reservoir Capacity: 1000ml1
Adjustment range of negative pressure: 0.013-0.09MPa
Noise Level: $\leq 55dB$
Input Power: 150VA



Code:
TC-DFX-JA/B

Product Name:
Foot Pedal Suction Device

Specification:
Negative Pressure: $\geq 0.08MPa$
Closed: $\leq 0.005MPa/10min$
Reservoir Capacity: 1000ml



Code:
TC-DFX-XWA

Product Name:
Stomach Cleaning Machine

Specification:
Main Voltage: AC220V/50Hz;
Structure of Pump: Impulse Pump
Flow rate: $\geq 2L/min$ for Suction
 $\geq 2L/min$ for Suction
Sputum vessel: 5000ml x 2
Mode of stomach cleaning: Manual&Auto (Auto-suction time adjustable)
Noise Level: $\leq 55dB$
Input Power: 100VA $\pm 25\%$



Code:
TC-DFX-III

Product Name:
Low Negative Pressure Suction Apparatus

Specification:
Main Voltage: AC220V/50Hz;
Pump Structure: Electromagnetic pump
Flow rate: $\geq 800ml/min$
Negative Pressure: $\geq 16KPa$
Reservoir Capacity: 1000ml
Noise Level: $\leq 30dB$
Input Power: 18VA



Code:
TC-DFX-23CI

Product Name:
Electrical Suction Device

Specification:
Main Voltage: AC220V/50Hz;
Pump Structure: film type pump;
Air Pumping efficiency: $\geq 25L/min$
Negative Pressure: $\geq 0.09MPa$
Reservoir Capacity: 2500mlx2
Adjustment range of negative pressure: 0.013-0.09MPa
Noise Level: $\leq 55dB$
Input Power: 450VA



Code:
TC-DFX-23CIV

Product Name:
Electrical Gynaecological Suction Device

Specification:
Main Voltage: AC220V/50Hz;
Pump Structure: Oil-film type pump;
Air Pumping efficiency: $\geq 25L/min$
Negative Pressure: $\geq 0.09MPa$
Reservoir Capacity: 1000mlx2
Adjustment range of negative pressure: 0.013-0.09MPa
Noise Level: $\leq 55dB$
Input Power: 150VA



Code:
TC-DFX-23DI

Product Name:
Electrical Suction Device

Specification:
Main Voltage: AC220V/50Hz;
Pump Structure: film type pump;
Air Pumping efficiency: $\geq 25L/min$
Negative Pressure: $\geq 0.09MPa$
Reservoir Capacity: 2500mlx2
Adjustment range of negative pressure: 0.013-0.09MPa
Noise Level: $\leq 55dB$
Input Power: 450VA



Code:
TC-Y007

Product Name:
Oxygen Concentrator

Specification:
Main Voltage: AC220V/50Hz;
Oxygen Flux: 1-5L/min
Oxygen Density: $\geq 90\%$
Output pressure: 0.02-0.07MPa
Automization efficiency: $\geq 0.2ml/min$
Input Power: 450VA
Noise Level: $\leq 60dB$
With or Without Spray



Code:
TC-GLQ-2

Product Name:
Blue-ray therapy Machine For Newborn

Specification:
The light box consists of four blue -ray lamp tubes
The light box can be adjusted in horizontal angulation 0°, 30°, 60°
The support arm can be regulated
The wavelength of the blue-ray: 400-500NM
The irradiation power of the blue-ray: $\geq 500UM/M^2$



Code:
TC-5GB

Product Name:
Infant Incubator

Specification:
Box & skin temperature controlled by computer
Separately display set: box & skin temperature
High Temperature setting: > 37.0 ; Noise inside: $< 60dB$
Temperature fluctuation in the range: $< 0.5DEGC$
Bed surface temperature deviation $< 1.5C$
Heating time (increased by $11^{\circ}C$) $\leq 45min$
RS-232 Connector: Self-test alarm and acousto-optic prompt of over-heating
Deviation, circulation sensor power outage, Protection ralling
Optional blue-ray therapeutic apparatus



Code:
TC-6GB

Product Name:
Infant Incubator

Specification:

Separately display set: box & skin temperature
 High Temperature setting: >37.0;
 Noise inside: <60dB
 Temperature fluctuation in the range: <0.5DEGC;
 Bed surface temperature deviation <1.5C
 Heating time (increased by 11 °C) ≤ 45min
 RS-232 Connector: Self-test alarm and acousto-optic prompt of over-heating
 Deviation, circulation sensor power outage, Protection railing
 Optional blue-ray therapeutic apparatus



Code:
TC-FXQ-4

Product Name:
Infant Radiant Warmer

Specification:

Preheating, manual control and Skin-tempt mode
 Computer temperature control servo, far-infrared radiation heater
 Radiation head that can be adjusted in horizontal angulation from 0°C-90°C
 Tempt setting and skin tempt display separately
 RS-232 joint
 Display timer of APGAR score with Acousto-optic prompt and continuous timekeeping
 Infinitely adjustable baby bed tilt, Lucite baffle thickened for safety, which can be turned downwaed
 Organic daffle turn down and thicken for safety increasing.
 Baby beb may be placed under X-ray film box
 Over temperature, sensor fail alarm, deviation power off, self checking function.
 Optional new temperature control instrument
 The exclusive detection through the national three levels of sound and light alarm safety system.
 Import LED blue-ray light equipment is optional.



Code:
TC-2000G

Product Name:
Infant Incubator

Specification:

Box & skin temperature controlled by computer, panel with backlight display
 Separately display set: box & skin temperature
 High Temperature setting: >37.0;
 Noise inside: <60dB
 Temperature fluctuation in the range: <0.5DEGC, Bed surface temperature deviation <1.5C
 Heating time (increased by 11 °C) ≤ 45min
 Self-test alarm and acousto-optic prompt of over-heating, deviation, circulation sensor power outage
 RS-232 Connector: Double thermostatic cover infinitely adjustable baby bed title, Protection railing
 Optional blue-ray therapeutic apparatus



Code:
TC-FXQ-4A

Product Name:
Infant Radiant Warmer

Specification:

Preheating, manual control and Skin-tempt mode
 Computer temperature control servo, far-infrared radiation heater
 Radiation head that can be adjusted in horizontal angulation from 0°C-90°C
 Tempt setting and skin tempt display separately
 RS-232 joint
 Display timer of APGAR score with Acousto-optic prompt and continuous timekeeping
 Infinitely adjustable baby bed tilt, Lucite baffle thickened for safety, which can be turned downwaed
 Organic daffle turn down and thicken for safety increasing.
 Baby beb may be placed under X-ray film box
 Over temperature, sensor fail alarm, deviation power off, self checking function.
 Optional new temperature control instrument
 The exclusive detection through the national three levels of sound and light alarm safety system.
 Import LED blue-ray light equipment is optional.
 with warming prompt for overheating and sensor fault
 Big bed convenient for operation
 Increase two tray, on which other equipment
 Cylindrical tribly
 Elevating chassis
 Optional new temperature control instrument
 The exclusive detection through the national three levels of sound and light alarm safety system.
 Import LED blue-ray light equipment is optional.
 Optional oxygen device, low pressure suction device, AMBU the fixed shelf for infant head mask



Code:
TC-900

Product Name:
Patient Monitor




Code:
TC-900S

Product Name:
Patient Monitor



Code:
TC-IM7

Product Name:
Portable patient Monitor



Code:
TC-IM8

Product Name:
Portable patient Monitor



Code:
TC-IM15

Product Name:
Portable Monitor



Code:
TC-IC90

Product Name:
Fetal & Maternal Monitor



Code:
TC-IC60

Product Name:
Fetal & Maternal Monitor



Code:
TC-IP12

Product Name:
Infusion Pump



Code:
TC-IP21

Product Name:
Infusion Pump



Code:
TC9085A

Product Name:
Medical Electric Saw & Drill System



Code:
TC9085C

Product Name:
Medical Electric Reciprocating Saw



Code:
TC9085C

Product Name:
Medical Electric Drill



Code:
TC-BP12

Product Name:
Handheld Pulse Oximeter

Specification:
High resolution LCD display of SpO2, PR, Pulse Bar, PI & Plethysmogram; (B type: M/O PI & Plethysmogram) Real-time store and recall SpO2 and PR value; Up to 70 hours of oximetry data storage (Record data once every 1/2/4/8 seconds); Data record can be uploaded to PC; Oximeter data manager software is available; Audible & visible alarm function; AC/DC adapter options;



Code:
TC-FPX-35

Product Name:
Finger Pulse Oximeter

Specification:
Reliable accuracy and durability
Two Color OLED Display, four display modes.
4-Direction Display adjustable.
Low voltage indicator, Real-time spot-checks.
Low power consumption, 50 hours continuous to work.
Low Perfusion $\leq 0.4\%$
Automatic power off when no signal
Small and light weight, convenient to carry
Widely used in hospital, home healthcare, oxygen bar, community medical centre, alpine area, sports healthcare etc.



Code:
TC-BF600+

Product Name:
Doppler Fetal Heart Rate Detector

Specification:
Input Power: $\leq 20\text{VA}$
Power: 14.4V rechargeable batteries
Operating temperature: $10^{\circ}\text{C} - 40^{\circ}\text{C}$
Ultrasonic frequency: 2.0MHz/5.0MHz, $\pm 10\%$
Ultrasonic intensity: $\leq 10\text{mW/cm}^2$
Dimensions: 34cm(L) x 25cm(W) x 17cm(H)
Net weight: 1kg
Gross weight: 2.6kg



Code:
TC-JB100B

Product Name:
Fetak Doppler

Specification:
Display: LCD Screen
Performance: FHR Value, Volume, Battery Status, Wave Form
FHR Measurement Range: 50-210 bpm
Measuring Mode: Real-time
Ultrasound Frequency: 2.5MHz (3.0MHz optional)
Dimension: 128.5 x 91.5 x 37.5 (mm)
Backlight and Speaker:
Backlight, Adjustable Volume



Code:
TC-FM801

Product Name:
Fetal Monitor

Specification:
Foldable 5.7" LCD screen, digital and diagram display of FHR and TOCO; TOCO automatic and manual zero, auto fetal movement detection; Auto thermal print head over-heating protection; 13-wafer pulse ultrasonic probe, with unique heart rate algorithm, provide accurate FHR; Rechargeable li-ion battery ensure continuous monitoring even while power failure; Internal memory storage patient information; Database analysis central monitoring system by TCP/IP network connection; Optional for twins use.



Code:
TC-AED7000

Product Name:
Difibrillator

Specification:
Output: Biphasic Truncated exponential Energy Sequence: 150, 150, 200J
Charge Time: 8 sec. To 150J
10 sec. To 200J (New battery)
Analysis Time: 9 sec.
The maximum time from the initiation of rhythm analysis to readiness for discharge with a new battery. Less than 30 seconds
The maximum time from the initiation of rhythm analysis to readiness for discharge after 6 shocks. Less than 35 seconds
The maximum time from initially switching power on to readiness for discharge. Less than 25 seconds
Audible Prompts: 20 audible prompts
Visual Prompts: LED Prompts
Controls: Two buttons-On/Off, Shock
Output Energy Accuracy: $\pm 15\%$ into any impedance from 25 to 175 Ω
Output disabled when the patient impedance is outside limits: 20 Ω to 200 Ω -condensing)



Code:
TC-BD-310

Product Name:
Syringe Destroyer



Code:
TC-BFW-1000+

Product Name:
Fluid/Blood Infusion Warmer



Code:
TC-CPM1C

Product Name:
Mechanical Type Lower Limb CPM

Specification:
Work on knee joints



Code:
TC-CPM2E

Product Name:
Child Use Lower Limb CPM

Specification:
Work on knee joints



Code:
TC-CPM3E

Product Name:
Shoulder Joint CPM

Specification:
Work on shoulder joint



Code:
TC-CPM4E

Product Name:
Shoulder and Elbow Joints CPM

Specification:
Work on shoulder and Elbow joints



Code:
TC-CPM5E

Product Name:
Finger Joint CPM

Specification:
Work on finger joint



Code:
TC-CPM6E

Product Name:
Wrist Joint CPM

Specification:
Work on wrist joint, Adult use



Code:
TC-CPM1F

Product Name:
Lower Limb CPM

Specification:
Work on knee joints



Code:
TC-01ATD

Product Name:
Anesthesia Machine

Specification
Model: Standard Model
Material: ABS and Metal
Flow Meter: Four glass tubes
Vaporizer Slots: Single PA-1 type slot
Display: LED
Ventilation Mode: SIPPV, MANUAL
Tidal Volume: Adjustment Range: 50~1500 mL,
Display Range: 0~1500 mL
Respiratory Frequency: 4-40 bpm
I:E Ratio: 1:1.5~1:4.0
Inspiratory Pressure Trigger: -1.0~1.0 kPa
Vaporizer Concentration Ranges: 0~5%
Alarm: Tidal volume, Airway pressure, Power failure,
Oxygen failure, etc
Backup Power Supply: Yes



Code:
TC-02ATD

Product Name:
Anesthesia Machine

Specification
Model: Standard Model
Material: ABS and Metal
Flow Meter: Four glass tubes
Vaporizer Slots: Single PA-1 type slot
Display: 5.4 inch TFT display
Ventilation Mode: IPPV, SIPPV, SIMV, MANUAL
Tidal Volume: Adjustment Range: 50~1500 mL,
Display Range: 0~1500 mL
Flowmeter Range: O₂: 1~10 L/min, N₂O: 0.1-10 L/min
Respiratory Frequency: 1-99 bpm
IMV Frequency: 1-20 bpm
I:E Ratio: 4:1~1:10
Inspiratory Pressure Trigger: -1.0~1.0 kPa
Vaporizer Concentration Ranges: 0~5%
Alarm: Tidal volume, Airway pressure, Power failure,
Oxygen failure, etc
Backup Power Supply: Yes



Code:
TC-PU-P151A

Product Name:
Diagnostic Ultrasound System

Specification
Display: 15 inch LCD high-resolution
screen

System: Linux+ARM+FPGA
Element: 128
Probe connector: 2
Ports: S-Video, USB, Video, VGA, LAN, Foot
Switch
Battery Capacity: Large capacity lithium battery
Image formats: JPG BMP FRM
Available probe: convex array, linear array,
micro-convex, trans-vaginal probe.
Language: Chinese/English/Spanish/French
/Russian/Germany/Czech etc.



Code:
TC-Revo-T1

Product Name:
Diagnostic
Ultrasound System

Specification
Display: 21 inches
high resolution
LED Monitor

Monitor: 21 Screen
Plane Wave Beam Former: 16
Scan Type: Normal, Composite, Extended
Resolution: 1080*768
Scanning speed: 50-400
RAM: 4G
Hard Disk: 128G
Video Memory: ≥128 MB
Video Format: WMV, Mp4
Image Format: BMP, JPG, PNG, TIFF, DICOM
Mode: B/2B/4B/BM/M/CM/CF/PW/PDI/DPDI
/TDI/CW



Code:
TC-W-T2008-B

Product Name:
Haemodialysis
Machine

Specification
Display:
10.4 inch TFT display
Material:
ABS and Metal

Ventilation Mode: Ippv, Sippv, Imv, Simv, Manual
Tidal Volume: adjustment Range: 50~1500 MI,
Minute Volume: ≥18 L/min.
Output Gas Oxygen Concentration: 40%-100%
Respiratory Frequency: 1-99 Bpm
Simv Frequency: 1-20bpm
I:e Ratio: 4:1~1:4
Inspiratory Pressure Trigger: -1.0~1.0 Kpa
Peep Range: 1~1 kpa
Alarm: Tidal Volume, Airway Pressure,
Power Failure, Oxygen Failure, Etc
Backup Power Supply: Yes



Code:
TC-Defi-5s

Product Name:
Defibrillator Monitor

Specification
Mode: Adult / Child
Energy Sequence:
Child Mode: 50/50/75 Joules
Adult Mode: 150/150/200 Joules
Voice Prompt: Extensive voice prompt
Visual indicators: LED prompts
Control: Two buttons: ON/OFF, Shock
ECG storage: 1,500 events
Data transmission: Infrared
Power: Battery non-rechargeable
Type: 12V, 2800mAh Li-MnO₂ Cell
Size: 240*300*80mm
Weight (with battery): 1.9Kg (4.2 Pounds)
Operating Temperature: 0°C~40°C
Operating Humidity: Relative humidity
between 30% and 95% (non-condensing)
Storage Temperature (without battery):
-20°C ~ 55°C
Storage Humidity (without battery):
Up to 93% (non-condensing) Physical



Code:
TC-HD-8000D

Product Name:
Defibrillator Monitor

Specification
LCD Dimensions: 7-inch
Type: High resolution true-color graphic
Resolution: 480X234
Power requirements:
(a) AC Power supply: 100V~240V, 50Hz/60 HZ
(b) Vehicle Voltage (Option): DC 12V
ECG lead: I, II, III, AVR, AVL, AVF, V1~V6
S-T segment analysis: -2.0~2.0mv
Arrhythmia analysis: yes
Protection: With stand 4000v Ac/50Hz voltage
in isolation and work against electro-surgical
knife and defibrillation
Respiration Measurement method:
Thoracic impedance
Standard parameter & configuration:
ECG/RESP/DEFIBRILLATOR
Defibrillator type: Manual, Synchronized,
Asynchronized
Energy accuracy: ≤+1%
Charging time: Maximum 10 seconds to 360
Joules



Code:
TC-CPH-2010

Product Name:
Breathing Machine

Specification
Display: 5.7 inch Screen Size
Power Input: 220 V(±10%), 50Hz(±2%)
or 110V/60Hz
Battery Back-Up: Internal Rechargeable
Sealed Lead Acid, 12V (≥4 Hours)
Ventilation Mode: Ippv, Spont/Cpap, A/C, Sigh,
Simv, Manual
Tidal Volume: 50~1500 MI,
Breathing Rate: 4~100/min
Output Gas Oxygen Concentration: 45%-100%
I:e Ratio: 4:1~1:8
Pipeline input Range: 280 kPa~600 kPa
Inspiratory Duration: 0.2~6s
Sigh times: 1~5 (Every 100 times)
Inspiratory trigger sensitivity:
Pressure Trigger: -2.0 kPa ~ 0 kPa
Can be used in emergency department,
department of gynaecology and obstetrics, ICU,
transport, outdoor aid, per-hospital aid and
beside the bed.



Code:
TC-PA500

Product Name:
Breathing Machine

Specification
Display: LED
Material:
ABS and Metal

Ventilation Mode: sippv, Manual
Tidal Volume: adjustment Range: 50~1200 MI,
Minute Volume: ≥8 L/min.
Output Gas Oxygen Concentration: <50%
Respiratory Frequency: 6-60 Bpm
Imv Frequency: 1-12bpm
I:e Ratio: 1:1.5~1:3.0
Inspiratory Pressure Trigger: -0.4~1.0 Kpa
Peep Range: 0.1~1 kpa
Alarm: Tidal Volume, Airway Pressure,
Power Failure, Oxygen Failure, Etc
Backup Power Supply: Yes



Code:
TC-PA 700B Sta

Product Name:
Breathing Machine

Specification
Display:
10.4 inch TFT display
Material:
ABS and Metal

Ventilation Mode: Ippv, Sippv, Imv, Simv, Manual
Tidal Volume: adjustment Range: 50~1500 MI,
Minute Volume: ≥18 L/min.
Output Gas Oxygen Concentration: 40%-100%
Respiratory Frequency: 1-99 Bpm
Simv Frequency: 1-20bpm
I:e Ratio: 4:1~1:4
Inspiratory Pressure Trigger: -1.0~1.0 Kpa
Peep Range: 1~1 kpa
Alarm: Tidal Volume, Airway Pressure,
Power Failure, Oxygen Failure, Etc
Backup Power Supply: Yes



Code:
TC-T60

Product Name:
Breathing Machine

Specification
Display:
12.1-Inch LCD
touchscreen
Material:
ABS and Metal

Flat interface design with all operations and
displays in selected languages.
Two-step operation for all commands.
Adjustable screen angle for multiple
observation. Visual and audio alerts.
The ventilator has a built-in electronic air
-oxygen mixer, with an adjustable range of
oxygen concentration from 21% to 100%,
a maximum gas flow rate of 60L/min.
Provide 72 hours trends analysis graphs,
storage for at least 3000 logs and alarm
information.